



Product Catalogue and Price List in EUR Version 01/2016

**Effective for all Purchase Orders
placed on or after August 22nd, 2016**

RELEASE NOTES
Version 01/2016


- The Warranty paragraph on page 2 has been updated, to reflect the Product Warranty details at page 76.
- To simplify, there is no reference anymore to the version on the name of each Screen Research product line; the version is indicated by a number in the model screen code already.
- The Fabric Guide on page 5 has been updated.
- The MultiPix 5 White (M5W) fabric has replaced the MultiPix 4K White (M3W) fabric. It also has a higher gain (1.6 compared to 1.35 of the previous material).
- The SilverPix 3D Sonic 2 Silver (3DM) fabric has replaced the SilverPix Sonic Silver (3DS) fabric.
- The MultiPix 4K Sonic White (MPW) fabric has been removed and is no longer available.
- The Product Range Guide on pages 6 to 9 has been updated and it indicates for each screen model the format available as standard or as a custom made product.
- Both SilverPix fabrics belong now to the same "Fabric Category" in terms of pricing on this price list.
- The ClearPix 2 White (2W) has his own "Fabric Category" in terms of pricing.
- The maximum size available for the ClearPix 2 Grey (2G) fabric is now the same as for the ClearPix 2 White (2W) fabric and therefore we can now make bigger screens using the ClearPix 2 Grey (2G) fabric.
- The list of characteristics for each screen model have been updated and/or corrected, when necessary.
- The new FSD fixed frame screen model with ultra-slim black velvet cover has been added.
- The new Integrator T-FI3 and FI3 fixed screens (curved and flat) have been added. They replace the FIS and FID Integrator I-Type screens that have been discontinued and are no longer available.
- The new FCIN1 very large screen model for permanent professional installations has been added.
- The retail price of the motor control system module MCS-ILT-4-IP for TCP/IP technology is now significantly cheaper.
- The retail prices of the Lutron QS motors and transformers have been increased.
- The Lutron QED motor is no longer available and has been removed from the price list.
- On the X4R 4-way masking fixed frame screens, the retail prices of the optional finish with Leather have been increased (only exception for size 80" which has been decreased), but full discount applies now (no reduced margin option as in the past). Price of the black-backing removal option has been corrected for the screens with size 96" and 100".
- The new XTR3 top-bottom masking fixed frame screen model from the Reference X-Mask range has been added. The previous XTR screen model has been discontinued and is no longer available.
- On the new XTR3 screens, the Leather finish option is offered with full discount (no reduced margin).
- The new XLR3 lateral masking fixed frame screen model from the Reference X-Mask range has been added. The previous XLR screen model has been discontinued and is no longer available.
- On the new XLR3 screens, the Full Closure, Leather and DécorMask finish options are offered with full discount (no reduced margin). The DécorMask finish option is now also offered with printed ClearPix 2 fabric (including black-backing), if acoustic transparency is to be privileged.
- On the new XTR3 and XLR3 screens, there is a new motor option from Nice (INN2) for best silent solution.
- The retail prices of the E-Mask ETC screens have been increased by 10%, excepted for the 120" model.
- The retail prices of the E-Mask EL1C screens have been increased by 10% for the models 80" to 110".
- The option RR (reverse roll) available with the MS2, MS2-IS and MS3-IS motorized screens, is now free of charge (no cost).
- The cost of the options ED10 and ED20 (extra screen drop of 10" and 20") has been reduced.
- The interfaces MCS-N-12V and MCS-N-RS232 have been replaced by the new MCS-N-12V-RS232 module.
- The interfaces MCS-1-IR, MCS-2-IR and MCS-3-IR have been replaced by the new MCS-G-IR-230V which is also significantly cheaper.
- The retail prices of the MMS2-L1 and MMS2-L1-IS screens have been increased by EUR 240, as screens are now available with Somfy ILT2 motors. The corresponding MCS table has been updated accordingly.
- The SLDF dual format on-ceiling screens have been discontinued and are no longer available.
- Price of the ED8 option for the 120" SLMF screen has been corrected.
- The MC2 on-ceiling screens have been discontinued and are no longer available.
- The MS2-IS in-ceiling slot screens are now end-of-life with a clearance retail price reduced by 20%. No price difference is now showed on fabric category A for both available formats 1.78:1 and 2.35:1.
- Significantly shorter production lead time for the MS3-IS in-ceiling slot motorized screens.
- On MS2-IT screens, no price difference is now showed on fabric category A for both available formats.
- The MCS motor control system modules guide has been updated.
- Added Somfy, Nice and Gruppo Mastrotto to the list of technology partners.

Prices	Prices indicated in this Price List are the Manufacturer Suggested Retail Prices (MSRP) in EUR currency.
Terms	Standard terms are full payment before shipping. Custom and intermediate sized screens may be paid partially or totally when placing the order and are non-refundable. Responsibility for the product(s) transfers to the Buyer at the point of collection by their appointed carrier. Ownership of the product(s) transfers to the Buyer on receipt of the full payment by Screen Research.
Payment	Bank Wire Transfer.
Order Acceptance	All orders must be submitted to Screen Research by email to orders@screenresearch.com , as well as a complete PDF file generated in the Configurator. All orders are subject to the sole approval and acceptance of Screen Research. An order confirmation will be issued upon acceptance of the order.
Manufacturing and Delivery Lead Times	The manufacturing lead times mentioned are an average for each product. Screen Research shall endeavor to deliver the ordered product(s) by the date and time as requested at the time of order acceptance. The Buyer understands, however, that product lead times may vary due to the nature of the product ordered, general product demand and other circumstances that may be beyond Screen Research's control. It is expressly agreed that Screen Research shall not be liable for failure to deliver by the requested date due to causes beyond its control or the control of its suppliers.
Shipping Terms and Freight	EXW Adeo Screen in Zlotoryja, Poland. All shipments must be inspected within 48 hours after reception of goods, and all claims related to any transport damage must be filed with the respective freight carrier.
Duties and Taxes	Prices are exclusive of any applicable taxes and duties. Buyer shall report directly to their local authorities.
Returns	Return authorization required. All product returns without prior authorization (Screen Research RA number required) shall be refused and returned, and remain the property of the Buyer.
Warranty	A Limited Warranty is available for the Screen Research original purchaser. Please refer to the Product Warranty statement on page 76 for complete details, limitations and exclusions. The Warranty periods are: <ul style="list-style-type: none"> • Screen fabrics and frames: 5 years for parts and labor, to the original purchaser • Motors, electronics and control: 3 years for parts and labor, to the original purchaser

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

This Price List contains the most popular models, sizes and formats from the extensive Screen Research range of video projection screens. If you require information and/or pricing on custom models, sizes and variants not contained in this document, please contact the Screen Research team.

RELEASE NOTES, TERMS & CONDITIONS					PAGE 2	
INDEX					PAGE 3	
PRODUCT CODE BUILDING GUIDE					PAGE 4	
FABRIC GUIDE					PAGE 5	
PRODUCT RANGE GUIDE					PAGES 6-7-8-9	
FIXED SCREENS	Supreme, TheaterCurved	T-FS3	1.78:1		PAGE 10	
			2.35:1		PAGE 11	
			2.40:1		PAGE 12	
	Supreme	FS3	1.78:1		PAGE 13	
			2.35:1		PAGE 14	
			2.40:1		PAGE 15	
		FSD	1.78:1		PAGE 16	
			1.89:1		PAGE 17	
			2.35:1		PAGE 18	
			2.37:1		PAGE 19	
			2.40:1		PAGE 20	
			1.78:1		PAGE 21	
	Classic, TheaterCurved	T-CLF	2.35:1 - 2.40:1		PAGE 21	
	Classic	CLF	1.78:1		PAGE 22	
			2.35:1 - 2.40:1		PAGE 22	
	Integrator, TheaterCurved	T-FI3	1.78:1		PAGE 23	
			1.89:1		PAGE 24	
			2.35:1		PAGE 25	
			2.37:1		PAGE 26	
		Integrator	FI3	2.40:1		PAGE 27
				1.78:1		PAGE 28
				1.89:1		PAGE 29
				2.35:1		PAGE 30
				2.37:1		PAGE 31
Cinema	FCIN1	2.40:1		PAGE 32		
		1.78:1		PAGE 33		
		1.89:1		PAGE 34		
		2.35:1		PAGE 35		
		2.37:1		PAGE 36		
		2.39:1		PAGE 37		
MASKED FIXED FRAME SCREENS	Reference X-Mask, TheaterCurved	T-X4R	1.78:1	4-Way	PAGE 39	
			2.00:1	4-Way	PAGE 40	
		T-XTR	2.40:1	4-Way	PAGE 41	
			1.78:1	2-Way Top-Bottom	PAGE 42	
			2.40:1	2-Way Lateral	PAGES 43-44	
	Reference X-Mask	X4R	1.78:1	4-Way	PAGE 45	
			2.00:1	4-Way	PAGE 46	
		XTR3	2.40:1	4-Way	PAGE 47	
			1.78:1	2-Way Top-Bottom	PAGES 48-49	
			2.35:1	2-Way Lateral	PAGES 50-51	
	Supreme E-Mask	ETC	2.40:1	2-Way Lateral	PAGES 50-51	
			1.78:1	2-Way Top-Bottom	PAGE 52	
		EL1C	2.40:1	2-Way Lateral	PAGE 53	
			1.78:1	2-Way Lateral	PAGE 54	
ON-CEILING MOTORIZED SCREENS	Supreme	MS2	1.78:1		PAGE 54	
			2.35:1		PAGE 55	
		MMS2-4	1.78:1	4-Way Top-Lateral	PAGE 56	
			1.78:1	2-Way Top	PAGE 57	
			2.35:1	2-Way Lateral	PAGE 58	
		SLMF	1.78:1	2-Way Top	PAGE 59	
	1.78:1			PAGE 60		
	Classic	CLCLT	2.35:1 - 2.40:1		PAGE 60	
			1.78:1		PAGE 61	
		CLCTS	2.35:1 - 2.40:1		PAGE 61	
			1.78:1		PAGE 62	
1.78:1				PAGE 63		
IN-CEILING SLOT MOTORIZED SCREENS	Supreme	MS2-IS	1.78:1		PAGE 63	
			2.35:1		PAGE 64	
		MMS2-4-IS	1.78:1	4-Way Top-Lateral	PAGE 64	
			1.78:1	2-Way Top	PAGE 65	
		MMS2-L1-IS	2.35:1	2-Way Lateral	PAGE 66	
			1.78:1		PAGE 67	
	Classic	CLIC	2.35:1		PAGE 68	
			1.78:1		PAGE 69	
IN-CEILING TRAP-DOOR MOTORIZED SCREENS	Supreme	MS2-IT	2.35:1 - 2.40:1		PAGE 69	
			1.78:1		PAGE 70	
		2.35:1		PAGE 70		
MOTOR CONTROL SYSTEM MODULES GUIDE					PAGES 71-72-73	
TECHNOLOGY PARTNERS					PAGES 74-75	
PRODUCT WARRANTY & CONTACT DETAILS					PAGE 76	



Screen Research model codes are built by making a number of choices and indicating those within the correct area of the code. The basic code structure is shown above. Codes that are 'base codes' are used throughout this price list. Whenever an option choice is not available, or is not selected, the space for that option disappears from the code. There are no blanks left in a Screen Research product code.

Model Number: The first two boxes make up the model code. A letter 'T' placed in the first box indicates a TheaterCurved Screen. The second box indicates the type of screen. A full list of model codes is shown in the product guide diagram on pages 6 to 9.

Masking: Some model codes include an indication of the masking format of the screen where it is integral to the basic screen design, e.g. X4R. However, there are various masking options available for motorized screens which mean that the masking code is kept separate.



T indicates top masking only



4 indicates 4-way masking
(A top mask and lateral masks)



L1 indicates one set of lateral masks

In-Ceiling Mounting: Motorized in-ceiling screens may be specified either as In-ceiling Slot (IS) or In-ceiling Trap Door (IT) mounting.

Image Size: This part of the code indicates the width of the viewable image in inches.

Native Ratio: This indicates the native ratio of the screen before any applied masking. These are for Screen Research: 1.78:1, 1.89:1, 2.00:1, 2.35:1, 2.37:1, 2.39:1 and 2.40:1. With masking also the ratios 1.33:1 and 1:60:1 can be achieved.

Fabric: This indicates the chosen screen fabric. Please refer to the fabric tables in the price list for the individual codes.

Voltage: Screen Research offers a range of options for all screens that require electrical main power. Please indicate the appropriate code for the power requirement: -E for 230V (50Hz), -U for 120V (60Hz) and -J for 100V (50Hz/60Hz). In countries where the above described voltage options are not available, it will be necessary to use a transformer.

Casing Color: On-ceiling/on-wall casings for motorized screens are available in a choice of white or black indicated by either a 0 or a 1. In-ceiling cases come as standard in white and this is indicated by a 0 in the code.

Black Backing: For the ultimate video performance, we strongly recommend when selecting ClearPix 4K or ClearPix 2 fabrics to always include our THX audio certified StopLight™ black backing material. All screens using ClearPix fabrics feature the StopLight black backing as standard, and the codes become respectively 4W-B, 2W-B and 2G-B. If requested, the StopLight black backing can be removed as an option. To ensure the best video performance is maintained, the environment behind the screen must be strictly controlled to guarantee that no reflections are present.

Masking Material

Acoustically Transparent (AT) masking material is included as standard on any screen using ClearPix 4K and ClearPix 2 fabrics.

Velvet masking is the standard option for any screen using a SolidPix fabric.

If you wish for your screen to have anything other than the standard fabric and masking combination, please specify this at the time of order.

Wire Exit


All on-ceiling motorized screens have the wire exit positioned at the left-hand upper rear corner of the casing, as standard.



	ClearPix 4K White 1.0	ClearPix 2 White 1.0	ClearPix 2 Grey 0.8	MultiPix 5 White 1.6	MultiPix 4K Grey 1.3	SolidPix White 1.0	SolidPix Sonic White 0.9	SolidPix 2 Grey 0.9	SilverPix 3D Silver 2.5	SilverPix 3D Sonic 2 Silver 2.4
Code	4W	2W	2G	M5W	M3G	S1W	PPW	S2G	3D	3DM
Gain	1.0	1.0	0.8	1.6	1.3	1.0	0.9	0.9	2.5	2.4
Viewing Angle	160	160	160	120	120	160	160	150	60	60
4K Ultra HD Compatible	Yes	Yes *	Yes *	Yes	Yes	Yes	Yes **	Yes	Yes	Yes **
Acoustic Transparency	-0.75dB	-1.5dB	-1.5dB	No	No	No	-4.75dB	No	No	-6dB
Moiré Free	Yes	Yes	Yes	No	No	No	No	No	No	No
Ambient Light Resistance	3/10	3/10	5/10	6/10	8/10	2/10	2/10	6/10	9/10	9/10
3D Active Compatibility	Better	Better	Good	Better	Better	Better	Good	Good	Best	Best
3D Passive Spectral Compatibility	Better	Better	Good	Better	Better	Better	Good	Good	Best	Best
3D Passive Polarized Compatibility	No	No	No	No	No	No	No	No	Best	Best
ISF certified	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
THX Certified	Yes	Yes	Yes	No	No	No	No	No	No	No









































* Minimum 2m (or 80") screen width necessary
 ** Minimum 2.5m (or 100") screen width necessary



Important Notes:

























































SilverPix 3D Sonic uses a special coating process that is applied after the screen material has been micro-perforated. This can cause closing of a certain amount of holes. This has been taken into account in the design of the screen material. All acoustical measurement and testing is done in this real-world use scenario and the declared acoustical transparency data reflects this possibility, which cannot be considered manufacturing defect in any scenario.



			1.78:1	1.89:1	2.00:1	2.35:1	2.37:1	2.39:1	2.40:1
FIXED SCREENS	Supreme, TheaterCurved	 T-FS3, Pages 10-12							
	Supreme	 FS3, Pages 13-15							
		 FSD, Pages 16-20							
	Classic, TheaterCurved	 T-CLF, Page 21							
	Classic	 CLF, Page 22							
	Integrator, TheaterCurved	 T-FI3, Pages 23-27							
	Integrator	 FI3, Pages 28-32							
	Cinema	 FCIN1, Pages 33-38							






























































 = Standard
 = Custom



			1.78:1	1.89:1	2.00:1	2.35:1	2.37:1	2.39:1	2.40:1
MASKED FIXED FRAME SCREENS	Reference X-Mask, TheaterCurved	 T-X4R, Pages 39-41							
		 T-XTR, Page 42							
		 T-XLR, Pages 43-44							
	Reference X-Mask	 X4R, Pages 45-47							
		 XTR3, Pages 48-49							
		 XLR3, Pages 50-51							
	Supreme E-Mask	 ETC, Page 52							
		 EL1C, Page 53							

 = Standard
 = Custom


			1.78:1	1.89:1	2.00:1	2.35:1	2.37:1	2.39:1	2.40:1
ON-CEILING MOTORIZED SCREENS	Supreme	 MS2, Pages 54-55							
		 MMS2-4, Page 56							
		 MMS2-T, Page 57							
		 MMS2-L1, Page 58							
		 SLMF, Page 59							
	Classic	 CLCLT, Page 60							
		 CLCTS, Page 61							

 = Standard
 = Custom

			1.78:1	1.89:1	2.00:1	2.35:1	2.37:1	2.39:1	2.40:1	
IN-CEILING SLOT MOTORIZED SCREENS	Supreme	 MS2-IS, Pages 62-63								
		 MMS2-4-IS, Page 64								
		 MMS2-T-IS, Page 65								
		 MMS2-L1-IS, Page 66								
		 MS3-IS, Pages 67-68								
	Classic	 CLIC, Page 69								
IN-CEILING TRAP-DOOR MOTORIZED SCREENS	Supreme	 MS2-IT, Page 70								

 = Standard
 = Custom

Fixed Frame TheaterCurved Screen Supreme, T-FS3



- ✓ Supreme black velvet curved frame finish
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Standard vertical-mount wall-brackets included
- ✓ Improved perceived image depth
- ✓ Screen curve radius optimized for each screen size

1.78:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-FS3-80-178	80	2032	91,8	2331	44,9	1142	1 w	3.637	2.844	2.560	2.124	1.764
T-FS3-90-178	90	2286	103,3	2623	50,6	1285	1 w	4.217	3.294	2.965	2.455	2.035
T-FS3-96-178	96	2438	110,2	2797	53,9	1370	1 w	4.569	3.552	3.197	2.642	2.187
T-FS3-100-178	100	2540	114,8	2914	56,2	1427	1 w	4.836	3.775	3.398	2.802	2.316
T-FS3-110-178	110	2794	126,2	3205	61,8	1570	1 w	5.535	4.334	3.901	3.210	2.648
T-FS3-120-178	120	3048	137,7	3497	67,4	1713	1 w	6.299	4.954	4.459	3.662	3.016
T-FS3-130-178	130	3302	149,2	3788	73,0	1856	1 w	7.126	5.638	5.074	4.158	3.418
T-FS3-140-178	140	3556	160,6	4079	78,7	1998	1 w	8.020	6.388	5.749	4.701	3.858
T-FS3-150-178	150	3810	172,1	4371	84,3	2141	1 w	8.979	7.206	6.485	4.762	4.334
T-FS3-160-178	160	4064	183,6	4662	89,9	2284	1 w	10.003	8.092	7.283	5.335	4.847
T-FS3-170-178	170	4318	195,0	4953	95,5	2426	2 w	10.973	8.799	8.799	NA	5.276
T-FS3-180-178	180	4572	206,5	5244	101,1	2569	2 w	12.000	9.635	9.635	NA	5.733
T-FS3-190-178	190	4826	217,9	5535	106,7	2711	2 w	13.730	10.984	10.984	NA	6.822
T-FS3-200-178	200	5080	229,4	5827	112,4	2854	2 w	14.881	11.917	11.917	NA	7.345
T-FS3-210-178	210	5334	240,9	6118	118,0	2997	2 w	16.695	12.776	12.776	NA	7.879
T-FS3-220-178	220	5588	252,3	6409	123,6	3139	2 w	17.946	NA	NA	NA	8.355
T-FS3-230-178	230	5842	263,8	6701	129,2	3282	2 w	19.229	NA	NA	NA	8.894
T-FS3-240-178	240	6096	275,3	6992	134,8	3425	2 w	20.540	NA	NA	NA	9.433
T-FS3-250-178	250	6350	286,8	7283	140,4	3567	2 w	21.916	NA	NA	NA	9.965
T-FS3-260-178	260	6604	298,2	7575	146,1	3710	2 w	23.268	NA	NA	NA	10.487
T-FS3-270-178	270	6858	309,7	7866	151,7	3853	2 w	24.634	NA	NA	NA	10.995
T-FS3-280-178	280	7112	321,2	8157	157,3	3996	2 w	26.240	NA	NA	NA	11.713

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	280"	NA
	3D	SilverPix 3D Silver	2.5				71"	280"	NA
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	160"	NA
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	206"	NA
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	206"	NA
D	M5W	MultiPix 5 White	1.6		✓		71"	140"	NA
	M3G	MultiPix 4K Grey	1.3		✓		71"	140"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"	NA
E	S1W	SolidPix White	1.0		✓		71"	160"	280"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"	280"

* Includes StopLight black backing


Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €	-411 €	-469 €
BLACK BACKING REMOVAL	For 150"	For 160"	For 170"	For 180"	For 190"	For 200"	For 206"	
Removal of StopLight black backing	-532 €	-601 €	-673 €	-751 €	-834 €	-923 €	-1.018 €	

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-RWMB1	4 Rear Wall Mounting Brackets with 10" offset, available for screens with size up to 160"	237 €
F-RWMB2	4 Rear Wall Mounting Brackets with 15" offset, available for screens with size up to 160"	289 €
TM2	1 pair of T-Mount legs, available for screens with size up to 160"	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame TheaterCurved Screen Supreme, T-FS3



- ✓ Supreme black velvet curved frame finish
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Standard vertical-mount wall-brackets included
- ✓ Improved perceived image depth
- ✓ Screen curve radius optimized for each screen size

2.35:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-FS3-80-235	80	2032	86,9	2208	34,0	865	1 w	3.192	2.560	2.304	1.912	1.588
T-FS3-90-235	90	2286	97,8	2484	38,3	973	1 w	3.680	2.964	2.668	2.209	1.832
T-FS3-96-235	96	2438	104,3	2650	40,9	1038	1 w	3.974	3.197	2.877	2.378	1.969
T-FS3-100-235	100	2540	108,7	2760	42,6	1081	1 w	4.198	3.398	3.058	2.522	2.084
T-FS3-110-235	110	2794	119,5	3036	46,8	1189	1 w	4.786	3.901	3.511	2.889	2.384
T-FS3-120-235	120	3048	130,4	3312	51,1	1297	1 w	5.426	4.459	4.013	3.296	2.714
T-FS3-130-235	130	3302	141,3	3589	55,3	1405	1 w	6.120	5.074	4.567	3.742	3.076
T-FS3-140-235	140	3556	152,1	3865	59,6	1513	1 w	6.869	5.749	5.174	4.231	3.472
T-FS3-150-235	150	3810	163,0	4141	63,8	1621	1 w	7.673	6.485	5.837	4.762	3.900
T-FS3-160-235	160	4064	173,9	4417	68,1	1729	1 w	8.532	7.283	6.555	5.335	4.362
T-FS3-170-235	170	4318	184,8	4693	72,3	1837	2 w	10.445	7.919	7.127	6.869	4.748
T-FS3-180-235	180	4572	195,6	4969	76,6	1946	2 w	11.427	8.672	7.805	7.471	5.160
T-FS3-190-235	190	4826	206,5	5245	80,9	2054	2 w	13.048	9.886	8.897	8.641	6.140
T-FS3-200-235	200	5080	217,4	5521	85,1	2162	2 w	14.147	10.726	9.653	9.302	6.611
T-FS3-210-235	210	5334	228,2	5797	89,4	2270	2 w	15.913	11.498	10.348	9.972	7.091
T-FS3-220-235	220	5588	239,1	6073	93,6	2378	2 w	17.111	12.279	12.279	NA	7.520
T-FS3-230-235	230	5842	250,0	6349	97,9	2486	2 w	18.340	13.176	13.176	NA	8.005
T-FS3-240-235	240	6096	260,8	6625	102,1	2594	2 w	19.596	13.965	13.965	NA	8.489
T-FS3-250-235	250	6350	271,7	6901	106,4	2702	2 w	20.920	14.873	14.873	NA	8.969
T-FS3-260-235	260	6604	282,6	7177	110,6	2810	2 w	22.220	15.645	15.645	NA	9.439
T-FS3-270-235	270	6858	293,4	7453	114,9	2918	2 w	23.534	16.537	16.537	NA	9.895
T-FS3-280-235	280	7112	304,3	7729	119,1	3026	2 w	25.030	NA	NA	NA	10.503

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION	Gain	IHX	isf	Acoustically Transparent	MIN	MAX	MAX with welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	280"	NA
	3D	SilverPix 3D Silver	2.5				71"	280"	NA
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	210"	NA
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	270"	NA
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	270"	NA
D	M5W	MultiPix 5 White	1.6		✓		71"	180"	NA
	M3G	MultiPix 4K Grey	1.3		✓		71"	180"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	210"	NA
E	S1W	SolidPix White	1.0		✓		71"	210"	280"
	S2G	SolidPix 2 Grey	0.9		✓		71"	210"	280"

* Includes StopLight black backing


Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €
BLACK BACKING REMOVAL	For 150"	For 160"	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"
Removal of StopLight black backing	-479 €	-541 €	-608 €	-680 €	-757 €	-839 €	-966 €	-1.031 €
BLACK BACKING REMOVAL	For 230"	For 240"	For 250"	For 260"	For 270"			
Removal of StopLight black backing	-1.108 €	-1.187 €	-1.268 €	-1.335 €	-1.418 €			

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-RWMB1	4 Rear Wall Mounting Brackets with 10" offset, available for screens with size up to 160"	237 €
F-RWMB2	4 Rear Wall Mounting Brackets with 15" offset, available for screens with size up to 160"	289 €
TM2	1 pair of T-Mount legs, available for screens with size up to 160"	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame TheaterCurved Screen Supreme, T-FS3



- ✓ Supreme black velvet curved frame finish
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Standard vertical-mount wall-brackets included
- ✓ Improved perceived image depth
- ✓ Screen curve radius optimized for each screen size

2.40:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-FS3-80-240	80	2032	86,7	2201	33,3	847	1 w	3.192	2.560	2.304	1.912	1.588
T-FS3-90-240	90	2286	97,5	2477	37,5	953	1 w	3.680	2.964	2.668	2.209	1.832
T-FS3-96-240	96	2438	104,0	2642	40,0	1016	1 w	3.974	3.197	2.877	2.378	1.969
T-FS3-100-240	100	2540	108,3	2752	41,7	1058	1 w	4.198	3.398	3.058	2.522	2.084
T-FS3-110-240	110	2794	119,2	3027	45,8	1164	1 w	4.786	3.901	3.511	2.889	2.384
T-FS3-120-240	120	3048	130,0	3302	50,0	1270	1 w	5.426	4.459	4.013	3.296	2.714
T-FS3-130-240	130	3302	140,8	3577	54,2	1376	1 w	6.120	5.074	4.567	3.742	3.076
T-FS3-140-240	140	3556	151,7	3852	58,3	1482	1 w	6.869	5.749	5.174	4.231	3.472
T-FS3-150-240	150	3810	162,5	4128	62,5	1588	1 w	7.673	6.485	5.837	4.762	3.900
T-FS3-160-240	160	4064	173,3	4403	66,7	1693	1 w	8.532	7.283	6.555	5.335	4.362
T-FS3-170-240	170	4318	184,2	4678	70,8	1799	2 w	10.445	7.919	7.127	6.869	4.748
T-FS3-180-240	180	4572	195,0	4953	75,0	1905	2 w	11.427	8.672	7.805	7.471	5.160
T-FS3-190-240	190	4826	205,8	5228	79,2	2011	2 w	13.048	9.886	8.897	8.641	6.140
T-FS3-200-240	200	5080	216,7	5503	83,3	2117	2 w	14.147	10.726	9.653	9.302	6.611
T-FS3-210-240	210	5334	227,5	5779	87,5	2223	2 w	15.913	11.498	10.348	9.972	7.091
T-FS3-220-240	220	5588	238,3	6054	91,7	2328	2 w	17.111	12.279	11.051	NA	7.520
T-FS3-230-240	230	5842	249,2	6329	95,8	2434	2 w	18.340	13.176	13.176	NA	8.005
T-FS3-240-240	240	6096	260,0	6604	100,0	2540	2 w	19.596	13.965	13.965	NA	8.489
T-FS3-250-240	250	6350	270,8	6879	104,2	2646	2 w	20.920	14.873	14.873	NA	8.969
T-FS3-260-240	260	6604	281,7	7154	108,3	2752	2 w	22.220	15.645	15.645	NA	9.439
T-FS3-270-240	270	6858	292,5	7430	112,5	2858	2 w	23.534	16.537	16.537	NA	9.895
T-FS3-280-240	280	7112	303,3	7705	116,7	2963	2 w	25.030	16.859	16.859	NA	10.503

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	280"	NA
	3D	SilverPix 3D Silver	2.5				71"	280"	NA
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	220"	NA
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	280"	NA
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	280"	NA
D	M5W	MultiPix 5 White	1.6		✓		71"	180"	NA
	M3G	MultiPix 4K Grey	1.3		✓		71"	180"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	210"	NA
E	S1W	SolidPix White	1.0		✓		71"	210"	280"
	S2G	SolidPix 2 Grey	0.9		✓		71"	210"	280"

* Includes StopLight black backing


Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €
BLACK BACKING REMOVAL	For 150"	For 160"	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"
Removal of StopLight black backing	-479 €	-541 €	-608 €	-680 €	-757 €	-839 €	-966 €	-1.031 €
BLACK BACKING REMOVAL	For 230"	For 240"	For 250"	For 260"	For 270"	For 280"		
Removal of StopLight black backing	-1.108 €	-1.187 €	-1.268 €	-1.335 €	-1.418 €	-1.465 €		

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-RWMB1	4 Rear Wall Mounting Brackets with 10" offset, available for screens with size up to 160"	237 €
F-RWMB2	4 Rear Wall Mounting Brackets with 15" offset, available for screens with size up to 160"	289 €
TM2	1 pair of T-Mount legs, available for screens with size up to 160"	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame Screen Supreme, FS3



- ✓ Supreme black velvet frame finish
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Standard vertical-mount wall-brackets included
- ✓ Improved perceived image depth

1.78:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FS3-80-178	80	2032	91,8	2331	44,9	1142	1 w	3.073	2.200	1.980	1.560	1.200
FS3-90-178	90	2286	103,3	2623	50,6	1285	1 w	3.580	2.563	2.307	1.817	1.398
FS3-96-178	96	2438	110,2	2797	53,9	1370	1 w	3.899	2.781	2.503	1.972	1.517
FS3-100-178	100	2540	114,8	2914	56,2	1427	1 w	4.142	2.973	2.676	2.108	1.622
FS3-110-178	110	2794	126,2	3205	61,8	1570	1 w	4.760	3.434	3.091	2.435	1.873
FS3-120-178	120	3048	137,7	3497	67,4	1713	1 w	5.437	3.949	3.554	2.800	2.154
FS3-130-178	130	3302	149,2	3788	73,0	1856	1 w	6.174	4.522	4.070	3.206	2.466
FS3-140-178	140	3556	160,6	4079	78,7	1998	1 w	6.974	5.155	4.640	3.655	2.812
FS3-150-178	150	3810	172,1	4371	84,3	2141	1 w	7.836	5.850	5.265	4.141	3.191
FS3-160-178	160	4064	183,6	4662	89,9	2284	1 w	8.762	6.611	5.950	4.656	3.606
FS3-170-178	170	4318	195,0	4953	95,5	2426	2 w	9.664	7.272	7.272	NA	3.967
FS3-180-178	180	4572	206,5	5244	101,1	2569	2 w	10.610	7.963	7.963	NA	4.343
FS3-190-178	190	4826	217,9	5535	106,7	2711	2 w	12.116	9.153	9.153	NA	5.208
FS3-200-178	200	5080	229,4	5827	112,4	2854	2 w	13.186	9.931	9.931	NA	5.650
FS3-210-178	210	5334	240,9	6118	118,0	2997	2 w	14.985	10.736	10.736	NA	6.108
FS3-220-178	220	5588	252,3	6409	123,6	3139	2 w	16.170	NA	NA	NA	6.579
FS3-230-178	230	5842	263,8	6701	129,2	3282	2 w	17.394	NA	NA	NA	7.059
FS3-240-178	240	6096	275,3	6992	134,8	3425	2 w	18.653	NA	NA	NA	7.546
FS3-250-178	250	6350	286,8	7283	140,4	3567	2 w	19.987	NA	NA	NA	8.036
FS3-260-178	260	6604	298,2	7575	146,1	3710	2 w	21.307	NA	NA	NA	8.526
FS3-270-178	270	6858	309,7	7866	151,7	3853	2 w	22.651	NA	NA	NA	9.012
FS3-280-178	280	7112	321,2	8157	157,3	3996	2 w	24.207	NA	NA	NA	9.680

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	280"	NA
	3D	SilverPix 3D Silver	2.5				71"	280"	NA
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	160"	NA
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	206"	NA
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	206"	NA
D	M5W	MultiPix 5 White	1.6		✓		71"	140"	NA
	M3G	MultiPix 4K Grey	1.3		✓		71"	140"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"	NA
E	S1W	SolidPix White	1.0		✓		71"	160"	280"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"	280"

* Includes StopLight black backing


Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €	-411 €	-469 €
BLACK BACKING REMOVAL	For 150"	For 160"	For 170"	For 180"	For 190"	For 200"	For 206"	
Removal of StopLight black backing	-532 €	-601 €	-673 €	-751 €	-834 €	-923 €	-1.018 €	

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-RWMB1	4 Rear Wall Mounting Brackets with 10" offset, available for screens with size up to 160"	237 €
F-RWMB2	4 Rear Wall Mounting Brackets with 15" offset, available for screens with size up to 160"	289 €
TM2	1 pair of T-Mount legs, available for screens with size up to 160"	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame Screen Supreme, FS3



- ✓ Supreme black velvet frame finish
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Standard vertical-mount wall-brackets included
- ✓ Improved perceived image depth

2.35:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FS3-80-235	80	2032	86,9	2208	34,0	865	1 w	2.684	1.980	1.782	1.404	1.080
FS3-90-235	90	2286	97,8	2484	38,3	973	1 w	3.106	2.307	2.076	1.636	1.258
FS3-96-235	96	2438	104,3	2650	40,9	1038	1 w	3.370	2.503	2.253	1.775	1.365
FS3-100-235	100	2540	108,7	2760	42,6	1081	1 w	3.574	2.676	2.408	1.897	1.460
FS3-110-235	110	2794	119,5	3036	46,8	1189	1 w	4.088	3.091	2.782	2.191	1.686
FS3-120-235	120	3048	130,4	3312	51,1	1297	1 w	4.651	3.554	3.199	2.520	1.939
FS3-130-235	130	3302	141,3	3589	55,3	1405	1 w	5.264	4.069	3.662	2.886	2.220
FS3-140-235	140	3556	152,1	3865	59,6	1513	1 w	5.927	4.639	4.175	3.290	2.530
FS3-150-235	150	3810	163,0	4141	63,8	1621	1 w	6.645	5.265	4.739	3.734	2.872
FS3-160-235	160	4064	173,9	4417	68,1	1729	1 w	7.415	5.950	5.355	4.219	3.245
FS3-170-235	170	4318	184,8	4693	72,3	1837	2 w	8.159	6.545	5.891	4.641	3.570
FS3-180-235	180	4572	195,6	4969	76,6	1946	2 w	8.940	7.167	6.450	5.082	3.909
FS3-190-235	190	4826	206,5	5245	80,9	2054	2 w	10.224	8.238	7.414	5.957	4.687
FS3-200-235	200	5080	217,4	5521	85,1	2162	2 w	11.107	8.938	8.044	6.455	5.085
FS3-210-235	210	5334	228,2	5797	89,4	2270	2 w	12.555	9.662	8.696	6.967	5.497
FS3-220-235	220	5588	239,1	6073	93,6	2378	2 w	13.530	10.406	10.406	NA	5.921
FS3-230-235	230	5842	250,0	6349	97,9	2486	2 w	14.534	11.166	11.166	NA	6.353
FS3-240-235	240	6096	260,8	6625	102,1	2594	2 w	15.567	11.936	11.936	NA	6.791
FS3-250-235	250	6350	271,7	6901	106,4	2702	2 w	16.669	12.712	12.712	NA	7.233
FS3-260-235	260	6604	282,6	7177	110,6	2810	2 w	17.748	13.487	13.487	NA	7.674
FS3-270-235	270	6858	293,4	7453	114,9	2918	2 w	18.845	14.256	14.256	NA	8.111
FS3-280-235	280	7112	304,3	7729	119,1	3026	2 w	20.097	NA	NA	NA	8.680

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION	Gain	IHX	isf	Acoustically Transparent	MIN	MAX	MAX with welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	280"	NA
	3D	SilverPix 3D Silver	2.5				71"	280"	NA
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	210"	NA
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	270"	NA
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	270"	NA
D	M5W	MultiPix 5 White	1.6		✓		71"	180"	NA
	M3G	MultiPix 4K Grey	1.3		✓		71"	180"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	210"	NA
E	S1W	SolidPix White	1.0		✓		71"	210"	280"
	S2G	SolidPix 2 Grey	0.9		✓		71"	210"	280"

* Includes StopLight black backing


Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €
BLACK BACKING REMOVAL	For 150"	For 160"	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"
Removal of StopLight black backing	-479 €	-541 €	-608 €	-680 €	-757 €	-839 €	-966 €	-1.031 €
BLACK BACKING REMOVAL	For 230"	For 240"	For 250"	For 260"	For 270"			
Removal of StopLight black backing	-1.108 €	-1.187 €	-1.268 €	-1.335 €	-1.418 €			

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-RWMB1	4 Rear Wall Mounting Brackets with 10" offset, available for screens with size up to 160"	237 €
F-RWMB2	4 Rear Wall Mounting Brackets with 15" offset, available for screens with size up to 160"	289 €
TM2	1 pair of T-Mount legs, available for screens with size up to 160"	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame Screen Supreme, FS3



- ✓ Supreme black velvet frame finish
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Standard vertical-mount wall-brackets included
- ✓ Improved perceived image depth

2.40:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FS3-80-240	80	2032	86,7	2201	33,3	847	1 w	2.684	1.980	1.782	1.404	1.080
FS3-90-240	90	2286	97,5	2477	37,5	953	1 w	3.106	2.307	2.076	1.636	1.258
FS3-96-240	96	2438	104,0	2642	40,0	1016	1 w	3.370	2.503	2.253	1.775	1.365
FS3-100-240	100	2540	108,3	2752	41,7	1058	1 w	3.574	2.676	2.408	1.897	1.460
FS3-110-240	110	2794	119,2	3027	45,8	1164	1 w	4.088	3.091	2.782	2.191	1.686
FS3-120-240	120	3048	130,0	3302	50,0	1270	1 w	4.651	3.554	3.199	2.520	1.939
FS3-130-240	130	3302	140,8	3577	54,2	1376	1 w	5.264	4.069	3.662	2.886	2.220
FS3-140-240	140	3556	151,7	3852	58,3	1482	1 w	5.927	4.639	4.175	3.290	2.530
FS3-150-240	150	3810	162,5	4128	62,5	1588	1 w	6.645	5.265	4.739	3.734	2.872
FS3-160-240	160	4064	173,3	4403	66,7	1693	1 w	7.415	5.950	5.355	4.219	3.245
FS3-170-240	170	4318	184,2	4678	70,8	1799	2 w	8.159	6.545	5.891	4.641	3.570
FS3-180-240	180	4572	195,0	4953	75,0	1905	2 w	8.940	7.167	6.450	5.082	3.909
FS3-190-240	190	4826	205,8	5228	79,2	2011	2 w	10.224	8.238	7.414	5.957	4.687
FS3-200-240	200	5080	216,7	5503	83,3	2117	2 w	11.107	8.938	8.044	6.455	5.085
FS3-210-240	210	5334	227,5	5779	87,5	2223	2 w	12.555	9.662	8.696	6.967	5.497
FS3-220-240	220	5588	238,3	6054	91,7	2328	2 w	13.530	10.406	9.365	NA	5.921
FS3-230-240	230	5842	249,2	6329	95,8	2434	2 w	14.534	11.166	11.166	NA	6.353
FS3-240-240	240	6096	260,0	6604	100,0	2540	2 w	15.567	11.936	11.936	NA	6.791
FS3-250-240	250	6350	270,8	6879	104,2	2646	2 w	16.669	12.712	12.712	NA	7.233
FS3-260-240	260	6604	281,7	7154	108,3	2752	2 w	17.748	13.487	13.487	NA	7.674
FS3-270-240	270	6858	292,5	7430	112,5	2858	2 w	18.845	14.256	14.256	NA	8.111
FS3-280-240	280	7112	303,3	7705	116,7	2963	2 w	20.097	14.660	14.660	NA	8.680

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	280"	NA
	3D	SilverPix 3D Silver	2.5				71"	280"	NA
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	220"	NA
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	280"	NA
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	280"	NA
D	M5W	MultiPix 5 White	1.6		✓		71"	180"	NA
	M3G	MultiPix 4K Grey	1.3		✓		71"	180"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	210"	NA
E	S1W	SolidPix White	1.0		✓		71"	210"	280"
	S2G	SolidPix 2 Grey	0.9		✓		71"	210"	280"

* Includes StopLight black backing

Options and Accessories


BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €
BLACK BACKING REMOVAL	For 150"	For 160"	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"
Removal of StopLight black backing	-479 €	-541 €	-608 €	-680 €	-757 €	-839 €	-966 €	-1.031 €
BLACK BACKING REMOVAL	For 230"	For 240"	For 250"	For 260"	For 270"	For 280"		
Removal of StopLight black backing	-1.108 €	-1.187 €	-1.268 €	-1.335 €	-1.418 €	-1.465 €		

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-RWMB1	4 Rear Wall Mounting Brackets with 10" offset, available for screens with size up to 160"	237 €
F-RWMB2	4 Rear Wall Mounting Brackets with 15" offset, available for screens with size up to 160"	289 €
TM2	1 pair of T-Mount legs, available for screens with size up to 160"	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame Screen Supreme, FSD

SCREEN RESEARCH™



- ✓ New ultra-slim black velvet cover
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Standard vertical-mount wall-brackets included
- ✓ Single color or multi-color LED strip (optional)



1.78:1 Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FSD-80-178	80	2032	92	2331	45	1142	1 w	2.118	1.587	1.428	1.011	838
FSD-90-178	90	2286	103	2622	51	1284	1 w	2.510	1.744	1.570	1.110	919
FSD-96-178	96	2438	110	2797	54	1370	1 w	2.722	1.791	1.612	1.125	926
FSD-100-178	100	2540	115	2913	56	1427	1 w	2.952	1.918	1.726	1.227	1.016
FSD-110-178	110	2794	126	3205	62	1570	1 w	3.391	2.086	1.877	1.303	1.075
FSD-120-178	120	3048	138	3496	67	1712	1 w	3.823	2.173	1.956	1.333	1.091
FSD-130-178	130	3302	149	3787	73	1855	2 w	4.383	2.368	2.131	1.649	1.205
FSD-140-178	140	3556	161	4079	79	1998	2 w	4.882	2.462	2.216	1.691	1.221
FSD-150-178	150	3810	172	4370	84	2140	2 w	5.410	2.533	2.280	1.729	1.270
FSD-160-178	160	4064	184	4661	90	2283	2 w	6.282	3.352	3.017	2.112	1.657

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	160"
	3D	SilverPix 3D Silver	2.5				71"	160"
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	160"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
	M5W	MultiPix 5 White	1.6		✓		71"	135"
D	M3G	MultiPix 4K Grey	1.3		✓		71"	135"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"
E	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing

Options and Accessories


BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-251 €	-275 €	-290 €	-299 €	-325 €	-351 €	-375 €	-403 €
BLACK BACKING REMOVAL	For 150"	For 160"						
Removal of StopLight black backing	-420 €	-446 €						

LED FINISH OPTION	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
LED strip 1 color	282 €	292 €	301 €	311 €	321 €	341 €	359 €	370 €
LED strip multi-color RGB	467 €	485 €	502 €	520 €	539 €	575 €	609 €	627 €
LED FINISH OPTION	For 150"	For 160"						
LED strip 1 color	389 €	400 €						
LED strip multi-color RGB	662 €	681 €						

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-RWMB1	4 Rear Wall Mounting Brackets with 10" offset, available for screens with size up to 160"	237 €
F-RWMB2	4 Rear Wall Mounting Brackets with 15" offset, available for screens with size up to 160"	289 €
F-LWMB1	4 Wall Brackets and 4 Magnets, available for screens with size up to 100"	139 €
F-LWMB2	4 Wall Brackets and 8 Magnets, available for screens with size from 110" to 130"	194 €
F-LWMB3	6 Wall Brackets and 12 Magnets, available for screens with size from 140" to 160"	259 €
TM2	1 pair of T-Mount legs	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame Screen Supreme, FSD



- ✓ New ultra-slim black velvet cover
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Standard vertical-mount wall-brackets included
- ✓ Single color or multi-color LED strip (optional)



1.89:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FSD-80-189	80	2032	90	2297	42	1072	1 w	2.118	1.587	1.428	1.011	838
FSD-90-189	90	2286	102	2584	47	1206	1 w	2.510	1.744	1.570	1.110	919
FSD-96-189	96	2438	109	2757	51	1286	1 w	2.722	1.791	1.612	1.125	926
FSD-100-189	100	2540	113	2872	53	1339	1 w	2.952	1.918	1.726	1.227	1.016
FSD-110-189	110	2794	124	3159	58	1473	1 w	3.391	2.086	1.877	1.303	1.075
FSD-120-189	120	3048	136	3446	63	1607	1 w	3.823	2.173	1.956	1.333	1.091
FSD-130-189	130	3302	147	3733	69	1741	2 w	4.383	2.368	2.131	1.649	1.205
FSD-140-189	140	3556	158	4020	74	1875	2 w	4.882	2.462	2.216	1.691	1.221
FSD-150-189	150	3810	170	4307	79	2009	2 w	5.410	2.533	2.280	1.729	1.270
FSD-160-189	160	4064	181	4594	84	2143	2 w	6.282	3.352	3.017	2.112	1.657

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	160"
	3D	SilverPix 3D Silver	2.5				71"	160"
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	160"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
	M5W	MultiPix 5 White	1.6		✓		71"	135"
D	M3G	MultiPix 4K Grey	1.3		✓		71"	135"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"
E	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing


Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-251 €	-275 €	-290 €	-299 €	-325 €	-351 €	-375 €	-403 €
BLACK BACKING REMOVAL	For 150"	For 160"						
Removal of StopLight black backing	-420 €	-446 €						

LED FINISH OPTION	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
LED strip 1 color	282 €	292 €	301 €	311 €	321 €	341 €	359 €	370 €
LED strip multi-color RGB	467 €	485 €	502 €	520 €	539 €	575 €	609 €	627 €
LED FINISH OPTION	For 150"	For 160"						
LED strip 1 color	389 €	400 €						
LED strip multi-color RGB	662 €	681 €						

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-RWMB1	4 Rear Wall Mounting Brackets with 10" offset, available for screens with size up to 160"	237 €
F-RWMB2	4 Rear Wall Mounting Brackets with 15" offset, available for screens with size up to 160"	289 €
F-LWMB1	4 Wall Brackets and 4 Magnets, available for screens with size up to 100"	139 €
F-LWMB2	4 Wall Brackets and 8 Magnets, available for screens with size from 110" to 130"	194 €
F-LWMB3	6 Wall Brackets and 12 Magnets, available for screens with size from 140" to 160"	259 €
TM2	1 pair of T-Mount legs	699 €

Fixed Frame Screen Supreme, FSD



- ✓ New ultra-slim black velvet cover
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Standard vertical-mount wall-brackets included
- ✓ Single color or multi-color LED strip (optional)



2.35:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FSD-80-235	80	2032	87	2208	34	865	1 w	1.821	1.573	1.416	1.001	829
FSD-90-235	90	2286	98	2484	38	973	1 w	2.129	1.719	1.547	1.088	898
FSD-96-235	96	2438	104	2650	41	1038	1 w	2.300	1.774	1.597	1.111	912
FSD-100-235	100	2540	109	2760	43	1081	1 w	2.422	1.813	1.632	1.129	924
FSD-110-235	110	2794	120	3036	47	1189	1 w	2.759	1.963	1.767	1.190	969
FSD-120-235	120	3048	130	3312	51	1297	1 w	3.102	2.059	1.853	1.230	995
FSD-130-235	130	3302	141	3589	55	1405	2 w	3.573	2.275	2.048	1.385	1.127
FSD-140-235	140	3556	152	3865	60	1513	2 w	3.964	2.369	2.132	1.420	1.149
FSD-150-235	150	3810	163	4141	64	1621	2 w	4.374	2.452	2.207	1.450	1.164
FSD-160-235	160	4064	174	4417	68	1729	2 w	5.124	2.854	2.569	1.829	1.506

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	160"
	3D	SilverPix 3D Silver	2.5				71"	160"
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	160"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
	M5W	MultiPix 5 White	1.6		✓		71"	160"
D	M3G	MultiPix 4K Grey	1.3		✓		71"	160"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"
E	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing


Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-251 €	-275 €	-290 €	-299 €	-325 €	-351 €	-375 €	-403 €
BLACK BACKING REMOVAL	For 150"	For 160"						
Removal of StopLight black backing	-420 €	-446 €						

LED FINISH OPTION	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
LED strip 1 color	282 €	292 €	301 €	311 €	321 €	341 €	359 €	370 €
LED strip multi-color RGB	467 €	485 €	502 €	520 €	539 €	575 €	609 €	627 €
LED FINISH OPTION	For 150"	For 160"						
LED strip 1 color	389 €	400 €						
LED strip multi-color RGB	662 €	681 €						

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-RWMB1	4 Rear Wall Mounting Brackets with 10" offset, available for screens with size up to 160"	237 €
F-RWMB2	4 Rear Wall Mounting Brackets with 15" offset, available for screens with size up to 160"	289 €
F-LWMB1	4 Wall Brackets and 4 Magnets, available for screens with size up to 100"	139 €
F-LWMB2	4 Wall Brackets and 8 Magnets, available for screens with size from 110" to 130"	194 €
F-LWMB3	6 Wall Brackets and 12 Magnets, available for screens with size from 140" to 160"	259 €
TM2	1 pair of T-Mount legs	699 €

Fixed Frame Screen Supreme, FSD



- ✓ New ultra-slim black velvet cover
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Standard vertical-mount wall-brackets included
- ✓ Single color or multi-color LED strip (optional)



2.37:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FSD-80-237	80	2032	87	2205	34	857	1 w	1.821	1.573	1.416	1.001	829
FSD-90-237	90	2286	98	2481	38	965	1 w	2.129	1.719	1.547	1.088	898
FSD-96-237	96	2438	104	2647	41	1029	1 w	2.300	1.774	1.597	1.111	912
FSD-100-237	100	2540	109	2757	42	1072	1 w	2.422	1.813	1.632	1.129	924
FSD-110-237	110	2794	119	3033	46	1179	1 w	2.759	1.963	1.767	1.190	969
FSD-120-237	120	3048	130	3308	51	1286	1 w	3.102	2.059	1.853	1.230	995
FSD-130-237	130	3302	141	3584	55	1393	2 w	3.573	2.275	2.048	1.385	1.127
FSD-140-237	140	3556	152	3860	59	1500	2 w	3.964	2.369	2.132	1.420	1.149
FSD-150-237	150	3810	163	4135	63	1608	2 w	4.374	2.452	2.207	1.450	1.164
FSD-160-237	160	4064	174	4411	68	1715	2 w	5.124	2.854	2.569	1.829	1.506

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	160"
	3D	SilverPix 3D Silver	2.5				71"	160"
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	160"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
	M5W	MultiPix 5 White	1.6		✓		71"	160"
D	M3G	MultiPix 4K Grey	1.3		✓		71"	160"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"
E	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing


Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-251 €	-275 €	-290 €	-299 €	-325 €	-351 €	-375 €	-403 €
BLACK BACKING REMOVAL	For 150"	For 160"						
Removal of StopLight black backing	-420 €	-446 €						

LED FINISH OPTION	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
LED strip 1 color	282 €	292 €	301 €	311 €	321 €	341 €	359 €	370 €
LED strip multi-color RGB	467 €	485 €	502 €	520 €	539 €	575 €	609 €	627 €
LED FINISH OPTION	For 150"	For 160"						
LED strip 1 color	389 €	400 €						
LED strip multi-color RGB	662 €	681 €						

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-RWMB1	4 Rear Wall Mounting Brackets with 10" offset, available for screens with size up to 160"	237 €
F-RWMB2	4 Rear Wall Mounting Brackets with 15" offset, available for screens with size up to 160"	289 €
F-LWMB1	4 Wall Brackets and 4 Magnets, available for screens with size up to 100"	139 €
F-LWMB2	4 Wall Brackets and 8 Magnets, available for screens with size from 110" to 130"	194 €
F-LWMB3	6 Wall Brackets and 12 Magnets, available for screens with size from 140" to 160"	259 €
TM2	1 pair of T-Mount legs	699 €

Fixed Frame Screen Supreme, FSD



- ✓ New ultra-slim black velvet cover
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Standard vertical-mount wall-brackets included
- ✓ Single color or multi-color LED strip (optional)



2.40:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FSD-80-240	80	2032	87	2201	33	847	1 w	1.821	1.573	1.416	1.001	829
FSD-90-240	90	2286	98	2477	38	953	1 w	2.129	1.719	1.547	1.088	898
FSD-96-240	96	2438	104	2642	40	1016	1 w	2.300	1.774	1.597	1.111	912
FSD-100-240	100	2540	108	2752	42	1058	1 w	2.422	1.813	1.632	1.129	924
FSD-110-240	110	2794	119	3027	46	1164	1 w	2.759	1.963	1.767	1.190	969
FSD-120-240	120	3048	130	3302	50	1270	1 w	3.102	2.059	1.853	1.230	995
FSD-130-240	130	3302	141	3577	54	1376	2 w	3.573	2.275	2.048	1.385	1.127
FSD-140-240	140	3556	152	3852	58	1482	2 w	3.964	2.369	2.132	1.420	1.149
FSD-150-240	150	3810	163	4128	63	1588	2 w	4.374	2.452	2.207	1.450	1.164
FSD-160-240	160	4064	173	4403	67	1693	2 w	5.124	2.854	2.569	1.829	1.506

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	160"
	3D	SilverPix 3D Silver	2.5				71"	160"
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	160"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
D	M5W	MultiPix 5 White	1.6		✓		71"	160"
	M3G	MultiPix 4K Grey	1.3		✓		71"	160"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"
E	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing


Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-251 €	-275 €	-290 €	-299 €	-325 €	-351 €	-375 €	-403 €
BLACK BACKING REMOVAL	For 150"	For 160"						
Removal of StopLight black backing	-420 €	-446 €						

LED FINISH OPTION	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
LED strip 1 color	282 €	292 €	301 €	311 €	321 €	341 €	359 €	370 €
LED strip multi-color RGB	467 €	485 €	502 €	520 €	539 €	575 €	609 €	627 €
LED FINISH OPTION	For 150"	For 160"						
LED strip 1 color	389 €	400 €						
LED strip multi-color RGB	662 €	681 €						

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-RWMB1	4 Rear Wall Mounting Brackets with 10" offset, available for screens with size up to 160"	237 €
F-RWMB2	4 Rear Wall Mounting Brackets with 15" offset, available for screens with size up to 160"	289 €
F-LWMB1	4 Wall Brackets and 4 Magnets, available for screens with size up to 100"	139 €
F-LWMB2	4 Wall Brackets and 8 Magnets, available for screens with size from 110" to 130"	194 €
F-LWMB3	6 Wall Brackets and 12 Magnets, available for screens with size from 140" to 160"	259 €
TM2	1 pair of T-Mount legs	699 €

Fixed Frame TheaterCurved Screen Classic, T-CLF



- ✓ Velvet curved frame finish
- ✓ Wall-mount brackets included
- ✓ Easy fast-mount elastic tensioning system
- ✓ Floor stand (optional)

**1.78:1,
2.35:1 and 2.40:1
Native Image Ratio**





MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
T-CLF-80-178	80	2032	91,8	2331	44,9	1142	1 w	1.060	910	760
T-CLF-90-178	90	2286	103,2	2622	50,6	1285	1 w	1.240	1.060	890
T-CLF-96-178	96	2438	110,1	2797	53,9	1370	1 w	1.350	1.150	960
T-CLF-100-178	100	2540	114,7	2913	56,2	1427	1 w	1.440	1.230	1.030
T-CLF-110-178	110	2794	126,2	3205	61,8	1570	1 w	1.670	1.430	1.190
T-CLF-120-178	120	3048	137,6	3496	67,4	1713	1 w	1.870	1.630	1.370

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
T-CLF-80-235	80	2032	86,9	2208	34,0	865	1 w	990	840	700
T-CLF-90-235	90	2286	97,8	2484	38,3	973	1 w	1.150	980	820
T-CLF-96-235	96	2438	104,3	2650	40,9	1038	1 w	1.250	1.060	890
T-CLF-100-235	100	2540	108,7	2760	42,6	1081	1 w	1.330	1.140	950
T-CLF-110-235	110	2794	119,5	3036	46,8	1189	1 w	1.540	1.320	1.100
T-CLF-120-235	120	3048	130,4	3312	51,1	1297	1 w	1.770	1.520	1.270

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
T-CLF-80-240	80	2032	86,7	2201	33,3	847	1 w	990	840	700
T-CLF-90-240	90	2286	97,5	2477	37,5	953	1 w	1.150	980	820
T-CLF-96-240	96	2438	104,0	2642	40,0	1016	1 w	1.250	1.060	890
T-CLF-100-240	100	2540	108,3	2752	41,7	1058	1 w	1.330	1.140	950
T-CLF-110-240	110	2794	119,2	3027	45,8	1164	1 w	1.540	1.320	1.100
T-CLF-120-240	120	3048	130,0	3302	50,0	1270	1 w	1.770	1.520	1.270

Intermediate screen sizes are priced at the next bigger standard size


Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	PPW	SolidPix Sonic White	0.9		✓	✓	71"	120"
B	M5W	MultiPix 5 White	1.6		✓		71"	120"
	M3G	MultiPix 4K Grey	1.3		✓		71"	120"
C	S1W	SolidPix White	1.0		✓		71"	120"
	S2G	SolidPix 2 Grey	0.9		✓		71"	120"

Accessories

MOUNTING LEGS	DESCRIPTION	PRICE
CLF-FS floor stand	Adjustable mount stands and fastening adapters	329 €

Fixed Frame Screen Classic, CLF



- ✓ Velvet frame finish
- ✓ Wall-mount brackets included
- ✓ Easy fast-mount elastic tensioning system
- ✓ Floor stand (optional)

**1.78:1,
2.35:1 and 2.40:1
Native Image Ratio**





MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
CLF-80-178	80	2032	91,8	2331	44,9	1142	1 w	823	700	588
CLF-90-178	90	2286	103,2	2622	50,6	1285	1 w	959	820	685
CLF-96-178	96	2438	110,1	2797	53,9	1370	1 w	1.041	890	743
CLF-100-178	100	2540	114,7	2913	56,2	1427	1 w	1.112	950	795
CLF-110-178	110	2794	126,2	3205	61,8	1570	1 w	1.285	1.100	918
CLF-120-178	120	3048	137,6	3496	67,4	1713	1 w	1.425	1.260	1.055

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
CLF-80-235	80	2032	86,9	2208	34,0	865	1 w	762	650	544
CLF-90-235	90	2286	97,8	2484	38,3	973	1 w	888	760	634
CLF-96-235	96	2438	104,3	2650	40,9	1038	1 w	963	820	688
CLF-100-235	100	2540	108,7	2760	42,6	1081	1 w	1.030	880	736
CLF-110-235	110	2794	119,5	3036	46,8	1189	1 w	1.189	1.020	850
CLF-120-235	120	3048	130,4	3312	51,1	1297	1 w	1.368	1.170	977

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
CLF-80-240	80	2032	86,7	2201	33,3	847	1 w	762	650	544
CLF-90-240	90	2286	97,5	2477	37,5	953	1 w	888	760	634
CLF-96-240	96	2438	104,0	2642	40,0	1016	1 w	963	820	688
CLF-100-240	100	2540	108,3	2752	41,7	1058	1 w	1.030	880	736
CLF-110-240	110	2794	119,2	3027	45,8	1164	1 w	1.189	1.020	850
CLF-120-240	120	3048	130,0	3302	50,0	1270	1 w	1.368	1.170	977

Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	PPW	SolidPix Sonic White	0.9		✓	✓	71"	120"
B	M5W	MultiPix 5 White	1.6		✓		71"	120"
	M3G	MultiPix 4K Grey	1.3		✓		71"	120"
C	S1W	SolidPix White	1.0		✓		71"	120"
	S2G	SolidPix 2 Grey	0.9		✓		71"	120"

Accessories

MOUNTING LEGS	DESCRIPTION	PRICE
CLF-FS floor stand	Adjustable mount stands and fastening adapters	329 €

Fixed TheaterCurved Screen Integrator, T-FI3



- ✓ Curved structured custom integrated aluminum profile of 32 mm depth
- ✓ E-Grip fabric attachment system for constant tensioning of the surface over the profile
- ✓ Standard vertical-mount wall-brackets included
- ✓ Screen curve radius optimized for each screen size



1.78:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-FI3-80-178	80	2032	92	2331	45	1142	2 w	2.329	1.796	1.616	1.108	992
T-FI3-90-178	90	2286	103	2622	51	1284	2 w	2.754	1.971	1.774	1.215	1.086
T-FI3-96-178	96	2438	110	2797	54	1370	2 w	2.990	2.033	1.830	1.241	1.104
T-FI3-100-178	100	2540	115	2913	56	1427	2 w	3.224	2.157	1.941	1.332	1.191
T-FI3-110-178	110	2794	126	3205	62	1570	2 w	3.709	2.359	2.123	1.428	1.273
T-FI3-120-178	120	3048	138	3496	67	1712	2 w	4.184	2.469	2.222	1.473	1.305
T-FI3-130-178	130	3302	149	3787	73	1855	2 w	4.784	2.681	2.413	1.799	1.433
T-FI3-140-178	140	3556	161	4079	79	1998	2 w	5.344	2.816	2.534	1.871	1.479
T-FI3-150-178	150	3810	172	4370	84	2140	2 w	5.926	2.920	2.628	1.928	1.551
T-FI3-160-178	160	4064	184	4661	90	2283	2 w	6.874	3.826	3.443	2.339	1.994
T-FI3-170-178	170	4318	195	4953	96	2426	2 w	7.686	4.145	4.145	NA	2.200
T-FI3-180-178	180	4572	206	5244	101	2569	2 w	8.375	4.278	4.278	NA	2.236
T-FI3-190-178	190	4826	218	5535	107	2711	2 w	9.103	4.411	4.411	NA	2.340
T-FI3-200-178	200	5080	229	5827	112	2854	2 w	9.891	5.289	5.289	NA	2.490
T-FI3-210-178	210	5334	241	6118	118	2997	2 w	10.709	5.866	5.866	NA	2.555
T-FI3-220-178	220	5588	252	6409	124	3139	2 w	11.594	NA	NA	NA	2.652
T-FI3-230-178	230	5842	264	6701	129	3282	2 w	12.518	NA	NA	NA	2.849
T-FI3-240-178	240	6096	275	6992	135	3425	2 w	13.427	NA	NA	NA	3.015

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	240"	NA
	3D	SilverPix 3D Silver	2.5				71"	240"	NA
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	165"	NA
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	205"	NA
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	205"	NA
D	M5W	MultiPix 5 White	1.6		✓		71"	135"	NA
	M3G	MultiPix 4K Grey	1.3		✓		71"	135"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"	NA
E	S1W	SolidPix White	1.0		✓		71"	160"	240"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"	240"

* Includes StopLight black backing

Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-251 €	-275 €	-290 €	-299 €	-325 €	-351 €	-375 €	-403 €	-427 €	-453 €
BLACK BACKING REMOVAL	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"	For 230"	For 240"		
Removal of StopLight black backing	-478 €	-503 €	-527 €	-677 €	-707 €	-739 €	-769 €	-802 €		

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-CB4	4 Ceiling Brackets, available for screens with size up to 190"	178 €
F-CB6	6 Ceiling Brackets, available for screens with size from 200" to 240"	245 €
TM2	1 pair of T-Mount legs, available for screens with size up to 160"	699 €

Fixed Theater Curved Screen Integrator, T-FI3



- ✓ Curved structured custom integrated aluminum profile of 32 mm depth
- ✓ E-Grip fabric attachment system for constant tensioning of the surface over the profile
- ✓ Standard vertical-mount wall-brackets included
- ✓ Screen curve radius optimized for each screen size

**1.89:1
Native Image Ratio**

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-FI3-80-189	80	2032	90	2297	42	1072	2 w	2.329	1.796	1.616	1.108	992
T-FI3-90-189	90	2286	102	2584	47	1206	2 w	2.754	1.971	1.774	1.215	1.086
T-FI3-96-189	96	2438	109	2757	51	1286	2 w	2.990	2.033	1.830	1.241	1.104
T-FI3-100-189	100	2540	113	2872	53	1339	2 w	3.224	2.157	1.941	1.332	1.191
T-FI3-110-189	110	2794	124	3159	58	1473	2 w	3.709	2.359	2.123	1.428	1.273
T-FI3-120-189	120	3048	136	3446	63	1607	2 w	4.184	2.469	2.222	1.473	1.305
T-FI3-130-189	130	3302	147	3733	69	1741	2 w	4.784	2.681	2.413	1.799	1.433
T-FI3-140-189	140	3556	158	4020	74	1875	2 w	5.344	2.816	2.534	1.871	1.479
T-FI3-150-189	150	3810	170	4307	79	2009	2 w	5.926	2.920	2.628	1.928	1.551
T-FI3-160-189	160	4064	181	4594	84	2143	2 w	6.874	3.826	3.443	2.339	1.994
T-FI3-170-189	170	4318	192	4882	90	2277	2 w	7.686	4.145	4.145	NA	2.200
T-FI3-180-189	180	4572	203	5169	95	2411	2 w	8.375	4.278	4.278	NA	2.236
T-FI3-190-189	190	4826	215	5456	100	2545	2 w	9.103	4.411	4.411	NA	2.340
T-FI3-200-189	200	5080	226	5743	105	2679	2 w	9.891	5.289	5.289	NA	2.490
T-FI3-210-189	210	5334	237	6030	111	2813	2 w	10.709	5.866	5.866	NA	2.555
T-FI3-220-189	220	5588	249	6317	116	2947	2 w	11.594	NA	NA	NA	2.652
T-FI3-230-189	230	5842	260	6605	121	3081	2 w	12.518	NA	NA	NA	2.849
T-FI3-240-189	240	6096	271	6892	127	3215	2 w	13.427	NA	NA	NA	3.015

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	240"	NA
	3D	SilverPix 3D Silver	2.5				71"	240"	NA
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	165"	NA
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	205"	NA
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	205"	NA
D	M5W	MultiPix 5 White	1.6		✓		71"	135"	NA
	M3G	MultiPix 4K Grey	1.3		✓		71"	135"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"	NA
E	S1W	SolidPix White	1.0		✓		71"	160"	240"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"	240"

* Includes StopLight black backing

Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-251 €	-275 €	-290 €	-299 €	-325 €	-351 €	-375 €	-403 €	-427 €	-453 €
BLACK BACKING REMOVAL	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"	For 230"	For 240"		
Removal of StopLight black backing	-478 €	-503 €	-527 €	-677 €	-707 €	-739 €	-769 €	-802 €		

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-CB4	4 Ceiling Brackets, available for screens with size up to 190"	178 €
F-CB6	6 Ceiling Brackets, available for screens with size from 200" to 240"	245 €
TM2	1 pair of T-Mount legs, available for screens with size up to 160"	699 €

Fixed TheaterCurved Screen Integrator, T-FI3



**2.35:1
Native Image Ratio**



- ✓ Curved structured custom integrated aluminum profile of 32 mm depth
- ✓ E-Grip fabric attachment system for constant tensioning of the surface over the profile
- ✓ Standard vertical-mount wall-brackets included
- ✓ Screen curve radius optimized for each screen size

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-FI3-80-235	80	2032	87	2208	34	865	2 w	2.010	1.567	1.410	1.096	980
T-FI3-90-235	90	2286	98	2484	38	973	2 w	2.324	1.949	1.754	1.168	1.039
T-FI3-96-235	96	2438	104	2650	41	1038	2 w	2.515	2.019	1.817	1.200	1.064
T-FI3-100-235	100	2540	109	2760	43	1081	2 w	2.650	2.068	1.861	1.224	1.082
T-FI3-110-235	110	2794	120	3036	47	1189	2 w	3.025	2.251	2.026	1.304	1.149
T-FI3-120-235	120	3048	130	3312	51	1297	2 w	3.406	2.370	2.133	1.359	1.191
T-FI3-130-235	130	3302	141	3589	55	1405	2 w	3.910	2.606	2.345	1.518	1.337
T-FI3-140-235	140	3556	152	3865	60	1513	2 w	4.348	2.732	2.459	1.577	1.383
T-FI3-150-235	150	3810	163	4141	64	1621	2 w	4.801	2.839	2.555	1.622	1.415
T-FI3-160-235	160	4064	174	4417	68	1729	2 w	5.588	3.270	2.943	1.997	1.776
T-FI3-170-235	170	4318	185	4693	72	1837	2 w	6.134	3.426	3.083	2.084	1.850
T-FI3-180-235	180	4572	196	4969	77	1946	2 w	6.742	3.627	3.264	2.208	1.960
T-FI3-190-235	190	4826	206	5245	81	2054	2 w	7.316	3.748	3.373	2.383	2.005
T-FI3-200-235	200	5080	217	5521	85	2162	2 w	7.905	3.855	3.470	2.434	2.036
T-FI3-210-235	210	5334	228	5797	89	2270	2 w	8.567	4.018	3.616	2.533	2.175
T-FI3-220-235	220	5588	239	6073	94	2378	2 w	9.258	4.180	4.180	NA	2.260
T-FI3-230-235	230	5842	250	6349	98	2486	2 w	9.930	4.512	4.512	NA	2.295
T-FI3-240-235	240	6096	261	6625	102	2594	2 w	10.627	4.628	4.628	NA	2.327

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	240"	NA
	3D	SilverPix 3D Silver	2.5				71"	240"	NA
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	215"	NA
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	240"	NA
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	240"	NA
D	M5W	MultiPix 5 White	1.6		✓		71"	180"	NA
	M3G	MultiPix 4K Grey	1.3		✓		71"	180"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	210"	NA
E	S1W	SolidPix White	1.0		✓		71"	210"	240"
	S2G	SolidPix 2 Grey	0.9		✓		71"	210"	240"

* Includes StopLight black backing

Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-248 €	-274 €	-289 €	-298 €	-323 €	-348 €	-374 €	-398 €	-423 €	-449 €
BLACK BACKING REMOVAL	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"	For 230"	For 240"		
Removal of StopLight black backing	-475 €	-501 €	-526 €	-551 €	-577 €	-601 €	-627 €	-651 €		

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-CB4	4 Ceiling Brackets, available for screens with size up to 190"	178 €
F-CB6	6 Ceiling Brackets, available for screens with size from 200" to 240"	245 €
TM2	1 pair of T-Mount legs, available for screens with size up to 160"	699 €

Fixed TheaterCurved Screen Integrator, T-FI3



- ✓ Curved structured custom integrated aluminum profile of 32 mm depth
- ✓ E-Grip fabric attachment system for constant tensioning of the surface over the profile
- ✓ Standard vertical-mount wall-brackets included
- ✓ Screen curve radius optimized for each screen size



**2.37:1
Native Image Ratio**

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-FI3-80-237	80	2032	87	2205	34	857	2 w	2.010	1.567	1.410	1.096	980
T-FI3-90-237	90	2286	98	2481	38	965	2 w	2.324	1.949	1.754	1.168	1.039
T-FI3-96-237	96	2438	104	2647	41	1029	2 w	2.515	2.019	1.817	1.200	1.064
T-FI3-100-237	100	2540	109	2757	42	1072	2 w	2.650	2.068	1.861	1.224	1.082
T-FI3-110-237	110	2794	119	3033	46	1179	2 w	3.025	2.251	2.026	1.304	1.149
T-FI3-120-237	120	3048	130	3308	51	1286	2 w	3.406	2.370	2.133	1.359	1.191
T-FI3-130-237	130	3302	141	3584	55	1393	2 w	3.910	2.606	2.345	1.518	1.337
T-FI3-140-237	140	3556	152	3860	59	1500	2 w	4.348	2.732	2.459	1.577	1.383
T-FI3-150-237	150	3810	163	4135	63	1608	2 w	4.801	2.839	2.555	1.622	1.415
T-FI3-160-237	160	4064	174	4411	68	1715	2 w	5.588	3.270	2.943	1.997	1.776
T-FI3-170-237	170	4318	185	4687	72	1822	2 w	6.134	3.426	3.083	2.084	1.850
T-FI3-180-237	180	4572	195	4962	76	1929	2 w	6.742	3.627	3.264	2.208	1.960
T-FI3-190-237	190	4826	206	5238	80	2036	2 w	7.316	3.748	3.373	2.383	2.005
T-FI3-200-237	200	5080	217	5514	84	2143	2 w	7.905	3.855	3.470	2.434	2.036
T-FI3-210-237	210	5334	228	5789	89	2251	2 w	8.567	4.018	3.616	2.533	2.175
T-FI3-220-237	220	5588	239	6065	93	2358	2 w	9.258	4.180	4.180	NA	2.260
T-FI3-230-237	230	5842	250	6341	97	2465	2 w	9.930	4.512	4.512	NA	2.295
T-FI3-240-237	240	6096	260	6616	101	2572	2 w	10.627	4.628	4.628	NA	2.327

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	240"	NA
	3D	SilverPix 3D Silver	2.5				71"	240"	NA
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	215"	NA
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	240"	NA
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	240"	NA
D	M5W	MultiPix 5 White	1.6		✓		71"	180"	NA
	M3G	MultiPix 4K Grey	1.3		✓		71"	180"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	210"	NA
E	S1W	SolidPix White	1.0		✓		71"	210"	240"
	S2G	SolidPix 2 Grey	0.9		✓		71"	210"	240"

* Includes StopLight black backing

Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-248 €	-274 €	-289 €	-298 €	-323 €	-348 €	-374 €	-398 €	-423 €	-449 €
BLACK BACKING REMOVAL	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"	For 230"	For 240"		
Removal of StopLight black backing	-475 €	-501 €	-526 €	-551 €	-577 €	-601 €	-627 €	-651 €		

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-CB4	4 Ceiling Brackets, available for screens with size up to 190"	178 €
F-CB6	6 Ceiling Brackets, available for screens with size from 200" to 240"	245 €
TM2	1 pair of T-Mount legs, available for screens with size up to 160"	699 €

Fixed Theater Curved Screen Integrator, T-FI3



- ✓ Curved structured custom integrated aluminum profile of 32 mm depth
- ✓ E-Grip fabric attachment system for constant tensioning of the surface over the profile
- ✓ Standard vertical-mount wall-brackets included
- ✓ Screen curve radius optimized for each screen size



2.40:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-FI3-80-240	80	2032	87	2201	33	847	2 w	2.010	1.567	1.410	1.096	980
T-FI3-90-240	90	2286	98	2477	38	953	2 w	2.324	1.949	1.754	1.168	1.039
T-FI3-96-240	96	2438	104	2642	40	1016	2 w	2.515	2.019	1.817	1.200	1.064
T-FI3-100-240	100	2540	108	2752	42	1058	2 w	2.650	2.068	1.861	1.224	1.082
T-FI3-110-240	110	2794	119	3027	46	1164	2 w	3.025	2.251	2.026	1.304	1.149
T-FI3-120-240	120	3048	130	3302	50	1270	2 w	3.406	2.370	2.133	1.359	1.191
T-FI3-130-240	130	3302	141	3577	54	1376	2 w	3.910	2.606	2.345	1.518	1.337
T-FI3-140-240	140	3556	152	3852	58	1482	2 w	4.348	2.732	2.459	1.577	1.383
T-FI3-150-240	150	3810	163	4128	63	1588	2 w	4.801	2.839	2.555	1.622	1.415
T-FI3-160-240	160	4064	173	4403	67	1693	2 w	5.588	3.270	2.943	1.997	1.776
T-FI3-170-240	170	4318	184	4678	71	1799	2 w	6.134	3.426	3.083	2.084	1.850
T-FI3-180-240	180	4572	195	4953	75	1905	2 w	6.742	3.627	3.264	2.208	1.960
T-FI3-190-240	190	4826	206	5228	79	2011	2 w	7.316	3.748	3.373	2.383	2.005
T-FI3-200-240	200	5080	217	5503	83	2117	2 w	7.905	3.855	3.470	2.434	2.036
T-FI3-210-240	210	5334	228	5779	88	2223	2 w	8.567	4.018	3.616	2.533	2.175
T-FI3-220-240	220	5588	238	6054	92	2328	2 w	9.258	4.180	3.762	NA	2.260
T-FI3-230-240	230	5842	249	6329	96	2434	2 w	9.930	4.512	4.512	NA	2.295
T-FI3-240-240	240	6096	260	6604	100	2540	2 w	10.627	4.628	4.628	NA	2.327

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	240"	NA
	3D	SilverPix 3D Silver	2.5				71"	240"	NA
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	220"	NA
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	240"	NA
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	240"	NA
D	M5W	MultiPix 5 White	1.6		✓		71"	185"	NA
	M3G	MultiPix 4K Grey	1.3		✓		71"	185"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	210"	NA
E	S1W	SolidPix White	1.0		✓		71"	210"	240"
	S2G	SolidPix 2 Grey	0.9		✓		71"	210"	240"

* Includes StopLight black backing

Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-248 €	-274 €	-289 €	-298 €	-323 €	-348 €	-374 €	-398 €	-423 €	-449 €
BLACK BACKING REMOVAL	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"	For 230"	For 240"		
Removal of StopLight black backing	-475 €	-501 €	-526 €	-551 €	-577 €	-601 €	-627 €	-651 €		

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-CB4	4 Ceiling Brackets, available for screens with size up to 190"	178 €
F-CB6	6 Ceiling Brackets, available for screens with size from 200" to 240"	245 €
TM2	1 pair of T-Mount legs, available for screens with size up to 160"	699 €

Fixed Screen Integrator, FI3



- ✓ Structured custom integrated aluminum profile of 32 mm depth
- ✓ E-Grip fabric attachment system for constant tensioning of the surface over the profile
- ✓ Standard vertical-mount wall-brackets included



1.78:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FI3-80-178	80	2032	92	2331	45	1142	2 w	1.995	1.443	1.299	874	710
FI3-90-178	90	2286	103	2622	51	1284	2 w	2.374	1.583	1.425	958	777
FI3-96-178	96	2438	110	2797	54	1370	2 w	2.586	1.631	1.468	973	784
FI3-100-178	100	2540	115	2913	56	1427	2 w	2.798	1.738	1.564	1.055	856
FI3-110-178	110	2794	126	3205	62	1570	2 w	3.267	1.906	1.715	1.131	914
FI3-120-178	120	3048	138	3496	67	1712	2 w	3.696	1.988	1.789	1.157	927
FI3-130-178	130	3302	149	3787	73	1855	2 w	4.242	2.166	1.949	1.457	1.026
FI3-140-178	140	3556	161	4079	79	1998	2 w	4.746	2.262	2.036	1.501	1.043
FI3-150-178	150	3810	172	4370	84	2140	2 w	5.273	2.338	2.104	1.537	1.091
FI3-160-178	160	4064	184	4661	90	2283	2 w	6.111	3.158	2.842	1.921	1.478
FI3-170-178	170	4318	195	4953	96	2426	2 w	6.855	3.435	3.435	NA	1.649
FI3-180-178	180	4572	206	5244	101	2569	2 w	7.486	3.540	3.540	NA	1.667
FI3-190-178	190	4826	218	5535	107	2711	2 w	8.150	3.643	3.643	NA	1.743
FI3-200-178	200	5080	229	5827	112	2854	2 w	8.872	4.437	4.437	NA	1.864
FI3-210-178	210	5334	241	6118	118	2997	2 w	9.622	4.953	4.953	NA	1.907
FI3-220-178	220	5588	252	6409	124	3139	2 w	10.434	NA	NA	NA	1.979
FI3-230-178	230	5842	264	6701	129	3282	2 w	11.284	NA	NA	NA	2.141
FI3-240-178	240	6096	275	6992	135	3425	2 w	12.119	NA	NA	NA	2.276

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	240"	NA
	3D	SilverPix 3D Silver	2.5				71"	240"	NA
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	165"	NA
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	205"	NA
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	205"	NA
D	M5W	MultiPix 5 White	1.6		✓		71"	135"	NA
	M3G	MultiPix 4K Grey	1.3		✓		71"	135"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"	NA
E	S1W	SolidPix White	1.0		✓		71"	160"	240"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"	240"

* Includes StopLight black backing

Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-251 €	-275 €	-290 €	-299 €	-325 €	-351 €	-375 €	-403 €	-427 €	-453 €
BLACK BACKING REMOVAL	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"	For 230"	For 240"		
Removal of StopLight black backing	-478 €	-503 €	-527 €	-677 €	-707 €	-739 €	-769 €	-802 €		

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-RWMB1	4 Rear Wall Mounting Brackets with 10" offset, available for screens with size up to 160"	237 €
F-RWMB2	4 Rear Wall Mounting Brackets with 15" offset, available for screens with size up to 160"	289 €
F-RWMB3	6 Rear Wall Mounting Brackets with 10" offset, available for screens with size from 170" to 240"	356 €
F-RWMB4	6 Rear Wall Mounting Brackets with 15" offset, available for screens with size from 170" to 240"	434 €
F-LWMB1	4 Wall Brackets and 4 Magnets, available for screens with size up to 100"	139 €
F-LWMB2	4 Wall Brackets and 8 Magnets, available for screens with size from 110" to 130"	194 €
F-LWMB3	6 Wall Brackets and 12 Magnets, available for screens with size from 140" to 160"	259 €
F-CB2	2 Ceiling Brackets, available for screens with size up to 130"	112 €
F-CB4	4 Ceiling Brackets, available for screens with size from 140" to 190"	178 €
F-CB6	6 Ceiling Brackets, available for screens with size from 200" to 240"	245 €
TM2	1 pair of T-Mount legs, available for screens with size up to 160"	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Screen Integrator, FI3



**1.89:1
Native Image Ratio**



- ✓ Structured custom integrated aluminum profile of 32 mm depth
- ✓ E-Grip fabric attachment system for constant tensioning of the surface over the profile
- ✓ Standard vertical-mount wall-brackets included

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FI3-80-189	80	2032	90	2297	42	1072	2 w	1.995	1.443	1.299	874	710
FI3-90-189	90	2286	102	2584	47	1206	2 w	2.374	1.583	1.425	958	777
FI3-96-189	96	2438	109	2757	51	1286	2 w	2.586	1.631	1.468	973	784
FI3-100-189	100	2540	113	2872	53	1339	2 w	2.798	1.738	1.564	1.055	856
FI3-110-189	110	2794	124	3159	58	1473	2 w	3.267	1.906	1.715	1.131	914
FI3-120-189	120	3048	136	3446	63	1607	2 w	3.696	1.988	1.789	1.157	927
FI3-130-189	130	3302	147	3733	69	1741	2 w	4.242	2.166	1.949	1.457	1.026
FI3-140-189	140	3556	158	4020	74	1875	2 w	4.746	2.262	2.036	1.501	1.043
FI3-150-189	150	3810	170	4307	79	2009	2 w	5.273	2.338	2.104	1.537	1.091
FI3-160-189	160	4064	181	4594	84	2143	2 w	6.111	3.158	2.842	1.921	1.478
FI3-170-189	170	4318	192	4882	90	2277	2 w	6.855	3.435	3.435	NA	1.649
FI3-180-189	180	4572	203	5169	95	2411	2 w	7.486	3.540	3.540	NA	1.667
FI3-190-189	190	4826	215	5456	100	2545	2 w	8.150	3.643	3.643	NA	1.743
FI3-200-189	200	5080	226	5743	105	2679	2 w	8.872	4.437	4.437	NA	1.864
FI3-210-189	210	5334	237	6030	111	2813	2 w	9.622	4.953	4.953	NA	1.907
FI3-220-189	220	5588	249	6317	116	2947	2 w	10.434	NA	NA	NA	1.979
FI3-230-189	230	5842	260	6605	121	3081	2 w	11.284	NA	NA	NA	2.141
FI3-240-189	240	6096	271	6892	127	3215	2 w	12.119	NA	NA	NA	2.276

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	240"	NA
	3D	SilverPix 3D Silver	2.5				71"	240"	NA
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	165"	NA
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	205"	NA
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	205"	NA
D	M5W	MultiPix 5 White	1.6		✓		71"	135"	NA
	M3G	MultiPix 4K Grey	1.3		✓		71"	135"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"	NA
E	S1W	SolidPix White	1.0		✓		71"	160"	240"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"	240"

* Includes StopLight black backing

Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-251 €	-275 €	-290 €	-299 €	-325 €	-351 €	-375 €	-403 €	-427 €	-453 €
BLACK BACKING REMOVAL	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"	For 230"	For 240"		
Removal of StopLight black backing	-478 €	-503 €	-527 €	-677 €	-707 €	-739 €	-769 €	-802 €		

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-RWMB1	4 Rear Wall Mounting Brackets with 10" offset, available for screens with size up to 160"	237 €
F-RWMB2	4 Rear Wall Mounting Brackets with 15" offset, available for screens with size up to 160"	289 €
F-RWMB3	6 Rear Wall Mounting Brackets with 10" offset, available for screens with size from 170" to 240"	356 €
F-RWMB4	6 Rear Wall Mounting Brackets with 15" offset, available for screens with size from 170" to 240"	434 €
F-LWMB1	4 Wall Brackets and 4 Magnets, available for screens with size up to 100"	139 €
F-LWMB2	4 Wall Brackets and 8 Magnets, available for screens with size from 110" to 130"	194 €
F-LWMB3	6 Wall Brackets and 12 Magnets, available for screens with size from 140" to 160"	259 €
F-CB2	2 Ceiling Brackets, available for screens with size up to 130"	112 €
F-CB4	4 Ceiling Brackets, available for screens with size from 140" to 190"	178 €
F-CB6	6 Ceiling Brackets, available for screens with size from 200" to 240"	245 €
TM2	1 pair of T-Mount legs, available for screens with size up to 160"	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Screen Integrator, FI3



- ✓ Structured custom integrated aluminum profile of 32 mm depth
- ✓ E-Grip fabric attachment system for constant tensioning of the surface over the profile
- ✓ Standard vertical-mount wall-brackets included



2.35:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FI3-80-235	80	2032	87	2208	34	865	2 w	1.694	1.266	1.139	859	697
FI3-90-235	90	2286	98	2484	38	973	2 w	1.997	1.563	1.407	940	760
FI3-96-235	96	2438	104	2650	41	1038	2 w	2.166	1.617	1.455	961	772
FI3-100-235	100	2540	109	2760	43	1081	2 w	2.286	1.655	1.490	977	783
FI3-110-235	110	2794	120	3036	47	1189	2 w	2.622	1.805	1.625	1.037	827
FI3-120-235	120	3048	130	3312	51	1297	2 w	2.962	1.897	1.707	1.074	849
FI3-130-235	130	3302	141	3589	55	1405	2 w	3.418	2.096	1.886	1.211	965
FI3-140-235	140	3556	152	3865	60	1513	2 w	3.803	2.183	1.965	1.240	980
FI3-150-235	150	3810	163	4141	64	1621	2 w	4.209	2.261	2.035	1.264	991
FI3-160-235	160	4064	174	4417	68	1729	2 w	4.952	2.668	2.401	1.637	1.327
FI3-170-235	170	4318	185	4693	72	1837	2 w	5.448	2.793	2.514	1.704	1.377
FI3-180-235	180	4572	196	4969	77	1946	2 w	6.003	2.961	2.665	1.810	1.464
FI3-190-235	190	4826	206	5245	81	2054	2 w	6.524	3.053	2.748	1.963	1.488
FI3-200-235	200	5080	217	5521	85	2162	2 w	7.060	3.134	2.821	1.995	1.500
FI3-210-235	210	5334	228	5797	89	2270	2 w	7.664	3.266	2.939	2.074	1.610
FI3-220-235	220	5588	239	6073	94	2378	2 w	8.295	3.647	3.647	NA	1.670
FI3-230-235	230	5842	250	6349	98	2486	2 w	8.908	3.741	3.741	NA	1.685
FI3-240-235	240	6096	261	6625	102	2594	2 w	9.545	3.829	3.829	NA	1.698

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	240"	NA
	3D	SilverPix 3D Silver	2.5				71"	240"	NA
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	215"	NA
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	240"	NA
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	240"	NA
D	M5W	MultiPix 5 White	1.6		✓		71"	180"	NA
	M3G	MultiPix 4K Grey	1.3		✓		71"	180"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	210"	NA
E	S1W	SolidPix White	1.0		✓		71"	210"	240"
	S2G	SolidPix 2 Grey	0.9		✓		71"	210"	240"

* Includes StopLight black backing

Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-248 €	-274 €	-289 €	-298 €	-323 €	-348 €	-374 €	-398 €	-423 €	-449 €
BLACK BACKING REMOVAL	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"	For 230"	For 240"		
Removal of StopLight black backing	-475 €	-501 €	-526 €	-551 €	-577 €	-601 €	-627 €	-651 €		

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-RWMB1	4 Rear Wall Mounting Brackets with 10" offset, available for screens with size up to 160"	237 €
F-RWMB2	4 Rear Wall Mounting Brackets with 15" offset, available for screens with size up to 160"	289 €
F-RWMB3	6 Rear Wall Mounting Brackets with 10" offset, available for screens with size from 170" to 240"	356 €
F-RWMB4	6 Rear Wall Mounting Brackets with 15" offset, available for screens with size from 170" to 240"	434 €
F-LWMB1	4 Wall Brackets and 4 Magnets, available for screens with size up to 100"	139 €
F-LWMB2	4 Wall Brackets and 8 Magnets, available for screens with size from 110" to 130"	194 €
F-LWMB3	6 Wall Brackets and 12 Magnets, available for screens with size from 140" to 160"	259 €
F-CB2	2 Ceiling Brackets, available for screens with size up to 130"	112 €
F-CB4	4 Ceiling Brackets, available for screens with size from 140" to 190"	178 €
F-CB6	6 Ceiling Brackets, available for screens with size from 200" to 240"	245 €
TM2	1 pair of T-Mount legs, available for screens with size up to 160"	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Screen Integrator, FI3



- ✓ Structured custom integrated aluminum profile of 32 mm depth
- ✓ E-Grip fabric attachment system for constant tensioning of the surface over the profile
- ✓ Standard vertical-mount wall-brackets included







2.37:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FI3-80-237	80	2032	87	2205	34	857	2 w	1.694	1.266	1.139	859	697
FI3-90-237	90	2286	98	2481	38	965	2 w	1.997	1.563	1.407	940	760
FI3-96-237	96	2438	104	2647	41	1029	2 w	2.166	1.617	1.455	961	772
FI3-100-237	100	2540	109	2757	42	1072	2 w	2.286	1.655	1.490	977	783
FI3-110-237	110	2794	119	3033	46	1179	2 w	2.622	1.805	1.625	1.037	827
FI3-120-237	120	3048	130	3308	51	1286	2 w	2.962	1.897	1.707	1.074	849
FI3-130-237	130	3302	141	3584	55	1393	2 w	3.418	2.096	1.886	1.211	965
FI3-140-237	140	3556	152	3860	59	1500	2 w	3.803	2.183	1.965	1.240	980
FI3-150-237	150	3810	163	4135	63	1608	2 w	4.209	2.261	2.035	1.264	991
FI3-160-237	160	4064	174	4411	68	1715	2 w	4.952	2.668	2.401	1.637	1.327
FI3-170-237	170	4318	185	4687	72	1822	2 w	5.448	2.793	2.514	1.704	1.377
FI3-180-237	180	4572	195	4962	76	1929	2 w	6.003	2.961	2.665	1.810	1.464
FI3-190-237	190	4826	206	5238	80	2036	2 w	6.524	3.053	2.748	1.963	1.488
FI3-200-237	200	5080	217	5514	84	2143	2 w	7.060	3.134	2.821	1.995	1.500
FI3-210-237	210	5334	228	5789	89	2251	2 w	7.664	3.266	2.939	2.074	1.610
FI3-220-237	220	5588	239	6065	93	2358	2 w	8.295	3.647	3.647	NA	1.670
FI3-230-237	230	5842	250	6341	97	2465	2 w	8.908	3.741	3.741	NA	1.685
FI3-240-237	240	6096	260	6616	101	2572	2 w	9.545	3.829	3.829	NA	1.698

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	240"	NA
	3D	SilverPix 3D Silver	2.5				71"	240"	NA
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	215"	NA
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	240"	NA
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	240"	NA
D	M5W	MultiPix 5 White	1.6		✓		71"	180"	NA
	M3G	MultiPix 4K Grey	1.3		✓		71"	180"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	210"	NA
E	S1W	SolidPix White	1.0		✓		71"	210"	240"
	S2G	SolidPix 2 Grey	0.9		✓		71"	210"	240"

* Includes StopLight black backing

Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-248 €	-274 €	-289 €	-298 €	-323 €	-348 €	-374 €	-398 €	-423 €	-449 €
BLACK BACKING REMOVAL	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"	For 230"	For 240"		
Removal of StopLight black backing	-475 €	-501 €	-526 €	-551 €	-577 €	-601 €	-627 €	-651 €		

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-RWMB1	4 Rear Wall Mounting Brackets with 10" offset, available for screens with size up to 160"	237 €
F-RWMB2	4 Rear Wall Mounting Brackets with 15" offset, available for screens with size up to 160"	289 €
F-RWMB3	6 Rear Wall Mounting Brackets with 10" offset, available for screens with size from 170" to 240"	356 €
F-RWMB4	6 Rear Wall Mounting Brackets with 15" offset, available for screens with size from 170" to 240"	434 €
F-LWMB1	4 Wall Brackets and 4 Magnets, available for screens with size up to 100"	139 €
F-LWMB2	4 Wall Brackets and 8 Magnets, available for screens with size from 110" to 130"	194 €
F-LWMB3	6 Wall Brackets and 12 Magnets, available for screens with size from 140" to 160"	259 €
F-CB2	2 Ceiling Brackets, available for screens with size up to 130"	112 €
F-CB4	4 Ceiling Brackets, available for screens with size from 140" to 190"	178 €
F-CB6	6 Ceiling Brackets, available for screens with size from 200" to 240"	245 €
TM2	1 pair of T-Mount legs, available for screens with size up to 160"	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Screen Integrator, FI3



- ✓ Structured custom integrated aluminum profile of 32 mm depth
- ✓ E-Grip fabric attachment system for constant tensioning of the surface over the profile
- ✓ Standard vertical-mount wall-brackets included







**2.40:1
Native Image Ratio**

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FI3-80-240	80	2032	87	2201	33	847	2 w	1.694	1.266	1.139	859	697
FI3-90-240	90	2286	98	2477	38	953	2 w	1.997	1.563	1.407	940	760
FI3-96-240	96	2438	104	2642	40	1016	2 w	2.166	1.617	1.455	961	772
FI3-100-240	100	2540	108	2752	42	1058	2 w	2.286	1.655	1.490	977	783
FI3-110-240	110	2794	119	3027	46	1164	2 w	2.622	1.805	1.625	1.037	827
FI3-120-240	120	3048	130	3302	50	1270	2 w	2.962	1.897	1.707	1.074	849
FI3-130-240	130	3302	141	3577	54	1376	2 w	3.418	2.096	1.886	1.211	965
FI3-140-240	140	3556	152	3852	58	1482	2 w	3.803	2.183	1.965	1.240	980
FI3-150-240	150	3810	163	4128	63	1588	2 w	4.209	2.261	2.035	1.264	991
FI3-160-240	160	4064	173	4403	67	1693	2 w	4.952	2.668	2.401	1.637	1.327
FI3-170-240	170	4318	184	4678	71	1799	2 w	5.448	2.793	2.514	1.704	1.377
FI3-180-240	180	4572	195	4953	75	1905	2 w	6.003	2.961	2.665	1.810	1.464
FI3-190-240	190	4826	206	5228	79	2011	2 w	6.524	3.053	2.748	1.963	1.488
FI3-200-240	200	5080	217	5503	83	2117	2 w	7.060	3.134	2.821	1.995	1.500
FI3-210-240	210	5334	228	5779	88	2223	2 w	7.664	3.266	2.939	2.074	1.610
FI3-220-240	220	5588	238	6054	92	2328	2 w	8.295	3.647	3.282	NA	1.670
FI3-230-240	230	5842	249	6329	96	2434	2 w	8.908	3.741	3.741	NA	1.685
FI3-240-240	240	6096	260	6604	100	2540	2 w	9.545	3.829	3.829	NA	1.698

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	240"	NA
	3D	SilverPix 3D Silver	2.5				71"	240"	NA
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	220"	NA
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	240"	NA
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	240"	NA
D	M5W	MultiPix 5 White	1.6		✓		71"	185"	NA
	M3G	MultiPix 4K Grey	1.3		✓		71"	185"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	210"	NA
E	S1W	SolidPix White	1.0		✓		71"	210"	240"
	S2G	SolidPix 2 Grey	0.9		✓		71"	210"	240"


* Includes StopLight black backing

Options and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-248 €	-274 €	-289 €	-298 €	-323 €	-348 €	-374 €	-398 €	-423 €	-449 €
BLACK BACKING REMOVAL	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"	For 230"	For 240"		
Removal of StopLight black backing	-475 €	-501 €	-526 €	-551 €	-577 €	-601 €	-627 €	-651 €		

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
F-RWMB1	4 Rear Wall Mounting Brackets with 10" offset, available for screens with size up to 160"	237 €
F-RWMB2	4 Rear Wall Mounting Brackets with 15" offset, available for screens with size up to 160"	289 €
F-RWMB3	6 Rear Wall Mounting Brackets with 10" offset, available for screens with size from 170" to 240"	356 €
F-RWMB4	6 Rear Wall Mounting Brackets with 15" offset, available for screens with size from 170" to 240"	434 €
F-LWMB1	4 Wall Brackets and 4 Magnets, available for screens with size up to 100"	139 €
F-LWMB2	4 Wall Brackets and 8 Magnets, available for screens with size from 110" to 130"	194 €
F-LWMB3	6 Wall Brackets and 12 Magnets, available for screens with size from 140" to 160"	259 €
F-CB2	2 Ceiling Brackets, available for screens with size up to 130"	112 €
F-CB4	4 Ceiling Brackets, available for screens with size from 140" to 190"	178 €
F-CB6	6 Ceiling Brackets, available for screens with size from 200" to 240"	245 €
TM2	1 pair of T-Mount legs, available for screens with size up to 160"	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.



- ✓ New very large screen for permanent professional installations
- ✓ Special structured aluminum frame to achieve great stability
- ✓ Innovative anchoring system to cover the aluminum frame with the fabric
- ✓ Vertical weldings
- ✓ Mounting brackets included



1.78:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FCIN1-250-178	250	6350	287	7283	140	3567	6 w	13.904	7.340	6.606	5.634	4.099
FCIN1-260-178	260	6604	298	7575	146	3710	6 w	14.730	7.670	6.903	5.690	4.121
FCIN1-270-178	270	6858	310	7866	152	3853	6 w	15.587	7.801	7.021	5.745	4.143
FCIN1-280-178	280	7112	321	8157	157	3996	6 w	16.755	8.280	7.452	6.338	4.535
FCIN1-290-178	290	7366	333	8449	163	4138	6 w	18.094	9.599	8.639	6.941	5.015
FCIN1-300-178	300	7620	344	8740	169	4281	6 w	19.048	9.746	8.771	7.008	5.044
FCIN1-310-178	310	7874	356	9032	174	4424	6 w	20.029	10.133	9.120	7.070	5.068
FCIN1-320-178	320	8128	367	9323	180	4566	6 w	21.270	10.568	9.511	7.628	5.418
FCIN1-330-178	330	8382	379	9614	185	4709	6 w	22.312	10.717	9.645	7.696	5.444
FCIN1-340-178	340	8636	390	9906	191	4852	6 w	23.519	11.401	10.261	7.937	5.616
FCIN1-350-178	350	8890	401	10197	197	4994	6 w	24.623	11.561	10.405	8.223	5.642
FCIN1-360-178	360	9144	413	10488	202	5137	6 w	26.117	12.167	10.950	8.759	6.058
FCIN1-370-178	370	9398	424	10780	208	5280	6 w	27.287	12.624	11.362	8.839	6.176
FCIN1-380-178	380	9652	436	11071	213	5422	6 w	28.483	13.203	11.883	8.913	6.205
FCIN1-390-178	390	9906	447	11362	219	5565	6 w	29.711	13.381	12.043	9.230	6.234
FCIN1-400-178	400	10160	459	11654	225	5708	6 w	31.549	13.928	12.535	10.057	6.892
FCIN1-500-178	500	12700	574	14567	281	7135	6 w	46.739	18.634	16.771	12.961	8.518
FCIN1-600-178	600	15240	688	17480	337	8562	6 w	65.093	25.381	22.843	15.960	10.227
FCIN1-700-178	700	17780	803	20394	393	9989	6 w	85.268	30.974	27.877	16.585	11.715

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size and the production lead time will be 7 weeks

Screen Fabric Table


FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	Vertical Welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	241"	700"	Yes
	3D	SilverPix 3D Silver	2.5				241"	700"	Yes
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	241"	700"	Yes
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	241"	700"	Yes
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	241"	700"	Yes
D	M5W	MultiPix 5 White	1.6		✓		241"	700"	Yes
	M3G	MultiPix 4K Grey	1.3		✓		241"	700"	Yes
	PPW	SolidPix Sonic White	0.9		✓	✓	241"	700"	Yes
E	S1W	SolidPix White	1.0		✓		241"	700"	Yes
	S2G	SolidPix 2 Grey	0.9		✓		241"	700"	Yes

* Includes StopLight black backing

Options

BLACK BACKING REMOVAL	For 250"	For 260"	For 270"	For 280"	For 290"	For 300"	For 310"	For 320"
Removal of StopLight black backing	-1.007 €	-1.214 €	-1.256 €	-1.298 €	-1.340 €	-1.382 €	-1.627 €	-1.676 €
BLACK BACKING REMOVAL	For 330"	For 340"	For 350"	For 360"	For 370"	For 380"	For 390"	For 400"
Removal of StopLight black backing	-1.724 €	-1.772 €	-1.820 €	-1.869 €	-2.159 €	-2.214 €	-2.269 €	-2.324 €
BLACK BACKING REMOVAL	For 500"	For 600"	For 700"					
Removal of StopLight black backing	-3.523 €	-4.978 €	-6.691 €					

Fixed Screen Cinema, FCIN1



- ✓ New very large screen for permanent professional installations
- ✓ Special structured aluminum frame to achieve great stability
- ✓ Innovative anchoring system to cover the aluminum frame with the fabric
- ✓ Vertical weldings
- ✓ Mounting brackets included







1.89:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FCIN1-250-189	250	6350	229	5826	132	3360	6 w	13.322	7.061	6.355	5.473	4.096
FCIN1-260-189	260	6604	239	6059	138	3494	6 w	14.102	7.457	6.711	5.686	4.118
FCIN1-270-189	270	6858	248	6292	143	3629	6 w	14.910	7.795	7.016	5.742	4.140
FCIN1-280-189	280	7112	257	6525	148	3763	6 w	16.028	8.274	7.447	6.158	4.465
FCIN1-290-189	290	7366	266	6758	153	3897	6 w	17.177	9.106	8.195	6.577	4.794
FCIN1-300-189	300	7620	275	6991	159	4032	6 w	18.215	9.413	8.472	7.004	5.041
FCIN1-310-189	310	7874	284	7224	164	4166	6 w	19.140	9.880	8.892	7.066	5.065
FCIN1-320-189	320	8128	294	7457	169	4301	6 w	20.324	10.307	9.276	7.424	5.338
FCIN1-330-189	330	8382	303	7690	175	4435	6 w	21.307	10.710	9.639	7.485	5.362
FCIN1-340-189	340	8636	312	7923	180	4569	6 w	22.453	11.025	9.923	7.932	5.612
FCIN1-350-189	350	8890	321	8156	185	4704	6 w	23.494	11.175	10.058	7.999	5.638
FCIN1-360-189	360	9144	330	8389	190	4838	6 w	24.766	11.963	10.767	8.327	5.883
FCIN1-370-189	370	9398	339	8622	196	4972	6 w	25.869	12.128	10.915	8.400	5.914
FCIN1-380-189	380	9652	349	8855	201	5107	6 w	27.155	12.484	11.236	8.908	6.111
FCIN1-390-189	390	9906	358	9088	206	5241	6 w	28.313	12.951	11.656	8.981	6.229
FCIN1-400-189	400	10160	367	9321	212	5376	6 w	30.079	13.920	12.528	9.802	6.887
FCIN1-500-189	500	12700	459	11652	265	6720	6 w	44.453	18.623	16.761	12.644	8.395
FCIN1-600-189	600	15240	550	13982	317	8063	6 w	61.811	24.255	21.830	15.581	10.079
FCIN1-700-189	700	17780	642	16313	370	9407	6 w	80.853	29.678	26.710	16.200	11.544

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size and the production lead time will be 7 weeks

Screen Fabric Table


FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	Vertical Welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	241"	700"	Yes
	3D	SilverPix 3D Silver	2.5				241"	700"	Yes
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	241"	700"	Yes
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	241"	700"	Yes
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	241"	700"	Yes
D	M5W	MultiPix 5 White	1.6		✓		241"	700"	Yes
	M3G	MultiPix 4K Grey	1.3		✓		241"	700"	Yes
	PPW	SolidPix Sonic White	0.9		✓	✓	241"	700"	Yes
E	S1W	SolidPix White	1.0		✓		241"	700"	Yes
	S2G	SolidPix 2 Grey	0.9		✓		241"	700"	Yes

* Includes StopLight black backing

Options

BLACK BACKING REMOVAL	For 250"	For 260"	For 270"	For 280"	For 290"	For 300"	For 310"	For 320"
Removal of StopLight black backing	-1.007 €	-1.214 €	-1.256 €	-1.298 €	-1.340 €	-1.382 €	-1.627 €	-1.676 €
BLACK BACKING REMOVAL	For 330"	For 340"	For 350"	For 360"	For 370"	For 380"	For 390"	For 400"
Removal of StopLight black backing	-1.724 €	-1.772 €	-1.820 €	-1.869 €	-2.159 €	-2.214 €	-2.269 €	-2.324 €
BLACK BACKING REMOVAL	For 500"	For 600"	For 700"					
Removal of StopLight black backing	-3.523 €	-4.978 €	-6.691 €					

Fixed Screen Cinema, FCIN1



- ✓ New very large screen for permanent professional installations
- ✓ Special structured aluminum frame to achieve great stability
- ✓ Innovative anchoring system to cover the aluminum frame with the fabric
- ✓ Vertical weldings
- ✓ Mounting brackets included



**2.35:1
Native Image Ratio**

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FCIN1-250-235	250	6350	272	6901	106	2702	6 w	11.479	6.572	5.915	5.304	3.968
FCIN1-260-235	260	6604	283	7177	111	2810	6 w	12.111	6.665	5.999	5.347	4.047
FCIN1-270-235	270	6858	293	7453	115	2918	6 w	12.766	7.267	6.540	5.560	4.066
FCIN1-280-235	280	7112	304	7729	119	3026	6 w	13.725	7.727	6.954	5.969	4.389
FCIN1-290-235	290	7366	315	8005	123	3134	6 w	14.710	8.540	7.686	6.382	4.714
FCIN1-300-235	300	7620	326	8281	128	3243	6 w	15.439	8.657	7.791	6.437	4.738
FCIN1-310-235	310	7874	337	8557	132	3351	6 w	16.188	8.769	7.892	6.486	4.830
FCIN1-320-235	320	8128	348	8833	136	3459	6 w	17.328	9.338	8.404	7.209	5.251
FCIN1-330-235	330	8382	359	9109	140	3567	6 w	18.124	9.807	8.826	7.264	5.272
FCIN1-340-235	340	8636	370	9385	145	3675	6 w	19.076	10.365	9.329	7.492	5.439
FCIN1-350-235	350	8890	380	9661	149	3783	6 w	19.919	10.495	9.446	7.547	5.460
FCIN1-360-235	360	9144	391	9937	153	3891	6 w	20.935	10.812	9.731	7.796	5.645
FCIN1-370-235	370	9398	402	10214	157	3999	6 w	21.828	10.947	9.852	8.087	5.758
FCIN1-380-235	380	9652	413	10490	162	4107	6 w	22.791	11.141	10.027	8.214	5.837
FCIN1-390-235	390	9906	424	10766	166	4215	6 w	23.727	11.692	10.523	8.275	5.860
FCIN1-400-235	400	10160	435	11042	170	4323	6 w	25.381	12.345	11.111	9.231	6.638
FCIN1-500-235	500	12700	543	13802	213	5404	6 w	37.212	16.728	15.055	11.691	8.142
FCIN1-600-235	600	15240	652	16562	255	6485	6 w	51.304	21.206	19.085	14.298	9.657
FCIN1-700-235	700	17780	761	19323	298	7566	6 w	66.977	26.462	23.816	14.793	11.148
FCIN1-800-235	800	20320	869	22083	340	8647	6 w	84.884	31.231	28.108	16.716	11.917
FCIN1-900-235	900	22860	978	24844	383	9728	6 w	105.358	35.933	32.340	19.617	13.215

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size and the production lead time will be 7 weeks

Screen Fabric Table


FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	Vertical Welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	241"	900"	Yes
	3D	SilverPix 3D Silver	2.5				241"	900"	Yes
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	241"	900"	Yes
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	241"	900"	Yes
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	241"	900"	Yes
D	M5W	MultiPix 5 White	1.6		✓		241"	900"	Yes
	M3G	MultiPix 4K Grey	1.3		✓		241"	900"	Yes
	PPW	SolidPix Sonic White	0.9		✓	✓	241"	900"	Yes
E	S1W	SolidPix White	1.0		✓		241"	900"	Yes
	S2G	SolidPix 2 Grey	0.9		✓		241"	900"	Yes

* Includes StopLight black backing

Options

BLACK BACKING REMOVAL	For 250"	For 260"	For 270"	For 280"	For 290"	For 300"	For 310"	For 320"
Removal of StopLight black backing	-834 €	-863 €	-1.070 €	-1.105 €	-1.140 €	-1.175 €	-1.210 €	-1.245 €
BLACK BACKING REMOVAL	For 330"	For 340"	For 350"	For 360"	For 370"	For 380"	For 390"	For 400"
Removal of StopLight black backing	-1.281 €	-1.539 €	-1.581 €	-1.622 €	-1.664 €	-1.705 €	-1.747 €	-1.788 €
BLACK BACKING REMOVAL	For 500"	For 600"	For 700"	For 800"	For 900"			
Removal of StopLight black backing	-2.856 €	-3.790 €	-5.307 €	-6.562 €	-7.945 €			

Fixed Screen Cinema, FCIN1



- ✓ New very large screen for permanent professional installations
- ✓ Special structured aluminum frame to achieve great stability
- ✓ Innovative anchoring system to cover the aluminum frame with the fabric
- ✓ Vertical weldings
- ✓ Mounting brackets included







**2.37:1
Native Image Ratio**

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FCIN1-250-237	250	6350	271	6892	105	2679	6 w	11.479	6.572	5.915	5.304	3.968
FCIN1-260-237	260	6604	282	7168	110	2786	6 w	12.111	6.665	5.999	5.347	4.047
FCIN1-270-237	270	6858	293	7443	114	2894	6 w	12.766	7.267	6.540	5.560	4.066
FCIN1-280-237	280	7112	304	7719	118	3001	6 w	13.725	7.727	6.954	5.969	4.389
FCIN1-290-237	290	7366	315	7995	122	3108	6 w	14.710	8.540	7.686	6.382	4.714
FCIN1-300-237	300	7620	326	8271	127	3215	6 w	15.439	8.657	7.791	6.437	4.738
FCIN1-310-237	310	7874	336	8546	131	3322	6 w	16.188	8.769	7.892	6.486	4.830
FCIN1-320-237	320	8128	347	8822	135	3430	6 w	17.328	9.338	8.404	7.209	5.251
FCIN1-330-237	330	8382	358	9098	139	3537	6 w	18.124	9.807	8.826	7.264	5.272
FCIN1-340-237	340	8636	369	9373	143	3644	6 w	19.076	10.365	9.329	7.492	5.439
FCIN1-350-237	350	8890	380	9649	148	3751	6 w	19.919	10.495	9.446	7.547	5.460
FCIN1-360-237	360	9144	391	9925	152	3858	6 w	20.935	10.812	9.731	7.796	5.645
FCIN1-370-237	370	9398	402	10200	156	3965	6 w	21.828	10.947	9.852	8.087	5.758
FCIN1-380-237	380	9652	412	10476	160	4073	6 w	22.791	11.141	10.027	8.214	5.837
FCIN1-390-237	390	9906	423	10752	165	4180	6 w	23.727	11.692	10.523	8.275	5.860
FCIN1-400-237	400	10160	434	11027	169	4287	6 w	25.381	12.345	11.111	9.231	6.638
FCIN1-500-237	500	12700	543	13784	211	5359	6 w	37.212	16.728	15.055	11.691	8.142
FCIN1-600-237	600	15240	651	16541	253	6430	6 w	51.304	21.206	19.085	14.298	9.657
FCIN1-700-237	700	17780	760	19298	295	7502	6 w	66.977	26.462	23.816	14.793	11.148
FCIN1-800-237	800	20320	868	22055	338	8574	6 w	84.884	31.231	28.108	16.716	11.917
FCIN1-900-237	900	22860	977	24812	380	9646	6 w	105.358	35.933	32.340	19.617	13.215

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size and the production lead time will be 7 weeks

Screen Fabric Table


FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	Vertical Welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	241"	900"	Yes
	3D	SilverPix 3D Silver	2.5				241"	900"	Yes
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	241"	900"	Yes
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	241"	900"	Yes
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	241"	900"	Yes
D	M5W	MultiPix 5 White	1.6		✓		241"	900"	Yes
	M3G	MultiPix 4K Grey	1.3		✓		241"	900"	Yes
	PPW	SolidPix Sonic White	0.9		✓	✓	241"	900"	Yes
E	S1W	SolidPix White	1.0		✓		241"	900"	Yes
	S2G	SolidPix 2 Grey	0.9		✓		241"	900"	Yes

* Includes StopLight black backing

Options

BLACK BACKING REMOVAL	For 250"	For 260"	For 270"	For 280"	For 290"	For 300"	For 310"	For 320"
Removal of StopLight black backing	-834 €	-863 €	-1.070 €	-1.105 €	-1.140 €	-1.175 €	-1.210 €	-1.245 €
BLACK BACKING REMOVAL	For 330"	For 340"	For 350"	For 360"	For 370"	For 380"	For 390"	For 400"
Removal of StopLight black backing	-1.281 €	-1.539 €	-1.581 €	-1.622 €	-1.664 €	-1.705 €	-1.747 €	-1.788 €
BLACK BACKING REMOVAL	For 500"	For 600"	For 700"	For 800"	For 900"			
Removal of StopLight black backing	-2.856 €	-3.790 €	-5.307 €	-6.562 €	-7.945 €			

Fixed Screen Cinema, FCIN1



- ✓ New very large screen for permanent professional installations
- ✓ Special structured aluminum frame to achieve great stability
- ✓ Innovative anchoring system to cover the aluminum frame with the fabric
- ✓ Vertical weldings
- ✓ Mounting brackets included







**2.39:1
Native Image Ratio**

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FCIN1-250-239	250	6350	271	6883	105	2657	6 w	11.479	6.572	5.915	5.304	3.968
FCIN1-260-239	260	6604	282	7159	109	2763	6 w	12.111	6.665	5.999	5.347	4.047
FCIN1-270-239	270	6858	293	7434	113	2869	6 w	12.766	7.267	6.540	5.560	4.066
FCIN1-280-239	280	7112	304	7709	117	2976	6 w	13.725	7.727	6.954	5.969	4.389
FCIN1-290-239	290	7366	314	7985	121	3082	6 w	14.710	8.540	7.686	6.382	4.714
FCIN1-300-239	300	7620	325	8260	126	3188	6 w	15.439	8.657	7.791	6.437	4.738
FCIN1-310-239	310	7874	336	8535	130	3295	6 w	16.188	8.769	7.892	6.486	4.830
FCIN1-320-239	320	8128	347	8811	134	3401	6 w	17.328	9.338	8.404	7.209	5.251
FCIN1-330-239	330	8382	358	9086	138	3507	6 w	18.124	9.807	8.826	7.264	5.272
FCIN1-340-239	340	8636	369	9361	142	3613	6 w	19.076	10.365	9.329	7.492	5.439
FCIN1-350-239	350	8890	379	9637	146	3720	6 w	19.919	10.495	9.446	7.547	5.460
FCIN1-360-239	360	9144	390	9912	151	3826	6 w	20.935	10.812	9.731	7.796	5.645
FCIN1-370-239	370	9398	401	10187	155	3932	6 w	21.828	10.947	9.852	8.087	5.758
FCIN1-380-239	380	9652	412	10463	159	4038	6 w	22.791	11.141	10.027	8.214	5.837
FCIN1-390-239	390	9906	423	10738	163	4145	6 w	23.727	11.692	10.523	8.275	5.860
FCIN1-400-239	400	10160	434	11013	167	4251	6 w	25.381	12.345	11.111	9.231	6.638
FCIN1-500-239	500	12700	542	13767	209	5314	6 w	37.212	16.728	15.055	11.691	8.142
FCIN1-600-239	600	15240	650	16520	251	6377	6 w	51.304	21.206	19.085	14.298	9.657
FCIN1-700-239	700	17780	759	19274	293	7439	6 w	66.977	26.462	23.816	14.793	11.148
FCIN1-800-239	800	20320	867	22027	335	8502	6 w	84.884	31.231	28.108	16.716	11.917
FCIN1-900-239	900	22860	976	24780	377	9565	6 w	105.358	35.933	32.340	19.617	13.215

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size and the production lead time will be 7 weeks

Screen Fabric Table


FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	Vertical Welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	241"	900"	Yes
	3D	SilverPix 3D Silver	2.5				241"	900"	Yes
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	241"	900"	Yes
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	241"	900"	Yes
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	241"	900"	Yes
D	M5W	MultiPix 5 White	1.6		✓		241"	900"	Yes
	M3G	MultiPix 4K Grey	1.3		✓		241"	900"	Yes
	PPW	SolidPix Sonic White	0.9		✓	✓	241"	900"	Yes
E	S1W	SolidPix White	1.0		✓		241"	900"	Yes
	S2G	SolidPix 2 Grey	0.9		✓		241"	900"	Yes

* Includes StopLight black backing

Options

BLACK BACKING REMOVAL	For 250"	For 260"	For 270"	For 280"	For 290"	For 300"	For 310"	For 320"
Removal of StopLight black backing	-834 €	-863 €	-1.070 €	-1.105 €	-1.140 €	-1.175 €	-1.210 €	-1.245 €
BLACK BACKING REMOVAL	For 330"	For 340"	For 350"	For 360"	For 370"	For 380"	For 390"	For 400"
Removal of StopLight black backing	-1.281 €	-1.539 €	-1.581 €	-1.622 €	-1.664 €	-1.705 €	-1.747 €	-1.788 €
BLACK BACKING REMOVAL	For 500"	For 600"	For 700"	For 800"	For 900"			
Removal of StopLight black backing	-2.856 €	-3.790 €	-5.307 €	-6.562 €	-7.945 €			

Fixed Screen Cinema, FCIN1



- ✓ New very large screen for permanent professional installations
- ✓ Special structured aluminum frame to achieve great stability
- ✓ Innovative anchoring system to cover the aluminum frame with the fabric
- ✓ Vertical weldings
- ✓ Mounting brackets included



**2.40:1
Native Image Ratio**

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FCIN1-250-240	250	6350	271	6879	104	2646	6 w	11.479	6.572	5.915	5.304	3.968
FCIN1-260-240	260	6604	282	7154	108	2752	6 w	12.111	6.665	5.999	5.347	4.047
FCIN1-270-240	270	6858	293	7430	113	2858	6 w	12.766	7.267	6.540	5.560	4.066
FCIN1-280-240	280	7112	303	7705	117	2963	6 w	13.725	7.727	6.954	5.969	4.389
FCIN1-290-240	290	7366	314	7980	121	3069	6 w	14.710	8.540	7.686	6.382	4.714
FCIN1-300-240	300	7620	325	8255	125	3175	6 w	15.439	8.657	7.791	6.437	4.738
FCIN1-310-240	310	7874	336	8530	129	3281	6 w	16.188	8.769	7.892	6.486	4.830
FCIN1-320-240	320	8128	347	8805	133	3387	6 w	17.328	9.338	8.404	7.209	5.251
FCIN1-330-240	330	8382	358	9081	138	3493	6 w	18.124	9.807	8.826	7.264	5.272
FCIN1-340-240	340	8636	368	9356	142	3598	6 w	19.076	10.365	9.329	7.492	5.439
FCIN1-350-240	350	8890	379	9631	146	3704	6 w	19.919	10.495	9.446	7.547	5.460
FCIN1-360-240	360	9144	390	9906	150	3810	6 w	20.935	10.812	9.731	7.796	5.645
FCIN1-370-240	370	9398	401	10181	154	3916	6 w	21.828	10.947	9.852	8.087	5.758
FCIN1-380-240	380	9652	412	10456	158	4022	6 w	22.791	11.141	10.027	8.214	5.837
FCIN1-390-240	390	9906	423	10732	163	4128	6 w	23.727	11.692	10.523	8.275	5.860
FCIN1-400-240	400	10160	433	11007	167	4233	6 w	25.381	12.345	11.111	9.231	6.638
FCIN1-500-240	500	12700	542	13758	208	5292	6 w	37.212	16.728	15.055	11.691	8.142
FCIN1-600-240	600	15240	650	16510	250	6350	6 w	51.304	21.206	19.085	14.298	9.657
FCIN1-700-240	700	17780	758	19262	292	7408	6 w	66.977	26.462	23.816	14.793	11.148
FCIN1-800-240	800	20320	867	22013	333	8467	6 w	84.884	31.231	28.108	16.716	11.917
FCIN1-900-240	900	22860	975	24765	375	9525	6 w	105.358	35.933	32.340	19.617	13.215

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size and the production lead time will be 7 weeks

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX	Vertical Welding
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	241"	900"	Yes
	3D	SilverPix 3D Silver	2.5				241"	900"	Yes
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	241"	900"	Yes
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	241"	900"	Yes
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	241"	900"	Yes
D	M5W	MultiPix 5 White	1.6		✓		241"	900"	Yes
	M3G	MultiPix 4K Grey	1.3		✓		241"	900"	Yes
	PPW	SolidPix Sonic White	0.9		✓	✓	241"	900"	Yes
E	S1W	SolidPix White	1.0		✓		241"	900"	Yes
	S2G	SolidPix 2 Grey	0.9		✓		241"	900"	Yes


* Includes StopLight black backing

Options

BLACK BACKING REMOVAL	For 250°	For 260°	For 270°	For 280°	For 290°	For 300°	For 310°	For 320°
Removal of StopLight black backing	-834 €	-863 €	-1.070 €	-1.105 €	-1.140 €	-1.175 €	-1.210 €	-1.245 €
BLACK BACKING REMOVAL	For 330°	For 340°	For 350°	For 360°	For 370°	For 380°	For 390°	For 400°
Removal of StopLight black backing	-1.281 €	-1.539 €	-1.581 €	-1.622 €	-1.664 €	-1.705 €	-1.747 €	-1.788 €
BLACK BACKING REMOVAL	For 500°	For 600°	For 700°	For 800°	For 900°			
Removal of StopLight black backing	-2.856 €	-3.790 €	-5.307 €	-6.562 €	-7.945 €			

Fixed Frame TheaterCurved Screen with Masking Reference X-Mask 4-Way, T-X4R

SCREEN RESEARCH™



- ✓ Achievable masked image ratios: 1.33:1 to 2.76:1
- ✓ Flush housing design with hand-crafted velvet frame finish
- ✓ 4-way precision masking system with THX certified acoustically transparent lateral masks
- ✓ 4 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ 8 presets (MCS modules) or 20 presets (Crestron module)
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Improved perceived image depth, ideal for projectors with anamorphic technology
- ✓ Screen curve radius optimized for each screen size



1.78:1

Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-X4R-80-178	80	2032	91,8	2331	44,9	1142	8 w	16.833	15.990	15.490	14.990	14.960
T-X4R-90-178	90	2286	103,3	2623	50,6	1285	8 w	18.332	17.450	16.950	16.450	16.150
T-X4R-96-178	96	2438	110,2	2797	53,9	1370	8 w	19.532	18.450	17.950	17.450	17.150
T-X4R-100-178	100	2540	114,8	2914	56,2	1427	8 w	20.670	19.450	18.950	18.450	18.150
T-X4R-110-178	110	2794	126,2	3205	61,8	1570	8 w	24.037	22.450	21.950	21.450	21.150
T-X4R-120-178	120	3048	137,7	3497	67,4	1713	8 w	24.973	22.990	22.490	21.990	21.690
T-X4R-130-178	130	3302	149,2	3788	73,0	1856	8 w	29.398	26.990	26.490	25.990	25.690
T-X4R-140-178	140	3556	160,6	4079	78,7	1998	8 w	30.312	27.450	26.950	26.450	26.150
T-X4R-150-178	150	3810	172,1	4371	84,3	2141	8 w	32.795	29.450	28.950	NA	28.150
T-X4R-160-178	160	4064	183,6	4662	89,9	2284	8 w	33.846	29.990	29.490	NA	28.690

Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	160"
	3D	SilverPix 3D Silver	2.5				71"	160"
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	160"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
	D	M5W	MultiPix 5 White	1.6		✓		71"
M3G		MultiPix 4K Grey	1.3		✓		71"	140"
E	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing

Options, Control and Accessories

BLACK BACKING REMOVAL	For 80°	For 90°	For 96°	For 100°	For 110°	For 120°	For 130°	For 140°	For 150°	For 160°
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €	-411 €	-469 €	-532 €	-601 €


MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron

END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

MOUNTING LEGS	DESCRIPTION	PRICE
TM2	1 pair of T-Mount legs	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame TheaterCurved Screen with Masking Reference X-Mask 4-Way, T-X4R



- ✓ Achievable masked image ratios: 1.33:1 to 2.76:1
- ✓ Flush housing design with hand-crafted velvet frame finish
- ✓ 4-way precision masking system with THX certified acoustically transparent lateral masks
- ✓ 4 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ 8 presets (MCS modules) or 20 presets (Crestron module)
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Improved perceived image depth, ideal for projectors with anamorphic technology
- ✓ Screen curve radius optimized for each screen size



**2.00:1
Native Image Ratio**

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-X4R-80-200	80	2032	89,4	2272	40,0	1016	8 w	16.833	15.990	15.490	14.990	14.960
T-X4R-90-200	90	2286	100,6	2556	45,0	1143	8 w	18.332	17.450	16.950	16.450	16.150
T-X4R-96-200	96	2438	107,3	2726	48,0	1219	8 w	19.532	18.450	17.950	17.450	17.150
T-X4R-100-200	100	2540	111,8	2840	50,0	1270	8 w	20.670	19.450	18.950	18.450	18.150
T-X4R-110-200	110	2794	123,0	3124	55,0	1397	8 w	24.037	22.450	21.950	21.450	21.150
T-X4R-120-200	120	3048	134,2	3408	60,0	1524	8 w	24.973	22.990	22.490	21.990	21.690
T-X4R-130-200	130	3302	145,3	3692	65,0	1651	8 w	29.398	26.990	26.490	25.990	25.690
T-X4R-140-200	140	3556	156,5	3976	70,0	1778	8 w	30.312	27.450	26.950	26.450	26.150
T-X4R-150-200	150	3810	167,7	4260	75,0	1905	8 w	32.795	29.450	28.950	28.450	28.150
T-X4R-160-200	160	4064	178,9	4544	80,0	2032	8 w	33.846	29.990	29.490	NA	28.690

Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	160"
	3D	SilverPix 3D Silver	2.5				71"	160"
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	160"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
D	M5W	MultiPix 5 White	1.6		✓		71"	150"
	M3G	MultiPix 4K Grey	1.3		✓		71"	150"
E	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing

Options, Control and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €	-411 €	-469 €	-532 €	-601 €


MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron

END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

MOUNTING LEGS	DESCRIPTION	PRICE
TM2	1 pair of T-Mount legs	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame TheaterCurved Screen with Masking Reference X-Mask 4-Way, T-X4R



- ✓ Achievable masked image ratios: 1.33:1 to 2.76:1
- ✓ Flush housing design with hand-crafted velvet frame finish
- ✓ 4-way precision masking system with THX certified acoustically transparent lateral masks
- ✓ 4 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ 8 presets (MCS modules) or 20 presets (Crestron module)
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Improved perceived image depth, ideal for projectors with anamorphic technology
- ✓ Screen curve radius optimized for each screen size



2.40:1
Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-X4R-80-240	80	2032	86,7	2201	33,3	847	8 w	16.833	15.990	15.490	14.990	14.960
T-X4R-90-240	90	2286	97,5	2477	37,5	953	8 w	18.332	17.450	16.950	16.450	16.150
T-X4R-96-240	96	2438	104,0	2642	40,0	1016	8 w	19.532	18.450	17.950	17.450	17.150
T-X4R-100-240	100	2540	108,3	2752	41,7	1058	8 w	20.670	19.450	18.950	18.450	18.150
T-X4R-110-240	110	2794	119,2	3027	45,8	1164	8 w	24.037	22.450	21.950	21.450	21.150
T-X4R-120-240	120	3048	130,0	3302	50,0	1270	8 w	24.973	22.990	22.490	21.990	21.690
T-X4R-130-240	130	3302	140,8	3577	54,2	1376	8 w	29.398	26.990	26.490	25.990	25.690
T-X4R-140-240	140	3556	151,7	3852	58,3	1482	8 w	30.312	27.450	26.950	26.450	26.150
T-X4R-150-240	150	3810	162,5	4128	62,5	1588	8 w	32.795	29.450	28.950	28.450	28.150
T-X4R-160-240	160	4064	173,3	4403	66,7	1693	8 w	33.846	29.990	29.490	28.990	28.690

Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION	Gain	THX	isf	Acoustically Transparent	MIN	MAX
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	160"
	3D	SilverPix 3D Silver	2.5				71"	160"
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	160"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
D	M5W	MultiPix 5 White	1.6		✓		71"	160"
	M3G	MultiPix 4K Grey	1.3		✓		71"	160"
E	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing

Options Control and Accessories

BLACK BACKING REMOVAL	For 80°	For 90°	For 96°	For 100°	For 110°	For 120°	For 130°	For 140°	For 150°	For 160°
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €	-479 €	-541 €

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron

END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

MOUNTING LEGS	DESCRIPTION	PRICE
TM2	1 pair of T-Mount legs	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame TheaterCurved Screen with Masking Reference X-Mask 2-Way Top-Bottom, T-XTR



- ✓ Achievable masked image ratios: 1.78:1 to 2.76:1
- ✓ Flush housing design with hand-crafted velvet frame finish
- ✓ 2-way precision masking system with THX certified acoustically transparent masks
- ✓ 2 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ 8 presets (MCS modules) or 20 presets (Crestron module)
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Improved perceived image depth, ideal for projectors with anamorphic technology
- ✓ Screen curve radius optimized for each screen size



1.78:1

Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-XTR-80-178	80	2032	91,8	2331	44,9	1142	8 w	13.563	12.990	12.490	11.990	11.690
T-XTR-90-178	90	2286	103,3	2623	50,6	1285	8 w	14.872	13.990	13.490	12.990	12.690
T-XTR-96-178	96	2438	110,2	2797	53,9	1370	8 w	16.072	14.990	14.490	13.990	13.690
T-XTR-100-178	100	2540	114,8	2914	56,2	1427	8 w	17.210	15.990	15.490	14.990	14.690
T-XTR-110-178	110	2794	126,2	3205	61,8	1570	8 w	18.577	16.990	16.490	15.990	15.690
T-XTR-120-178	120	3048	137,7	3497	67,4	1713	8 w	19.973	17.990	17.490	16.990	16.690
T-XTR-130-178	130	3302	149,2	3788	73,0	1856	8 w	23.398	20.990	20.490	19.990	19.690
T-XTR-140-178	140	3556	160,6	4079	78,7	1998	8 w	24.852	21.990	21.490	20.990	20.690
T-XTR-150-178	150	3810	172,1	4371	84,3	2141	8 w	26.335	22.990	22.490	NA	21.690
T-XTR-160-178	160	4064	183,6	4662	89,9	2284	8 w	29.846	25.990	25.490	NA	24.690

Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	160"
	3D	SilverPix 3D Silver	2.5				71"	160"
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	160"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
D	M5W	MultiPix 5 White	1.6		✓		71"	140"
	M3G	MultiPix 4K Grey	1.3		✓		71"	140"
E	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing

Options, Control and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €	-411 €	-469 €	-532 €	-601 €

LUTRON MOTOR OPTION	DESCRIPTION	PRICE
QS2**	Lutron Sivoia QS motor (2 units) => Ask Lutron for the corresponding control system	1.710 €

** Lower discount applies on this Lutron motor option (reduced margin)

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron
TQS2-230EU***	Lutron Sivoia QS 230V transformer, EU power plug (2 units)	390 €
TQS2-230UK***	Lutron Sivoia QS 230V transformer, UK power plug (2 units)	390 €
TQS2-110US***	Lutron Sivoia QS 110V transformer, US power plug (2 units)	390 €


*** Lower discount applies on this Lutron transformer (reduced margin)

END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

MOUNTING LEGS	DESCRIPTION	PRICE
TM2	1 pair of T-Mount legs	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame TheaterCurved Screen with Masking Reference X-Mask 2-Way Lateral, T-XLR



- ✓ Achievable masked image ratios: 1.33:1 to 2.40:1
- ✓ Flush housing design with hand-crafted velvet frame finish
- ✓ 2-way precision masking system with THX certified acoustically transparent masks
- ✓ 2 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ 8 presets (MCS modules) or 20 presets (Crestron module)
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Improved perceived image depth, ideal for projectors with anamorphic technology
- ✓ Screen curve radius optimized for each screen size

Screen ILT2
powered by **SOMFY**



2.40:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-XLR-80-240	80	2032	86,7	2201	33,3	847	6 w	11.563	10.990	10.490	9.990	9.690
T-XLR-90-240	90	2286	97,5	2477	37,5	953	6 w	12.872	11.990	11.490	10.990	10.690
T-XLR-96-240	96	2438	104,0	2642	40,0	1016	6 w	14.072	12.990	12.490	11.990	11.690
T-XLR-100-240	100	2540	108,3	2752	41,7	1058	6 w	15.210	13.990	13.490	12.990	12.690
T-XLR-110-240	110	2794	119,2	3027	45,8	1164	6 w	16.577	14.990	14.490	13.990	13.690
T-XLR-120-240	120	3048	130,0	3302	50,0	1270	6 w	17.973	15.990	15.490	14.990	14.690
T-XLR-130-240	130	3302	140,8	3577	54,2	1376	8 w	21.398	18.990	18.490	17.990	17.690
T-XLR-140-240	140	3556	151,7	3852	58,3	1482	8 w	22.852	19.990	19.490	18.990	18.690
T-XLR-150-240	150	3810	162,5	4128	62,5	1588	8 w	24.335	20.990	20.490	19.990	19.690
T-XLR-160-240	160	4064	173,3	4403	66,7	1693	8 w	27.846	23.990	23.490	22.990	22.690
T-XLR-170-240	170	4318	184,2	4678	70,8	1799	8 w	29.207	25.990	25.490	24.990	24.690
T-XLR-180-240	180	4572	195,0	4953	75,0	1905	8 w	31.100	27.450	26.950	26.450	26.150
T-XLR-190-240	190	4826	205,8	5228	79,2	2011	8 w	34.598	30.450	29.950	NA	29.150
T-XLR-200-240	200	5080	216,7	5503	83,3	2117	8 w	36.074	31.450	30.950	NA	30.150
T-XLR-210-240	210	5334	227,5	5779	87,5	2223	8 w	37.571	32.450	31.950	NA	31.150

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	210"
	3D	SilverPix 3D Silver	2.5				71"	210"
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	210"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	210"
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	210"
D	M5W	MultiPix 5 White	1.6		✓		71"	180"
	M3G	MultiPix 4K Grey	1.3		✓		71"	180"
E	S1W	SolidPix White	1.0		✓		71"	210"
	S2G	SolidPix 2 Grey	0.9		✓		71"	210"

* Includes StopLight black backing

Options, Control and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €
BLACK BACKING REMOVAL	For 150"	For 160"	For 170"	For 180"	For 190"	For 200"	For 210"	
Removal of StopLight black backing	-479 €	-541 €	-608 €	-680 €	-757 €	-839 €	-966 €	

FULL CLOSURE FINISH OPTION	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Full closure masking (FCLOSE)**	1.357 €	1.499 €	1.541 €	1.558 €	1.699 €	1.842 €	1.984 €	2.124 €	2.259 €	2.388 €

** Available for screens with size up to 160". Lower discount applies on this finish option (reduced margin)

LUTRON MOTOR OPTION	DESCRIPTION	PRICE
QS2***	Lutron Sivoia QS motor (2 units) => Ask Lutron for the corresponding control system	1.710 €

*** Available for screens with size up to 160". Lower discount applies on this Lutron motor option (reduced margin)

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron
TQS2-230EU****	Lutron Sivoia QS 230V transformer, EU power plug (2 units)	390 €
TQS2-230UK****	Lutron Sivoia QS 230V transformer, UK power plug (2 units)	390 €
TQS2-110US****	Lutron Sivoia QS 110V transformer, US power plug (2 units)	390 €

**** Available for screens with size up to 160". Lower discount applies on this Lutron transformer (reduced margin)

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame TheaterCurved Screen with Masking Reference X-Mask 2-Way Lateral, T-XLR




END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

MOUNTING LEGS	DESCRIPTION	PRICE
TM2	1 pair of T-Mount legs, available for screens with size up to 160"	699 €

Fixed Frame Screen with Masking Reference X-Mask 4-Way, X4R

SCREEN RESEARCH™



- ✓ Achievable masked image ratios: 1.33:1 to 2.76:1
- ✓ Flush housing design with hand-crafted velvet frame finish
- ✓ 4-way precision masking system with THX certified acoustically transparent masks
- ✓ 4 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ 8 presets (MCS modules) or 20 presets (Crestron module)
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Improved perceived image depth, ideal for projectors with anamorphic technology



1.78:1

Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
X4R-80-178	80	2032	91,8	2331	44,9	1142	4 w	12.023	11.450	10.950	10.450	10.150
X4R-90-178	90	2286	103,3	2623	50,6	1285	4 w	13.872	12.990	12.490	11.990	11.690
X4R-96-178	96	2438	110,2	2797	53,9	1370	4 w	14.282	13.200	12.700	12.200	11.900
X4R-100-178	100	2540	114,8	2914	56,2	1427	4 w	14.670	13.450	12.950	12.450	12.150
X4R-110-178	110	2794	126,2	3205	61,8	1570	4 w	16.577	14.990	14.490	13.990	13.690
X4R-120-178	120	3048	137,7	3497	67,4	1713	5 w	17.433	15.450	14.950	14.450	14.150
X4R-130-178	130	3302	149,2	3788	73,0	1856	5 w	19.858	17.450	16.950	16.450	16.150
X4R-140-178	140	3556	160,6	4079	78,7	1998	5 w	20.852	17.990	17.490	16.990	16.690
X4R-150-178	150	3810	172,1	4371	84,3	2141	5 w	23.795	20.450	19.950	NA	19.150
X4R-160-178	160	4064	183,6	4662	89,9	2284	5 w	24.846	20.990	20.490	NA	19.690

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	160"
	3D	SilverPix 3D Silver	2.5				71"	160"
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	160"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
D	M5W	MultiPix 5 White	1.6		✓		71"	140"
	M3G	MultiPix 4K Grey	1.3		✓		71"	140"
E	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing

Options, Control and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €	-411 €	-469 €	-532 €	-601 €

LEATHER FINISH OPTION	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Leather housing finish (LEATHER)**	2.253 €	2.512 €	2.668 €	2.772 €	3.207 €	3.467 €	3.726 €	4.074 €	4.333 €	4.724 €

** Upholstered leather frame available in 34 different colors

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron


END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

MOUNTING LEGS	DESCRIPTION	PRICE
TM2	1 pair of T-Mount legs	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame Screen with Masking Reference X-Mask 4-Way, X4R

SCREEN RESEARCH



- ✓ Achievable masked image ratios: 1.33:1 to 2.76:1
- ✓ Flush housing design with hand-crafted velvet frame finish
- ✓ 4-way precision masking system with THX certified acoustically transparent masks
- ✓ 4 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ 8 presets (MCS modules) or 20 presets (Crestron module)
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Improved perceived image depth, ideal for projectors with anamorphic technology

Screen ILT2
somfy
powered

CERTIFIED
CRESTRON
Integrated Partner



2.00:1

Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
X4R-80-200	80	2032	89,4	2272	40,0	1016	4 w	12.023	11.450	10.950	10.450	10.150
X4R-90-200	90	2286	100,6	2556	45,0	1143	4 w	13.872	12.990	12.490	11.990	11.690
X4R-96-200	96	2438	107,3	2726	48,0	1219	4 w	14.282	13.200	12.700	12.200	11.900
X4R-100-200	100	2540	111,8	2840	50,0	1270	4 w	14.670	13.450	12.950	12.450	12.150
X4R-110-200	110	2794	123,0	3124	55,0	1397	4 w	16.577	14.990	14.490	13.990	13.690
X4R-120-200	120	3048	134,2	3408	60,0	1524	5 w	17.433	15.450	14.950	14.450	14.150
X4R-130-200	130	3302	145,3	3692	65,0	1651	5 w	19.858	17.450	16.950	16.450	16.150
X4R-140-200	140	3556	156,5	3976	70,0	1778	5 w	20.852	17.990	17.490	16.990	16.690
X4R-150-200	150	3810	167,7	4260	75,0	1905	5 w	23.795	20.450	19.950	19.450	19.150
X4R-160-200	160	4064	178,9	4544	80,0	2032	5 w	24.846	20.990	20.490	NA	19.690

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	160"
	3D	SilverPix 3D Silver	2.5				71"	160"
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	160"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
D	M5W	MultiPix 5 White	1.6		✓		71"	150"
	M3G	MultiPix 4K Grey	1.3		✓		71"	150"
E	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing

Options, Control and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €	-411 €	-469 €	-532 €	-601 €

LEATHER FINISH OPTION	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Leather housing finish (LEATHER)**	2.253 €	2.512 €	2.668 €	2.772 €	3.207 €	3.467 €	3.726 €	4.074 €	4.333 €	4.724 €

** Upholstered leather frame available in 34 different colors

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron


END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

MOUNTING LEGS	DESCRIPTION	PRICE
TM2	1 pair of T-Mount legs	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame Screen with Masking Reference X-Mask 4-Way, X4R

SCREEN RESEARCH™



- ✓ Achievable masked image ratios: 1.33:1 to 2.76:1
- ✓ Flush housing design with hand-crafted velvet frame finish
- ✓ 4-way precision masking system with THX certified acoustically transparent masks
- ✓ 4 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ 8 presets (MCS modules) or 20 presets (Crestron module)
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Improved perceived image depth, ideal for projectors with anamorphic technology



2.40:1

Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
X4R-80-240	80	2032	86,7	2201	33,3	847	4 w	12.023	11.450	10.950	10.450	10.150
X4R-90-240	90	2286	97,5	2477	37,5	953	4 w	13.872	12.990	12.490	11.990	11.690
X4R-96-240	96	2438	104,0	2642	40,0	1016	4 w	14.282	13.200	12.700	12.200	11.900
X4R-100-240	100	2540	108,3	2752	41,7	1058	4 w	14.670	13.450	12.950	12.450	12.150
X4R-110-240	110	2794	119,2	3027	45,8	1164	4 w	16.577	14.990	14.490	13.990	13.690
X4R-120-240	120	3048	130,0	3302	50,0	1270	5 w	17.433	15.450	14.950	14.450	14.150
X4R-130-240	130	3302	140,8	3577	54,2	1376	5 w	19.858	17.450	16.950	16.450	16.150
X4R-140-240	140	3556	151,7	3852	58,3	1482	5 w	20.852	17.990	17.490	16.990	16.690
X4R-150-240	150	3810	162,5	4128	62,5	1588	5 w	23.795	20.450	19.950	19.450	19.150
X4R-160-240	160	4064	173,3	4403	66,7	1693	5 w	24.846	20.990	20.490	19.990	19.690

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION	Grain	THX	isf	Acoustically Transparent	MIN	MAX
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	160"
	3D	SilverPix 3D Silver	2.5				71"	160"
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	160"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
D	M5W	MultiPix 5 White	1.6		✓		71"	160"
	M3G	MultiPix 4K Grey	1.3		✓		71"	160"
E	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing

Options, Control and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €	-479 €	-541 €

LEATHER FINISH OPTION	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Leather housing finish (LEATHER)**	2.253 €	2.512 €	2.668 €	2.772 €	3.207 €	3.467 €	3.726 €	4.074 €	4.333 €	4.724 €

** Upholstered leather frame available in 34 different colors

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron

END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

MOUNTING LEGS	DESCRIPTION	PRICE
TM2	1 pair of T-Mount legs	699 €


In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame Screen with Masking

Reference X-Mask 2-Way Top-Bottom, XTR3

SCREEN RESEARCH

NEW



- ✓ Achievable masked image ratios: 1.78:1 to 2.40:1
- ✓ Flush housing design with hand-crafted velvet frame finish
- ✓ 2-way precision masking system with THX certified acoustically transparent masks
- ✓ 2 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ 8 presets (MCS modules) or 20 presets (Crestron module)
- ✓ E-Grip fabric attachment system for constant tensioning of the surface (for the first time on the X-Mask range)
- ✓ New bord image profile, resulting in no-shadow effect
- ✓ New structural frame with improved stiffeners attachment system for fast assembly
- ✓ Improved perceived image depth, ideal for projectors with anamorphic technology
- ✓ Optional housing removal

Screen ILT2
somfy powered

Nice

CERTIFIED
CRESTRON
Integrated Partner

gruppo
mastrotto

LUTRON

1.78:1

Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
XTR3-100-178	100	2540	115	2913	56	1427	3 w	13.290	11.140	10.764	10.388	9.662
XTR3-110-178	110	2794	126	3205	62	1570	3 w	14.355	11.803	11.395	10.988	10.214
XTR3-120-178	120	3048	138	3496	67	1712	3 w	16.047	12.879	12.419	11.960	11.082
XTR3-130-178	130	3302	149	3787	73	1855	5 w	17.704	13.826	13.309	12.792	11.810
XTR3-140-178	140	3556	161	4079	79	1998	5 w	19.121	14.893	14.148	NA	12.700
XTR3-150-178	150	3810	172	4370	84	2140	5 w	21.799	16.456	15.633	NA	13.896
XTR3-160-178	160	4064	184	4661	90	2283	5 w	24.114	17.791	16.901	NA	14.960

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION	Gain	THX	tsf	Acoustically Transparent	MIN	MAX
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	91"	160"
	3D	SilverPix 3D Silver	2.5				91"	160"
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	91"	160"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	91"	160"
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	91"	160"
D	M5W	MultiPix 5 White	1.6		✓		91"	130"
	M3G	MultiPix 4K Grey	1.3		✓		91"	130"
E	S1W	SolidPix White	1.0		✓		91"	160"
	S2G	SolidPix 2 Grey	0.9		✓		91"	160"

* Includes StopLight black backing

Options, Control and Accessories

BLACK BACKING REMOVAL	For 100°	For 110°	For 120°	For 130°	For 140°	For 150°	For 160°
Removal of StopLight black backing	-299 €	-325 €	-351 €	-375 €	-403 €	-427 €	-453 €
HOUSING REMOVAL	For 100°	For 110°	For 120°	For 130°	For 140°	For 150°	For 160°
Removal of external housing cover	-1.651 €	-1.719 €	-1.929 €	-1.958 €	-2.184 €	-2.251 €	-2.280 €

LEATHER FINISH OPTION	For 100°	For 110°	For 120°	For 130°	For 140°	For 150°	For 160°
Leather housing finish (LEATHER)**	2.772 €	3.207 €	3.467 €	3.726 €	4.074 €	4.333 €	4.724 €

** Upholstered leather frame available in 34 different colors

NICE MOTOR OPTION	DESCRIPTION	PRICE
INN2	Nice ERA INN quiet motor (2 units) => For best silent solution	1.200 €
LUTRON MOTOR OPTION	DESCRIPTION	PRICE
QS2***	Lutron Sivoia QS motor (2 units) => Ask Lutron for the corresponding control system	1.710 €

*** Lower discount applies on the Lutron motor option (reduced margin)

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron
TQS2-230EU****	Lutron Sivoia QS 230V transformer, EU power plug (2 units)	390 €
TQS2-230UK****	Lutron Sivoia QS 230V transformer, UK power plug (2 units)	390 €
TQS2-110US****	Lutron Sivoia QS 110V transformer, US power plug (2 units)	390 €

**** Lower discount applies on this Lutron transformer (reduced margin)


In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame Screen with Masking Reference X-Mask 2-Way Top-Bottom, XTR3

END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

MOUNTING LEGS	DESCRIPTION	PRICE
TM2	1 pair of T-Mount legs	699 €

Fixed Frame Screen with Masking Reference X-Mask 2-Way Lateral, XLR3



- ✓ Achievable masked image ratios: 1.33:1 to 2.35:1 or to 2.40:1, depending on the native image ratio
- ✓ Flush housing design with hand-crafted velvet frame finish
- ✓ 2-way precision masking system with THX certified acoustically transparent masks
- ✓ 2 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ 8 presets (MCS modules) or 20 presets (Crestron module)
- ✓ E-Grip fabric attachment system for constant tensioning of the surface (for the first time on the X-Mask range)
- ✓ New bord image profile, resulting in no-shadow effect
- ✓ New structural frame with improved stiffeners attachment system for fast assembly
- ✓ Improved perceived image depth, ideal for projectors with anamorphic technology
- ✓ Optional housing removal



2.35:1 and 2.40:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
XLR3-100-235	100	2.540	109	2.760	43	1.081	4 w	12.657	10.609	10.251	9.894	9.202
XLR3-110-235	110	2.794	120	3.036	47	1.189	4 w	13.671	11.241	10.853	10.465	9.728
XLR3-120-235	120	3.048	130	3.312	51	1.297	4 w	15.283	12.266	11.828	11.391	10.555
XLR3-130-235	130	3.302	141	3.589	55	1.405	4 w	16.861	13.168	12.675	12.183	11.247
XLR3-140-235	140	3.556	152	3.865	60	1.513	4 w	18.211	14.184	13.650	13.116	12.095
XLR3-150-235	150	3.810	163	4.141	64	1.621	4 w	20.761	15.673	15.057	14.441	13.235
XLR3-160-235	160	4.064	174	4.417	68	1.729	4 w	22.966	16.943	16.266	15.589	14.248
XLR3-170-235	170	4.318	185	4.693	72	1.837	4 w	24.245	17.495	16.778	16.061	14.670
XLR3-180-235	180	4.572	196	4.969	77	1.946	4 w	25.297	18.451	17.666	16.882	15.368
XLR3-190-235	190	4.826	206	5.245	81	2.054	4 w	26.726	19.075	18.121	NA	15.858
XLR3-200-235	200	5.080	217	5.521	85	2.162	4 w	28.693	20.675	19.641	NA	16.877
XLR3-210-235	210	5.334	228	5.797	89	2.270	4 w	29.518	21.178	20.119	NA	17.251
XLR3-220-235	220	5.588	239	6.073	94	2.378	4 w	32.095	22.481	21.357	NA	NA
XLR3-230-235	230	5.842	250	6.349	98	2.486	4 w	33.354	22.756	21.618	NA	NA
XLR3-240-235	240	6.096	261	6.625	102	2.594	4 w	36.089	23.971	22.772	NA	NA

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
XLR3-100-240	100	2.540	108	2.752	42	1.058	4 w	12.657	10.609	10.251	9.894	9.202
XLR3-110-240	110	2.794	119	3.027	46	1.164	4 w	13.671	11.241	10.853	10.465	9.728
XLR3-120-240	120	3.048	130	3.302	50	1.270	4 w	15.283	12.266	11.828	11.391	10.555
XLR3-130-240	130	3.302	141	3.577	54	1.376	4 w	16.861	13.168	12.675	12.183	11.247
XLR3-140-240	140	3.556	152	3.852	58	1.482	4 w	18.211	14.184	13.650	13.116	12.095
XLR3-150-240	150	3.810	163	4.128	63	1.588	4 w	20.761	15.673	15.057	14.441	13.235
XLR3-160-240	160	4.064	173	4.403	67	1.693	4 w	22.966	16.943	16.266	15.589	14.248
XLR3-170-240	170	4.318	184	4.678	71	1.799	4 w	24.245	17.495	16.778	16.061	14.670
XLR3-180-240	180	4.572	195	4.953	75	1.905	4 w	25.297	18.451	17.666	16.882	15.368
XLR3-190-240	190	4.826	206	5.228	79	2.011	4 w	26.726	19.075	18.121	NA	15.858
XLR3-200-240	200	5.080	217	5.503	83	2.117	4 w	28.693	20.675	19.641	NA	16.877
XLR3-210-240	210	5.334	228	5.779	88	2.223	4 w	29.518	21.178	20.119	NA	17.251
XLR3-220-240	220	5.588	238	6.054	92	2.328	4 w	32.095	22.481	21.357	NA	NA
XLR3-230-240	230	5.842	249	6.329	96	2.434	4 w	33.354	22.756	21.618	NA	NA
XLR3-240-240	240	6.096	260	6.604	100	2.540	4 w	36.089	23.971	22.772	NA	NA

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	91"	240"
	3D	SilverPix 3D Silver	2.5				91"	240"
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	91"	220"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	91"	240"
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	91"	240"
D	M5W	MultiPix 5 White	1.6		✓		91"	180"
	M3G	MultiPix 4K Grey	1.3		✓		91"	180"
E	S1W	SolidPix White	1.0		✓		91"	210"
	S2G	SolidPix 2 Grey	0.9		✓		91"	210"

* Includes StopLight black backing

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame Screen with Masking Reference X-Mask 2-Way Lateral, XLR3

Options, Control and Accessories

	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"	
BLACK BACKING REMOVAL								
Removal of StopLight black backing	-299 €	-323 €	-348 €	-374 €	-398 €	-423 €	-449 €	
	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"	For 230"	For 240"
	-475 €	-501 €	-526 €	-551 €	-577 €	-601 €	-627 €	-651 €
HOUSING REMOVAL								
Removal of external housing cover	-1.651 €	-1.719 €	-1.929 €	-1.958 €	-2.184 €	-2.251 €	-2.280 €	
	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"	For 230"	For 240"
	-2.405 €	-2.434 €	-2.568 €	-2.742 €	-2.904 €	-2.933 €	-2.962 €	-2.991 €
FULL CLOSURE FINISH OPTION								
Full closure masking (FCLOSE)**	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"	
	1.116 €	1.138 €	1.156 €	1.156 €	1.203 €	1.224 €	1.246 €	
LEATHER FINISH OPTION								
Leather housing finish (LEATHER)***	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"	
	2.772 €	3.207 €	3.467 €	3.726 €	4.074 €	4.333 €	4.724 €	
DÉCOR MASK FINISH OPTION****								
Printed dedicated fabric (DECO), to privilege image quality	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"	
	1.705 €	1.846 €	2.029 €	2.314 €	2.548 €	2.729 €	2.920 €	
Printed 2W-B fabric (DECO2W), to privilege acoustic transparency	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"	
	2.033 €	2.225 €	2.462 €	2.806 €	3.102 €	3.348 €	3.608 €	

** Available for screens with size up to 160"

*** Upholstered leather frame available in 34 different colors, for screens with size up to 160"

**** Full screen height vertical mask, available for screens with size up to 160". Customer provides the image file of minimum 100 DPI in real print output dimension and in CMYK (accepted file formats are: EPS Photoshop, EPS Illustrator, TIF, JPG, PDF and FreeHand). A signed copyright declaration from the customer will be required.

NICE MOTOR OPTION	DESCRIPTION	PRICE
INN2	Nice ERA INN quiet motor (2 units), for screens up to 160" => For best silent solution	1.200 €
INN2	Nice ERA INN quiet motor (2 units), for screens of 161" up to 210" => For best silent solution	1.500 €
LUTRON MOTOR OPTION	DESCRIPTION	PRICE
QS2°	Lutron Sivoia QS motor (2 units) => Ask Lutron for the corresponding control system	1.710 €

° Available for screens with size up to 160". Lower discount applies on the Lutron motor option (reduced margin)

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron
TQS2-230EU°°	Lutron Sivoia QS 230V transformer, EU power plug (2 units)	390 €
TQS2-230UK°°	Lutron Sivoia QS 230V transformer, UK power plug (2 units)	390 €
TQS2-110US°°	Lutron Sivoia QS 110V transformer, US power plug (2 units)	390 €

°° Available for screens with size up to 160". Lower discount applies on this Lutron transformer (reduced margin)

END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

MOUNTING LEGS	DESCRIPTION	PRICE
TM2	1 pair of T-Mount legs, available for screens with size up to 160"	699 €

Fixed Frame Screen with Masking Supreme E-Mask 2-Way Top-Bottom, ETC

SCREEN RESEARCH™



- ✓ Achievable masked image ratios: 1.78:1 to 2.76:1
- ✓ 2 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ 8 presets (MCS modules) or 20 presets (Crestron module)
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Small gap between the mask and the fabric, to prevent shadow effect
- ✓ Easy installation



1.78:1

Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
ETC-80-178	80	2032	91,8	2331	44,9	1142	1 w	6.888	5.636	5.405	5.174	4.828
ETC-90-178	90	2286	103,3	2623	50,6	1285	1 w	7.503	5.911	5.680	5.449	5.103
ETC-96-178	96	2438	110,2	2797	53,9	1370	1 w	7.998	6.186	5.955	5.724	5.378
ETC-100-178	100	2540	114,8	2914	56,2	1427	1 w	8.415	6.451	6.220	5.989	5.643
ETC-110-178	110	2794	126,2	3205	61,8	1570	1 w	9.159	6.791	6.560	6.329	5.983
ETC-120-178	120	3048	137,7	3497	67,4	1713	1 w	11.413	8.865	8.655	8.445	6.504

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	120"
	3D	SilverPix 3D Silver	2.5				71"	120"
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	120"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	120"
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	120"
D	M5W	MultiPix 5 White	1.6		✓		71"	120"
	M3G	MultiPix 4K Grey	1.3		✓		71"	120"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	120"
E	S1W	SolidPix White	1.0		✓		71"	120"
	S2G	SolidPix 2 Grey	0.9		✓		71"	120"

* Includes StopLight black backing

Options, Control and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron

END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
E-EMB2	2 Mounting Brackets	40 €
F-RWMB1	4 Rear Wall Mounting Brackets with 10" offset	237 €
F-RWMB2	4 Rear Wall Mounting Brackets with 15" offset	289 €
TM2	1 pair of T-Mount legs	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame Screen with Masking Supreme E-Mask 2-Way Lateral, EL1C

SCREEN RESEARCH™



- ✓ Achievable masked image ratios: 1.33:1 to 2.40:1
- ✓ 2 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ 8 presets (MCS modules) or 20 presets (Crestron module)
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Small gap between the mask and the fabric, to prevent shadow effect
- ✓ Easy installation



2.40:1

Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
EL1C-80-240	80	2032	86,7	2201	33,3	847	1 w	6.574	5.636	5.405	5.174	4.828
EL1C-90-240	90	2286	97,5	2477	37,5	953	1 w	7.113	5.911	5.680	5.449	5.103
EL1C-96-240	96	2438	104,0	2642	40,0	1016	1 w	7.557	6.186	5.955	5.724	5.378
EL1C-100-240	100	2540	108,3	2752	41,7	1058	1 w	7.940	6.451	6.220	5.989	5.643
EL1C-110-240	110	2794	119,2	3027	45,8	1164	1 w	8.591	6.791	6.560	6.329	5.983
EL1C-120-240	120	3048	130,0	3302	50,0	1270	1 w	10.805	8.865	8.655	8.445	6.504
EL1C-130-240	130	3302	140,8	3577	54,2	1376	1 w	12.130	9.865	9.655	9.445	7.304
EL1C-140-240	140	3556	151,7	3852	58,3	1482	1 w	12.937	10.325	10.115	9.905	7.672

Attention: The manufacturing lead time for screens with SilverPix fabrics is 8 weeks
Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	3DM	SilverPix 3D Sonic 2 Silver	2.4			✓	71"	140"
	3D	SilverPix 3D Silver	2.5				71"	140"
B	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	140"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	140"
C	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	140"
D	M5W	MultiPix 5 White	1.6		✓		71"	140"
	M3G	MultiPix 4K Grey	1.3		✓		71"	140"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	140"
E	S1W	SolidPix White	1.0		✓		71"	140"
	S2G	SolidPix 2 Grey	0.9		✓		71"	140"

* Includes StopLight black backing

Options, Control and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €


MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron

END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

BRACKETS AND MOUNTING LEGS	DESCRIPTION	PRICE
E-EMB2	2 Mounting Brackets	40 €
F-RWMB1	4 Rear Wall Mounting Brackets with 10" offset	237 €
F-RWMB2	4 Rear Wall Mounting Brackets with 15" offset	289 €
TM2	1 pair of T-Mount legs	699 €

On-Ceiling Motorized Screen Supreme, MS2

SCREEN RESEARCH™



- ✓ Patented TFX™ floating tab-tensioning system, with bottom bar in black
- ✓ Choice of white or black casing
- ✓ Casing size varies depending on screen width and fabric choice (see Configurator for details)
- ✓ Wire exits at rear on casing's left side
- ✓ Standard screen drop of 10"
- ✓ Wall switch included
- ✓ Ceiling-/wall-mount brackets included
- ✓ Smooth, quiet and durable operation with thermal overload protection

LUTRON

1.78:1

Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz
- ✓ Available with motor 100V 50Hz/60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
MS2-80-178	80	2032	91,8	2331	44,9	1142	3 w	3.397	3.057	2.775	2.415
MS2-90-178	90	2286	103,3	2623	50,6	1285	3 w	3.888	3.499	3.159	2.740
MS2-96-178	96	2438	110,2	2797	53,9	1370	3 w	4.144	3.730	3.348	2.893
MS2-100-178	100	2540	114,8	2914	56,2	1427	3 w	4.350	3.915	3.495	3.008
MS2-110-178	110	2794	126,2	3205	61,8	1570	3 w	4.931	4.438	3.938	3.376
MS2-120-178	120	3048	137,7	3497	67,4	1713	3 w	5.564	5.008	4.416	3.769
MS2-130-178	130	3302	149,2	3788	73,0	1856	5 w	6.249	6.249	4.926	4.187
MS2-140-178	140	3556	160,6	4079	78,7	1998	5 w	6.985	6.985	5.764	4.920
MS2-150-178	150	3810	172,1	4371	84,3	2141	5 w	7.770	7.770	6.357	5.417
MS2-160-178	160	4064	183,6	4662	89,9	2284	5 w	8.602	8.602	6.972	5.932

Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	120"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
B	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
	M5W	MultiPix 5 White	1.6		✓		71"	140"
C	M3G	MultiPix 4K Grey	1.3		✓		71"	140"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"
D	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing

Options and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-320 €	-373 €	-404 €	-432 €	-499 €	-574 €	-658 €	-750 €	-851 €	-962 €

FINISH OPTION	DESCRIPTION	PRICE
RR	Reverse Roll => inverted roller and fabric mounting	No Cost
ED10	Extra 10" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 5%
ED20**	Extra 20" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 10%

** Casing length may change with the option ED20. Please refer to the Configurator for details

LUTRON MOTOR OPTION	DESCRIPTION	PRICE
QS1***	Lutron Sivoia QS motor (1 unit) => Ask Lutron for the corresponding control system	855 €

*** Available for screens with size up to 110". Lower discount applies on this Lutron motor option (reduced margin)

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-N-12V-RS232	Module for 1 motor to control screen by 12V trigger, RS232 and low voltage relay	209 €
MCS-G-IR-230V	Module for 1 motor to control screen by infrared	209 €
MCS-N-RF	Module for 1 motor to control screen by radio frequency, 12V trigger, RS232 and low voltage relay	309 €
MCS-N-IP	Module for 1 motor to control screen by IP, 12V trigger, RS232 and low voltage relay	715 €
TQS1-230EU****	Lutron Sivoia QS 230V transformer, EU power plug (1 unit)	195 €
TQS1-230UK****	Lutron Sivoia QS 230V transformer, UK power plug (1 unit)	195 €
TQS1-110US****	Lutron Sivoia QS 110V transformer, US power plug (1 unit)	195 €

**** Available for screens with size up to 110". Lower discount applies on this Lutron transformer (reduced margin)

On-Ceiling Motorized Screen Supreme, MS2

SCREEN RESEARCH™



- ✓ Patented TFX™ floating tab-tensioning system, with bottom bar in black
- ✓ Choice of white or black casing
- ✓ Casing size varies depending on screen width and fabric choice (see Configurator for details)
- ✓ Wire exits at rear on casing's left side
- ✓ Standard screen drop of 20"
- ✓ Wall switch included
- ✓ Ceiling-/wall-mount brackets included
- ✓ Smooth, quiet and durable operation with thermal overload protection

LUTRON

2.35:1
Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz
- ✓ Available with motor 100V 50Hz/60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
MS2-80-235	80	2032	86,9	2208	34,0	865	3 w	3.397	3.057	2.775	2.415
MS2-90-235	90	2286	97,8	2484	38,3	973	3 w	3.888	3.499	3.159	2.740
MS2-96-235	96	2438	104,3	2650	40,9	1038	3 w	4.144	3.730	3.348	2.893
MS2-100-235	100	2540	108,7	2760	42,6	1081	3 w	4.350	3.915	3.495	3.008
MS2-110-235	110	2794	119,5	3036	46,8	1189	3 w	4.931	4.438	3.938	3.376
MS2-120-235	120	3048	130,4	3312	51,1	1297	3 w	5.564	5.008	4.416	3.769
MS2-130-235	130	3302	141,3	3589	55,3	1405	5 w	6.249	5.624	4.926	4.187
MS2-140-235	140	3556	152,1	3865	59,6	1513	5 w	6.985	6.287	5.764	4.920
MS2-150-235	150	3810	163,0	4141	63,8	1621	5 w	7.770	7.770	6.357	5.417
MS2-160-235	160	4064	173,9	4417	68,1	1729	5 w	8.602	8.602	6.972	5.932

Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	140"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
B	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
	M5W	MultiPix 5 White	1.6		✓		71"	140"
C	M3G	MultiPix 4K Grey	1.3		✓		71"	140"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"
D	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing

Options and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-288 €	-336 €	-364 €	-389 €	-450 €	-517 €	-592 €	-675 €	-766 €	-865 €

FINISH OPTION	DESCRIPTION	PRICE
RR	Reverse Roll => inverted roller and fabric mounting	No Cost
ED10	Extra 10" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 5%
ED20**	Extra 20" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 10%

** Casing length may change with the option ED20. Please refer to the Configurator for details

LUTRON MOTOR OPTION	DESCRIPTION	PRICE
QS1***	Lutron Sivoia QS motor (1 unit) => Ask Lutron for the corresponding control system	855 €

*** Available for screens with size up to 110". Lower discount applies on this Lutron motor option (reduced margin)


MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-N-12V-RS232	Module for 1 motor to control screen by 12V trigger, RS232 and low voltage relay	209 €
MCS-G-IR-230V	Module for 1 motor to control screen by infrared	209 €
MCS-N-RF	Module for 1 motor to control screen by radio frequency, 12V trigger, RS232 and low voltage relay	309 €
MCS-N-IP	Module for 1 motor to control screen by IP, 12V trigger, RS232 and low voltage relay	715 €
TQS1-230EU****	Lutron Sivoia QS 230V transformer, EU power plug (1 unit)	195 €
TQS1-230UK****	Lutron Sivoia QS 230V transformer, UK power plug (1 unit)	195 €
TQS1-110US****	Lutron Sivoia QS 110V transformer, US power plug (1 unit)	195 €

**** Available for screens with size up to 110". Lower discount applies on this Lutron transformer (reduced margin)

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

On-Ceiling Motorized Screen with Masking Supreme 4-Way Top-Lateral, MMS2-4

**SCREEN
RESEARCH™**



- ✓ Achievable masked image ratios: 1.33:1 and 1.78:1 to 2.76:1
- ✓ 4-way precision masking system with THX certified acoustically transparent masks
- ✓ 3 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ 8 presets (MCS module) or 20 presets (Crestron module)
- ✓ Patented TFX™ floating tab-tensioning system, with bottom bar in black
- ✓ Choice of white or black casing
- ✓ Wire exits at rear on casing's left side
- ✓ Standard screen drop of 10"
- ✓ Wall switch included
- ✓ Ceiling-mount brackets included
- ✓ Smooth, quiet and durable operation with thermal overload protection

Screen ILT2
somfy
powered

CERTIFIED
CRESTRON
Integrated Partner

LUTRON

1.78:1
Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
MMS2-4-80-178	80	2032	91,8	2331	44,9	1142	6 w	6.978	6.739	6.500	6.086
MMS2-4-90-178	90	2286	103,3	2623	50,6	1285	6 w	7.893	7.607	7.322	6.839
MMS2-4-96-178	96	2438	110,2	2797	53,9	1370	6 w	8.311	7.993	7.676	7.152
MMS2-4-100-178	100	2540	114,8	2914	56,2	1427	6 w	8.619	8.271	7.924	7.364
MMS2-4-110-178	110	2794	126,2	3205	61,8	1570	6 w	9.652	9.241	8.830	8.184

Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	110"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	110"
B	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	110"
	M5W	MultiPix 5 White	1.6		✓		71"	110"
C	M3G	MultiPix 4K Grey	1.3		✓		71"	110"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	110"
D	S1W	SolidPix White	1.0		✓		71"	110"
	S2G	SolidPix 2 Grey	0.9		✓		71"	110"

* Includes StopLight black backing

Options, Control and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"
Removal of StopLight black backing	-320 €	-373 €	-404 €	-432 €	-499 €

FINISH OPTION	DESCRIPTION	PRICE
ED10	Extra 10" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 5%
ED20	Extra 20" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 10%

LUTRON MOTOR OPTION	DESCRIPTION	PRICE
QS3**	Lutron Sivoia QS motor (3 units) => Ask Lutron for the corresponding control system	2.565 €

** Lower discount applies on this Lutron motor option (reduced margin)

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron
TQS3-230EU***	Lutron Sivoia QS 230V transformer, EU power plug (3 units)	585 €
TQS3-230UK***	Lutron Sivoia QS 230V transformer, UK power plug (3 units)	585 €
TQS3-110US***	Lutron Sivoia QS 110V transformer, US power plug (3 units)	585 €


*** Lower discount applies on this Lutron transformer (reduced margin)

END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

On-Ceiling Motorized Screen with Masking Supreme 2-Way Top, MMS2-T

SCREEN RESEARCH™



- ✓ Achievable masked image ratios: 1.78:1 to 2.76:1
- ✓ 2-way precision masking system with THX certified acoustically transparent masks
- ✓ 2 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ 8 presets (MCS module) or 20 presets (Crestron module)
- ✓ Patented TFX™ floating tab-tensioning system, with bottom bar in black
- ✓ Choice of white or black casing
- ✓ Casing size varies depending on screen width and fabric choice (see Configurator for details)
- ✓ Wire exits at rear on casing's left side
- ✓ Standard screen drop of 10"
- ✓ Wall switch included
- ✓ Ceiling-mount brackets included
- ✓ Smooth, quiet and durable operation with thermal overload protection

Screen ILT2
powered by
somfy

CERTIFIED
CRESTRON
Integrated Partner

LUTRON

1.78:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
MMS2-T-80-178	80	2032	91,8	2331	44,9	1142	5 w	5.025	4.721	4.417	4.057
MMS2-T-90-178	90	2286	103,3	2623	50,6	1285	5 w	5.697	5.338	4.979	4.559
MMS2-T-96-178	96	2438	110,2	2797	53,9	1370	5 w	6.013	5.618	5.223	4.768
MMS2-T-100-178	100	2540	114,8	2914	56,2	1427	5 w	6.251	5.823	5.396	4.909
MMS2-T-110-178	110	2794	126,2	3205	61,8	1570	5 w	7.017	6.517	6.018	5.456
MMS2-T-120-178	120	3048	137,7	3497	67,4	1713	5 w	7.841	7.259	6.677	6.031
MMS2-T-130-178	130	3302	149,2	3788	73,0	1856	6 w	8.719	8.719	7.371	6.632
MMS2-T-140-178	140	3556	160,6	4079	78,7	1998	6 w	9.649	9.649	8.559	7.715
MMS2-T-150-178	150	3810	172,1	4371	84,3	2141	6 w	10.628	10.628	9.347	8.407
MMS2-T-160-178	160	4064	183,6	4662	89,9	2284	6 w	11.648	11.648	10.151	9.111

Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION	Gain	IHX	isf	Acoustically transparent	MIN	MAX
A	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	120"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
B	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
C	M5W	MultiPix 5 White	1.6		✓		71"	140"
	M3G	MultiPix 4K Grey	1.3		✓		71"	140"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"
D	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing

Options, Control and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-320 €	-373 €	-404 €	-432 €	-499 €	-574 €	-658 €	-750 €	-851 €	-962 €

FINISH OPTION	DESCRIPTION	PRICE
ED10	Extra 10" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 5%
ED20**	Extra 20" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 10%

** Casing length may change with the option ED20. Please refer to the Configurator for details

LUTRON MOTOR OPTION	DESCRIPTION	PRICE
QS2***	Lutron Sivoia QS motor (2 units) => Ask Lutron for the corresponding control system	1.710 €

*** Available for screens with size up to 110". Lower discount applies on this Lutron motor option (reduced margin)


MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron
TQS2-230EU****	Lutron Sivoia QS 230V transformer, EU power plug (2 units)	390 €
TQS2-230UK****	Lutron Sivoia QS 230V transformer, UK power plug (2 units)	390 €
TQS2-110US****	Lutron Sivoia QS 110V transformer, US power plug (2 units)	390 €

**** Available for screens with size up to 110". Lower discount applies on this Lutron transformer (reduced margin)

END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

On-Ceiling Motorized Screen with Masking Supreme 2-Way Lateral, MMS2-L1



- ✓ Achievable masked image ratios: 1.78:1 to 2.35:1
- ✓ 2-way precision masking system with THX certified acoustically transparent masks
- ✓ 2 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ 8 presets (MCS modules) or 20 presets (Crestron module)
- ✓ Patented TFX™ floating tab-tensioning system, with bottom bar in black
- ✓ Choice of white or black casing
- ✓ Casing size varies depending on screen width and fabric choice (see Configurator for details)
- ✓ Wire exits at rear on casing's left side
- ✓ Standard screen drop of 20"
- ✓ Wall switch included
- ✓ Ceiling-mount brackets included
- ✓ Smooth, quiet and durable operation with thermal overload protection



2.35:1
Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
MMS2-L1-80-235	80	2032	86,9	2208	34,0	865	5 w	5.265	4.988	4.711	4.297
MMS2-L1-90-235	90	2286	97,8	2484	38,3	973	5 w	5.937	5.609	5.282	4.799
MMS2-L1-96-235	96	2438	104,3	2650	40,9	1038	5 w	6.253	5.892	5.532	5.008
MMS2-L1-100-235	100	2540	108,7	2760	42,6	1081	5 w	6.491	6.100	5.709	5.149
MMS2-L1-110-235	110	2794	119,5	3036	46,8	1189	5 w	7.257	6.799	6.342	5.696
MMS2-L1-120-235	120	3048	130,4	3312	51,1	1297	5 w	8.081	7.547	7.014	6.271
MMS2-L1-130-235	130	3302	141,3	3589	55,3	1405	5 w	8.959	8.340	7.722	6.872
MMS2-L1-140-235	140	3556	152,1	3865	59,6	1513	5 w	9.889	9.407	8.925	7.955
MMS2-L1-150-235	150	3810	163,0	4141	63,8	1621	5 w	10.868	10.868	9.748	8.647
MMS2-L1-160-235	160	4064	173,9	4417	68,1	1729	5 w	11.888	11.888	10.596	9.351

Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION	Gain	IHX	isf	Acoustically Transparent	MIN	MAX
A	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	140"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
B	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
	M5W	MultiPix 5 White	1.6		✓		71"	160"
C	M3G	MultiPix 4K Grey	1.3		✓		71"	160"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"
D	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing

Options, Control and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-288 €	-336 €	-364 €	-389 €	-450 €	-517 €	-592 €	-675 €	-766 €	-865 €

FINISH OPTION	DESCRIPTION	PRICE
ED10	Extra 10" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 5%
ED20**	Extra 20" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 10%

** Casing length may change with the option ED20. Please refer to the Configurator for details

LUTRON MOTOR OPTION	DESCRIPTION	PRICE
QS2***	Lutron Sivoia QS motor (2 units) => Ask Lutron for the corresponding control system	1.710 €

*** Available for screens with size up to 110". Lower discount applies on this Lutron motor option (reduced margin)

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron
TQS2-230EU****	Lutron Sivoia QS 230V transformer, EU power plug (2 units)	390 €
TQS2-230UK****	Lutron Sivoia QS 230V transformer, UK power plug (2 units)	390 €
TQS2-110US****	Lutron Sivoia QS 110V transformer, US power plug (2 units)	390 €

**** Available for screens with size up to 110". Lower discount applies on this Lutron transformer (reduced margin)

END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

On-Ceiling Motorized Screen with Masking Supreme Multi-Format 2-Way Top, SLMF

SCREEN RESEARCH™



- ✓ Achievable masked image ratios: 1.78:1 to 2.76:1
- ✓ 2-way flush masking system, with no shadow effect
- ✓ 2 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ Classic tab-tensioning system, with bottom bar in white
- ✓ White casing
- ✓ Wire exits at rear on casing's left side
- ✓ Standard screen drop of 8"
- ✓ Wall switch included
- ✓ Ceiling-/wall-mount brackets included



1.78:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
SLMF-80-178	80	2032	91,8	2331	44,9	1142	1 w	3.197	2.962
SLMF-90-178	90	2286	103,3	2623	50,6	1285	1 w	3.563	3.289
SLMF-96-178	96	2438	110,2	2797	53,9	1370	1 w	3.722	3.424
SLMF-100-178	100	2540	114,8	2914	56,2	1427	1 w	3.834	3.516
SLMF-110-178	110	2794	126,2	3205	61,8	1570	1 w	4.238	3.871

Intermediate screen sizes are priced at the next bigger standard size

Screen model supplied with 1 preset ratio settled by the factory. Possibility to add 6 other ratios by the installer or end-user

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	PPW	SolidPix Sonic White	0.9		✓	✓	71"	110"
B	S1W	SolidPix White	1.0		✓		71"	110"
	S2G	SolidPix 2 Grey	0.9		✓		71"	110"

Options, Control and Accessories

FINISH OPTION	For 80"	For 90"	For 96"	For 100"	For 110"
ED8 (Extra 8" screen drop)	105 €	120 €	126 €	131 €	147 €

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron

END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

On-Ceiling Motorized Screen Classic, CLCLT

SCREEN RESEARCH™



- ✓ Somfy motor
- ✓ Classic tab-tensioning system, with bottom bar in white (black optional)
- ✓ White casing (black optional)
- ✓ Wire exits at rear on casing's left side
- ✓ Standard screen drop of 8"
- ✓ Wall switch included
- ✓ Ceiling-/wall-mount brackets included



**1.78:1,
2.35:1 and 2.40:1**

Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
CLCLT-80-178	80	2032	91,8	2331	44,9	1142	1 w	1.491	1.256
CLCLT-90-178	90	2286	103,3	2623	50,6	1285	1 w	1.699	1.425
CLCLT-96-178	96	2438	110,2	2797	53,9	1370	1 w	1.802	1.505
CLCLT-100-178	100	2540	114,8	2914	56,2	1427	1 w	1.882	1.564
CLCLT-110-178	110	2794	126,2	3205	61,8	1570	1 w	2.123	1.756
CLCLT-120-178	120	3048	137,6	3496	67,4	1713	1 w	2.382	1.960

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
CLCLT-80-235	80	2032	86,9	2208	34,0	865	1 w	1.433	1.198
CLCLT-90-235	90	2286	97,8	2484	38,3	973	1 w	1.633	1.359
CLCLT-96-235	96	2438	104,3	2650	40,9	1038	1 w	1.732	1.435
CLCLT-100-235	100	2540	108,7	2760	42,6	1081	1 w	1.810	1.492
CLCLT-110-235	110	2794	119,5	3036	46,8	1189	1 w	2.042	1.675
CLCLT-120-235	120	3048	130,4	3312	51,1	1297	1 w	2.292	1.870

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
CLCLT-80-240	80	2032	86,7	2201	33,3	847	1 w	1.433	1.198
CLCLT-90-240	90	2286	97,5	2477	37,5	953	1 w	1.633	1.359
CLCLT-96-240	96	2438	104,0	2642	40,0	1016	1 w	1.732	1.435
CLCLT-100-240	100	2540	108,3	2752	41,7	1058	1 w	1.810	1.492
CLCLT-110-240	110	2794	119,2	3027	45,8	1164	1 w	2.042	1.675
CLCLT-120-240	120	3048	130,0	3302	50,0	1270	1 w	2.292	1.870

Intermediate screen sizes are priced at the next bigger standard size and will require 1 additional week of lead time

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	PPW	SolidPix Sonic White	0.9		✓	✓	71"	120"
B	S1W	SolidPix White	1.0		✓		71"	120"
	S2G	SolidPix 2 Grey	0.9		✓		71"	120"

Options, Control and Accessories

FINISH OPTION	DESCRIPTION	PRICE
NE	Black casing and black bottom bar	No Cost

FINISH OPTION	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"
E8S (Extra 8" screen drop)	75 €	85 €	90 €	94 €	105 €	118 €

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-N-12V-RS232	Module for 1 motor to control screen by 12V trigger, RS232 and low voltage relay	209 €
MCS-G-IR-230V	Module for 1 motor to control screen by infrared	209 €
MCS-N-RF	Module for 1 motor to control screen by radio frequency, 12V trigger, RS232 and low voltage relay	309 €
MCS-N-IP	Module for 1 motor to control screen by IP, 12V trigger, RS232 and low voltage relay	715 €

BRACKETS	DESCRIPTION	PRICE
EXTB-200	1 Extension Bracket 200mm (maximum 150Kg)	24 €
EXTB-360	1 Extension Bracket 360mm (maximum 100Kg)	28 €
EXTB-440	1 Extension Bracket 440mm (maximum 80Kg)	33 €
EXTB-520	1 Extension Bracket 520mm (maximum 70Kg)	38 €
EXTB-600	1 Extension Bracket 600mm (maximum 50Kg)	47 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

On-Ceiling Motorized Screen Classic, CLCTS

SCREEN RESEARCH



- ✓ Somfy motor
- ✓ Constant tensioning system, with bottom bar in white (black optional)
- ✓ White casing (black optional)
- ✓ Wire exits at rear on casing's left side
- ✓ Standard screen drop of 8"
- ✓ Wall switch included
- ✓ Ceiling-/wall-mount brackets included



**1.78:1,
2.35:1 and 2.40:1
Native Image Ratio**

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
CLCTS-80-178	80	2032	91,8	2331	44,9	1142	1 w	1.491	1.256
CLCTS-90-178	90	2286	103,3	2623	50,6	1285	1 w	1.699	1.425
CLCTS-96-178	96	2438	110,2	2797	53,9	1370	1 w	1.802	1.505
CLCTS-100-178	100	2540	114,8	2914	56,2	1427	1 w	1.882	1.564
CLCTS-110-178	110	2794	126,2	3205	61,8	1570	1 w	2.123	1.756
CLCTS-120-178	120	3048	137,6	3496	67,4	1713	1 w	2.382	1.960

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
CLCTS-80-235	80	2032	86,9	2208	34,0	865	1 w	1.433	1.198
CLCTS-90-235	90	2286	97,8	2484	38,3	973	1 w	1.633	1.359
CLCTS-96-235	96	2438	104,3	2650	40,9	1038	1 w	1.732	1.435
CLCTS-100-235	100	2540	108,7	2760	42,6	1081	1 w	1.810	1.492
CLCTS-110-235	110	2794	119,5	3036	46,8	1189	1 w	2.042	1.675
CLCTS-120-235	120	3048	130,4	3312	51,1	1297	1 w	2.292	1.870

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
CLCTS-80-240	80	2032	86,7	2201	33,3	847	1 w	1.433	1.198
CLCTS-90-240	90	2286	97,5	2477	37,5	953	1 w	1.633	1.359
CLCTS-96-240	96	2438	104,0	2642	40,0	1016	1 w	1.732	1.435
CLCTS-100-240	100	2540	108,3	2752	41,7	1058	1 w	1.810	1.492
CLCTS-110-240	110	2794	119,2	3027	45,8	1164	1 w	2.042	1.675
CLCLS-120-240	120	3048	130,0	3302	50,0	1270	1 w	2.292	1.870

Intermediate screen sizes are priced at the next bigger standard size and will require 1 additional week of lead time

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	PPW	SolidPix Sonic White	0.9		✓	✓	71"	120"
	S1W	SolidPix White	1.0		✓		71"	120"
	S2G	SolidPix 2 Grey	0.9		✓		71"	120"

Options, Control and Accessories

FINISH OPTION	DESCRIPTION	PRICE
NE	Black casing and black bottom bar	No Cost

FINISH OPTION	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"
ED8 (Extra 8" screen drop)	75 €	85 €	90 €	94 €	105 €	118 €

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-N-12V-RS232	Module for 1 motor to control screen by 12V trigger, RS232 and low voltage relay	209 €
MCS-G-IR-230V	Module for 1 motor to control screen by infrared	209 €
MCS-N-RF	Module for 1 motor to control screen by radio frequency, 12V trigger, RS232 and low voltage relay	309 €
MCS-N-IP	Module for 1 motor to control screen by IP, 12V trigger, RS232 and low voltage relay	715 €


BRACKETS	DESCRIPTION	PRICE
EXTB-200	1 Extension Bracket 200mm (maximum 150Kg)	24 €
EXTB-360	1 Extension Bracket 360mm (maximum 100Kg)	28 €
EXTB-440	1 Extension Bracket 440mm (maximum 80Kg)	33 €
EXTB-520	1 Extension Bracket 520mm (maximum 70Kg)	38 €
EXTB-600	1 Extension Bracket 600mm (maximum 50Kg)	47 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

In-Ceiling Slot Motorized Screen

Supreme, MS2-IS **!!! END OF LIFE MODEL !!!**

SCREEN RESEARCH



- ✓ Patented TFX™ floating tab-tensioning system, with bottom bar in black
- ✓ White casing with slot opening
- ✓ Casing size varies depending on screen width and fabric choice (see Configurator for details)
- ✓ Wire exits at top of casing's left side
- ✓ Standard screen drop of 10"
- ✓ Wall switch included
- ✓ Mounting brackets included
- ✓ Smooth, quiet and durable operation with thermal overload protection



1.78:1

Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz
- ✓ Available with motor 100V 50Hz/60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR => SPECIAL CLEARANCE PRICING			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
MS2-IS-80-178	80	2032	91,8	2331	44,9	1142	4 w	3.114	2.803	2.606	2.318
MS2-IS-90-178	90	2286	103,3	2623	50,6	1285	4 w	3.562	3.206	2.966	2.630
MS2-IS-96-178	96	2438	110,2	2797	53,9	1370	4 w	3.792	3.413	3.142	2.778
MS2-IS-100-178	100	2540	114,8	2914	56,2	1427	4 w	3.977	3.579	3.277	2.888
MS2-IS-110-178	110	2794	126,2	3205	61,8	1570	4 w	4.504	4.054	3.690	3.241
MS2-IS-120-178	120	3048	137,7	3497	67,4	1713	4 w	5.078	4.570	4.136	3.618
MS2-IS-130-178	130	3302	149,2	3788	73,0	1856	6 w	5.697	5.697	4.611	4.019
MS2-IS-140-178	140	3556	160,6	4079	78,7	1998	6 w	6.361	6.361	5.398	4.723
MS2-IS-150-178	150	3810	172,1	4371	84,3	2141	6 w	7.068	7.068	5.952	5.200
MS2-IS-160-178	160	4064	183,6	4662	89,9	2284	6 w	7.815	7.815	6.526	5.694

Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	120"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
B	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
C	M5W	MultiPix 5 White	1.6	✓			71"	140"
	M3G	MultiPix 4K Grey	1.3	✓			71"	140"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"
D	S1W	SolidPix White	1.0	✓			71"	160"
	S2G	SolidPix 2 Grey	0.9	✓			71"	160"

* Includes StopLight black backing

Options and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-320 €	-373 €	-404 €	-432 €	-499 €	-574 €	-658 €	-750 €	-851 €	-962 €

FINISH OPTION	DESCRIPTION	PRICE
RR	Reverse Roll => inverted roller and fabric mounting	No Cost
ED10	Extra 10" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 5%
ED20**	Extra 20" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 10%

** Casing length may change with the option ED20. Please refer to the Configurator for details

LUTRON MOTOR OPTION	DESCRIPTION	PRICE
QS1***	Lutron Sivoia QS motor (1 unit) => Ask Lutron for the corresponding control system	855 €

*** Available for screens with size up to 110". Lower discount applies on this Lutron motor option (reduced margin)


MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-N-12V-RS232	Module for 1 motor to control screen by 12V trigger, RS232 and low voltage relay	209 €
MCS-G-IR-230V	Module for 1 motor to control screen by infrared	209 €
MCS-N-RF	Module for 1 motor to control screen by radio frequency, 12V trigger, RS232 and low voltage relay	309 €
MCS-N-IP	Module for 1 motor to control screen by IP, 12V trigger, RS232 and low voltage relay	715 €
TQS1-230EU****	Lutron Sivoia QS 230V transformer, EU power plug (1 unit)	195 €
TQS1-230UK****	Lutron Sivoia QS 230V transformer, UK power plug (1 unit)	195 €
TQS1-110US****	Lutron Sivoia QS 110V transformer, US power plug (1 unit)	195 €

**** Available for screens with size up to 110". Lower discount applies on this Lutron transformer (reduced margin)

In-Ceiling Slot Motorized Screen

Supreme, MS2-IS **!!! END OF LIFE MODEL !!!**

SCREEN RESEARCH™



- ✓ Patented TFX™ floating tab-tensioning system, with bottom bar in black
- ✓ White casing with slot opening
- ✓ Casing size varies depending on screen width and fabric choice (see Configurator for details)
- ✓ Wire exits at top of casing's left side
- ✓ Standard screen drop of 20"
- ✓ Wall switch included
- ✓ Mounting brackets included
- ✓ Smooth, quiet and durable operation with thermal overload protection



LUTRON

2.35:1

Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz
- ✓ Available with motor 100V 50Hz/60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR >>> SPECIAL CLEARANCE PRICING			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
MS2-IS-80-235	80	2032	86,9	2208	34,0	865	4 w	3.114	2.803	2.606	2.318
MS2-IS-90-235	90	2286	97,8	2484	38,3	973	4 w	3.562	3.206	2.966	2.630
MS2-IS-96-235	96	2438	104,3	2650	40,9	1038	4 w	3.792	3.413	3.142	2.778
MS2-IS-100-235	100	2540	108,7	2760	42,6	1081	4 w	3.977	3.579	3.277	2.888
MS2-IS-110-235	110	2794	119,5	3036	46,8	1189	4 w	4.504	4.054	3.690	3.241
MS2-IS-120-235	120	3048	130,4	3312	51,1	1297	4 w	5.078	4.570	4.136	3.618
MS2-IS-130-235	130	3302	141,3	3589	55,3	1405	6 w	5.697	5.127	4.611	4.019
MS2-IS-140-235	140	3556	152,1	3865	59,6	1513	6 w	6.361	5.725	5.398	4.723
MS2-IS-150-235	150	3810	163,0	4141	63,8	1621	6 w	7.068	7.068	5.952	5.200
MS2-IS-160-235	160	4064	173,9	4417	68,1	1729	6 w	7.815	7.815	6.526	5.694

Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	140"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
B	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
C	M5W	MultiPix 5 White	1.6		✓		71"	160"
	M3G	MultiPix 4K Grey	1.3		✓		71"	160"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"
D	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing

Options and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-288 €	-336 €	-364 €	-389 €	-450 €	-517 €	-592 €	-675 €	-766 €	-865 €

FINISH OPTION	DESCRIPTION	PRICE
RR	Reverse Roll => inverted roller and fabric mounting	No Cost
ED10	Extra 10" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 5%
ED20**	Extra 20" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 10%

** Casing length may change with the option ED20. Please refer to the Configurator for details

LUTRON MOTOR OPTION	DESCRIPTION	PRICE
QS1***	Lutron Sivoia QS motor (1 unit) => Ask Lutron for the corresponding control system	855 €


*** Available for screens with size up to 110". Lower discount applies on this Lutron motor option (reduced margin)

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-N-12V-RS232	Module for 1 motor to control screen by 12V trigger, RS232 and low voltage relay	209 €
MCS-G-IR-230V	Module for 1 motor to control screen by infrared	209 €
MCS-N-RF	Module for 1 motor to control screen by radio frequency, 12V trigger, RS232 and low voltage relay	309 €
MCS-N-IP	Module for 1 motor to control screen by IP, 12V trigger, RS232 and low voltage relay	715 €
TQS1-230EU****	Lutron Sivoia QS 230V transformer, EU power plug (1 unit)	195 €
TQS1-230UK****	Lutron Sivoia QS 230V transformer, UK power plug (1 unit)	195 €
TQS1-110US****	Lutron Sivoia QS 110V transformer, US power plug (1 unit)	195 €

**** Available for screens with size up to 110". Lower discount applies on this Lutron transformer (reduced margin)

In-Ceiling Slot Motorized Screen with Masking Supreme 4-Way Top-Lateral, MMS2-4-IS

**SCREEN
RESEARCH™**



- ✓ Achievable masked image ratios: 1.33:1 and 1.78:1 to 2.76:1
- ✓ 4-way precision masking system with THX certified acoustically transparent masks
- ✓ 3 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ 8 presets (MCS module) or 20 presets (Crestron module)
- ✓ Patented TFX™ floating tab-tensioning system, with bottom bar in black
- ✓ White casing with slot opening
- ✓ Casing size varies depending on screen width and fabric choice (see Configurator for details)
- ✓ Wire exits at top of casing's left side
- ✓ Standard screen drop of 10"
- ✓ Wall switch included
- ✓ Ceiling-mount brackets included
- ✓ Smooth, quiet and durable operation with thermal overload protection

Screen ILT2
somfy
powered

CERTIFIED
CRESTRON
Integrated Partner

LUTRON

**1.78:1
Native Image Ratio**

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
MMS2-4-IS-80-178	80	2032	91,8	2331	44,9	1142	7 w	7.695	7.478	7.261	6.847
MMS2-4-IS-90-178	90	2286	103,3	2623	50,6	1285	7 w	8.699	8.437	8.176	7.694
MMS2-4-IS-96-178	96	2438	110,2	2797	53,9	1370	7 w	9.154	8.862	8.570	8.046
MMS2-4-IS-100-178	100	2540	114,8	2914	56,2	1427	7 w	9.487	9.165	8.844	8.285
MMS2-4-IS-110-178	110	2794	126,2	3205	61,8	1570	7 w	10.616	10.234	9.853	9.207
MMS2-4-IS-120-178	120	3048	137,6	3496	67,4	1713	9 w	11.822	11.371	10.921	10.178
MMS2-4-IS-130-178	130	3302	149,1	3787	73,0	1856	9 w	13.100	13.100	12.042	11.191
MMS2-4-IS-140-178	140	3556	160,6	4079	78,7	1998	9 w	14.444	14.444	13.989	13.019
MMS2-4-IS-150-178	150	3810	172,1	4370	84,3	2141	9 w	15.847	15.847	15.287	14.187
MMS2-4-IS-160-178	160	4064	183,5	4661	89,9	2284	9 w	17.298	17.298	16.616	15.376

Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	120"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
B	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
C	M5W	MultiPix 5 White	1.6		✓		71"	140"
	M3G	MultiPix 4K Grey	1.3		✓		71"	140"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"
D	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing

Options, Control and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-320 €	-373 €	-404 €	-432 €	-499 €	-574 €	-658 €	-750 €	-851 €	-962 €

FINISH OPTION	DESCRIPTION	PRICE
ED10	Extra 10" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 5%
ED20**	Extra 20" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 10%

** Casing length may change with the option ED20. Please refer to the Configurator for details

LUTRON MOTOR OPTION	DESCRIPTION	PRICE
QS3***	Lutron Sivoia QS motor (3 units) => Ask Lutron for the corresponding control system	2.565 €

*** Available for screens with size up to 110". Lower discount applies on this Lutron motor option (reduced margin)

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron
TQ3S-230EU****	Lutron Sivoia QS 230V transformer, EU power plug (3 units)	585 €
TQ3S-230UK****	Lutron Sivoia QS 230V transformer, UK power plug (3 units)	585 €
TQ3S-110US****	Lutron Sivoia QS 110V transformer, US power plug (3 units)	585 €


**** Available for screens with size up to 110". Lower discount applies on this Lutron transformer (reduced margin)

END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

In-Ceiling Slot Motorized Screen with Masking Supreme 2-Way Top, MMS2-T-IS

**SCREEN
RESEARCH**



- ✓ Achievable masked image ratios: 1.78:1 to 2.76:1
- ✓ 2-way precision masking system with THX certified acoustically transparent masks
- ✓ 2 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ 8 presets (MCS module) or 20 presets (Crestron module)
- ✓ Patented TFX™ floating tab-tensioning system, with bottom bar in black
- ✓ White casing with slot opening
- ✓ Casing size varies depending on screen width and fabric choice (see Configurator for details)
- ✓ Wire exits at top of casing's left side
- ✓ Standard screen drop of 10"
- ✓ Wall switch included
- ✓ Ceiling-mount brackets included
- ✓ Smooth, quiet and durable operation with thermal overload protection

Screen ILT2
somfy
powered

CERTIFIED
CRESTRON
Integrated Partner

LUTRON

**1.78:1
Native Image Ratio**

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
MMS2-T-IS-80-178	80	2032	91,8	2331	44,9	1142	5 w	5.743	5.460	5.178	4.818
MMS2-T-IS-90-178	90	2286	103,3	2623	50,6	1285	5 w	6.503	6.168	5.834	5.414
MMS2-T-IS-96-178	96	2438	110,2	2797	53,9	1370	5 w	6.856	6.486	6.117	5.662
MMS2-T-IS-100-178	100	2540	114,8	2914	56,2	1427	5 w	7.118	6.717	6.316	5.830
MMS2-T-IS-110-178	110	2794	126,2	3205	61,8	1570	5 w	7.982	7.511	7.041	6.479
MMS2-T-IS-120-178	120	3048	137,7	3497	67,4	1713	5 w	8.907	8.357	7.808	7.162
MMS2-T-IS-130-178	130	3302	149,2	3788	73,0	1856	7 w	9.891	9.891	8.615	7.875
MMS2-T-IS-140-178	140	3556	160,6	4079	78,7	1998	7 w	10.931	10.931	10.005	9.162
MMS2-T-IS-150-178	150	3810	172,1	4371	84,3	2141	7 w	12.022	12.022	11.084	9.984
MMS2-T-IS-160-178	160	4064	183,6	4662	89,9	2284	7 w	13.156	13.156	12.060	10.820

Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	120"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
B	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
C	M5W	MultiPix 5 White	1.6		✓		71"	140"
	M3G	MultiPix 4K Grey	1.3		✓		71"	140"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"
D	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing

Options, Control and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-320 €	-373 €	-404 €	-432 €	-499 €	-574 €	-658 €	-750 €	-851 €	-962 €

FINISH OPTION	DESCRIPTION	PRICE
ED10	Extra 10" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 5%
ED20**	Extra 20" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 10%

** Casing length may change with the option ED20. Please refer to the Configurator for details

LUTRON MOTOR OPTION	DESCRIPTION	PRICE
QS2***	Lutron Sivoia QS motor (2 units) => Ask Lutron for the corresponding control system	1.710 €

*** Available for screens with size up to 110". Lower discount applies on this Lutron motor option (reduced margin)

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron
TQS2-230EU****	Lutron Sivoia QS 230V transformer, EU power plug (2 units)	390 €
TQS2-230UK****	Lutron Sivoia QS 230V transformer, UK power plug (2 units)	390 €
TQS2-110US****	Lutron Sivoia QS 110V transformer, US power plug (2 units)	390 €


**** Available for screens with size up to 110". Lower discount applies on this Lutron transformer (reduced margin)

END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

In-Ceiling Slot Motorized Screen with Masking Supreme 2-Way Lateral, MMS2-L1-IS

SCREEN RESEARCH™



- ✓ Achievable masked image ratios: 1.78:1 to 2.35:1
- ✓ 2-way precision masking system with THX certified acoustically transparent masks
- ✓ 2 independent Somfy® ILT high precision positioning motors, bus driven
- ✓ 8 presets (MCS module) or 20 presets (Crestron module)
- ✓ Patented TFX™ floating tab-tensioning system, with bottom bar in black
- ✓ White casing with slot opening
- ✓ Casing size varies depending on screen width and fabric choice (see Configurator for details)
- ✓ Wire exits at top of casing's left side
- ✓ Standard screen drop of 20"
- ✓ Wall switch included
- ✓ Ceiling-mount brackets included
- ✓ Smooth, quiet and durable operation with thermal overload protection



2.35:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
MMS2-L1-IS-80-235	80	2032	86,9	2208	34,0	865	5 w	5.983	5.727	5.472	5.058
MMS2-L1-IS-90-235	90	2286	97,8	2484	38,3	973	5 w	6.743	6.440	6.137	5.654
MMS2-L1-IS-96-235	96	2438	104,3	2650	40,9	1038	5 w	7.096	6.761	6.426	5.902
MMS2-L1-IS-100-235	100	2540	108,7	2760	42,6	1081	5 w	7.358	6.993	6.629	6.070
MMS2-L1-IS-110-235	110	2794	119,5	3036	46,8	1189	5 w	8.222	7.793	7.365	6.719
MMS2-L1-IS-120-235	120	3048	130,4	3312	51,1	1297	5 w	9.147	8.646	8.145	7.402
MMS2-L1-IS-130-235	130	3302	141,3	3589	55,3	1405	7 w	10.131	9.548	8.966	8.115
MMS2-L1-IS-140-235	140	3556	152,1	3865	59,6	1513	7 w	11.171	10.771	10.372	9.402
MMS2-L1-IS-150-235	150	3810	163,0	4141	63,8	1621	7 w	12.262	12.262	11.324	10.224
MMS2-L1-IS-160-235	160	4064	173,9	4417	68,1	1729	7 w	13.396	13.396	12.300	11.060

Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION	Gain	THX	isf	Acoustically Transparent	MIN	MAX
A	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	140"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
B	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
C	M5W	MultiPix 5 White	1.6		✓		71"	160"
	M3G	MultiPix 4K Grey	1.3		✓		71"	160"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"
D	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing

Options, Control and Accessories

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-288 €	-336 €	-364 €	-389 €	-450 €	-517 €	-592 €	-675 €	-766 €	-865 €

FINISH OPTION	DESCRIPTION	PRICE
ED10	Extra 10" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 5%
ED20**	Extra 20" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 10%

** Casing length may change with the option ED20. Please refer to the Configurator for details

LUTRON MOTOR OPTION	DESCRIPTION	PRICE
QS2***	Lutron Sivoia QS motor (2 units) => Ask Lutron for the corresponding control system	1.710 €

*** Available for screens with size up to 110". Lower discount applies on this Lutron motor option (reduced margin)

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-ILT-4	Control system module for 4 ILT motors - 8 presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IP	Control system module for 4 ILT motors - 8 presets For TCP/IP technology	739 €
MCS-ILT-4-IR	Control system module for 4 ILT motors - 8 presets For IR technology	875 €
C2N-SSC-2	Crestron module interface - 20 presets No MCS required	Ask Crestron
TQS2-230EU****	Lutron Sivoia QS 230V transformer, EU power plug (2 units)	390 €
TQS2-230UK****	Lutron Sivoia QS 230V transformer, UK power plug (2 units)	390 €
TQS2-110US****	Lutron Sivoia QS 110V transformer, US power plug (2 units)	390 €

**** Available for screens with size up to 110". Lower discount applies on this Lutron transformer (reduced margin)

END LIMITS SETTING TOOL	DESCRIPTION	PRICE
MCS-ILT-T	ILT motor limits setting tool (to use when replacing a motor)	100 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

In-Ceiling Slot Motorized Screen Supreme, MS3-IS

SCREEN RESEARCH™



- ✓ Patented TFX™ floating tab-tensioning system, with aesthetically improved bottom bar in black (white optional)
- ✓ Improved casing design, with new magnetic lateral covers and safety cables
- ✓ White casing with slot opening
- ✓ Wire exits at top of casing's left side
- ✓ Standard screen drop of 10"
- ✓ **Longer custom screen drop, bigger than the optional ED10 and ED20, available upon request**
- ✓ Wall switch included
- ✓ Improved mounting brackets included, for quick and easy installation
- ✓ Smooth, quiet and durable operation with thermal overload protection



1.78:1

Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz
- ✓ Available with motor 100V 50Hz/60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
MS3-IS-80-178	80	2032	91,8	2331	44,9	1142	2 w	3.861	3.475	3.096	2.894
MS3-IS-90-178	90	2286	103,3	2623	50,6	1285	2 w	4.080	3.672	3.251	3.025
MS3-IS-96-178	96	2438	110,2	2797	53,9	1370	2 w	4.269	3.842	3.353	3.156
MS3-IS-100-178	100	2540	114,8	2914	56,2	1427	2 w	4.469	4.022	3.450	3.289
MS3-IS-110-178	110	2794	126,2	3205	61,8	1570	2 w	4.768	4.291	3.692	3.517
MS3-IS-120-178	120	3048	137,7	3497	67,4	1713	2 w	5.117	4.605	3.993	3.802
MS3-IS-130-178	130	3302	149,2	3788	73,0	1856	3 w	5.448	5.448	4.266	4.062
MS3-IS-140-178	140	3556	160,6	4079	78,7	1998	3 w	5.666	5.666	4.440	4.220
MS3-IS-150-178	150	3810	172,1	4371	84,3	2141	3 w	5.901	5.901	5.043	4.378
MS3-IS-160-178	160	4064	183,6	4662	89,9	2284	3 w	6.425	6.425	5.571	4.844

Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	120"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
B	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
	M5W	MultiPix 5 White	1.6		✓		71"	140"
C	M3G	MultiPix 4K Grey	1.3		✓		71"	140"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"
D	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing

Options and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-320 €	-373 €	-404 €	-432 €	-499 €	-574 €	-658 €	-750 €	-851 €	-962 €

FINISH OPTION	DESCRIPTION	PRICE
RR	Reverse Roll => inverted roller and fabric mounting	No Cost
ED10	Extra 10" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 5%
ED20**	Extra 20" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 10%

** Casing length may change with the option ED20. Please refer to the Configurator for details

LUTRON MOTOR OPTION	DESCRIPTION	PRICE
QS1***	Lutron Sivoia QS motor (1 unit) => Ask Lutron for the corresponding control system	855 €

*** Available for screens with size up to 110". Lower discount applies on this Lutron motor option (reduced margin)

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-N-12V-RS232	Module for 1 motor to control screen by 12V trigger, RS232 and low voltage relay	209 €
MCS-G-IR-230V	Module for 1 motor to control screen by infrared	209 €
MCS-N-RF	Module for 1 motor to control screen by radio frequency, 12V trigger, RS232 and low voltage relay	309 €
MCS-N-IP	Module for 1 motor to control screen by IP, 12V trigger, RS232 and low voltage relay	715 €
TQS1-230EU****	Lutron Sivoia QS 230V transformer, EU power plug (1 unit)	195 €
TQS1-230UK****	Lutron Sivoia QS 230V transformer, UK power plug (1 unit)	195 €
TQS1-110US****	Lutron Sivoia QS 110V transformer, US power plug (1 unit)	195 €

**** Available for screens with size up to 110". Lower discount applies on this Lutron transformer (reduced margin)

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

In-Ceiling Slot Motorized Screen Supreme, MS3-IS

SCREEN RESEARCH™



- ✓ Patented TFX™ floating tab-tensioning system, with aesthetically improved bottom bar in black (white optional)
- ✓ Improved casing design, with new magnetic lateral covers and safety cables
- ✓ White casing with slot opening
- ✓ Wire exits at top of casing's left side
- ✓ Standard screen drop of 20"
- ✓ **Longer custom screen drop, bigger than the optional ED10 and ED20, available upon request**
- ✓ Wall switch included
- ✓ Improved mounting brackets included, for quick and easy installation
- ✓ Smooth, quiet and durable operation with thermal overload protection



2.35:1

Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz
- ✓ Available with motor 100V 50Hz/60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
MS3-IS-80-235	80	2032	86,9	2208	34,0	865	2 w	3.861	3.475	3.096	2.894
MS3-IS-90-235	90	2286	97,8	2484	38,3	973	2 w	4.080	3.672	3.251	3.025
MS3-IS-96-235	96	2438	104,3	2650	40,9	1038	2 w	4.269	3.842	3.353	3.156
MS3-IS-100-235	100	2540	108,7	2760	42,6	1081	2 w	4.469	4.022	3.450	3.289
MS3-IS-110-235	110	2794	119,5	3036	46,8	1189	2 w	4.768	4.291	3.692	3.517
MS3-IS-120-235	120	3048	130,4	3312	51,1	1297	2 w	5.117	4.605	3.993	3.802
MS3-IS-130-235	130	3302	141,3	3589	55,3	1405	3 w	5.448	4.903	4.266	4.062
MS3-IS-140-235	140	3556	152,1	3865	59,6	1513	3 w	5.666	5.099	4.440	4.220
MS3-IS-150-235	150	3810	163,0	4141	63,8	1621	3 w	5.901	5.901	5.043	4.378
MS3-IS-160-235	160	4064	173,9	4417	68,1	1729	3 w	6.425	6.425	5.571	4.844

Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION	Garfy	IHX	isf	Acoustically Transparent	MIN	MAX
A	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	140"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	160"
B	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	160"
C	M5W	MultiPix 5 White	1.6		✓		71"	160"
	M3G	MultiPix 4K Grey	1.3		✓		71"	160"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	160"
D	S1W	SolidPix White	1.0		✓		71"	160"
	S2G	SolidPix 2 Grey	0.9		✓		71"	160"

* Includes StopLight black backing

Options and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-288 €	-336 €	-364 €	-389 €	-450 €	-517 €	-592 €	-675 €	-766 €	-865 €

FINISH OPTION	DESCRIPTION	PRICE
RR	Reverse Roll => inverted roller and fabric mounting	No Cost
ED10	Extra 10" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 5%
ED20**	Extra 20" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 10%

** Casing length may change with the option ED20. Please refer to the Configurator for details

LUTRON MOTOR OPTION	DESCRIPTION	PRICE
QS1***	Lutron Sivoia QS motor (1 unit) => Ask Lutron for the corresponding control system	855 €

*** Available for screens with size up to 110". Lower discount applies on this Lutron motor option (reduced margin)

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-N-12V-RS232	Module for 1 motor to control screen by 12V trigger, RS232 and low voltage relay	209 €
MCS-G-IR-230V	Module for 1 motor to control screen by infrared	209 €
MCS-N-RF	Module for 1 motor to control screen by radio frequency, 12V trigger, RS232 and low voltage relay	309 €
MCS-N-IP	Module for 1 motor to control screen by IP, 12V trigger, RS232 and low voltage relay	715 €
TQS1-230EU****	Lutron Sivoia QS 230V transformer, EU power plug (1 unit)	195 €
TQS1-230UK****	Lutron Sivoia QS 230V transformer, UK power plug (1 unit)	195 €
TQS1-110US****	Lutron Sivoia QS 110V transformer, US power plug (1 unit)	195 €

**** Available for screens with size up to 110". Lower discount applies on this Lutron transformer (reduced margin)

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

In-Ceiling Slot Motorized Screen Classic, CLIC

SCREEN RESEARCH



- ✓ Somfy motor
- ✓ Classic tab-tensioning system, with bottom bar in white (black optional)
- ✓ White casing with slot opening (black optional)
- ✓ Wire exits at top of casing's left side
- ✓ Standard screen drop of 8"
- ✓ Wall switch included
- ✓ Ceiling-mount brackets included



**1.78:1,
2.35:1 and 2.40:1
Native Image Ratio**

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
CLIC-80-178	80	2032	91,8	2331	44,9	1142	1 w	1.733	1.497
CLIC-90-178	90	2286	103,3	2623	50,6	1285	1 w	1.973	1.699
CLIC-96-178	96	2438	110,2	2797	53,9	1370	1 w	2.091	1.794
CLIC-100-178	100	2540	114,8	2914	56,2	1427	1 w	2.183	1.865
CLIC-110-178	110	2794	126,2	3205	61,8	1570	1 w	2.460	2.093
CLIC-120-178	120	3048	137,6	3496	67,4	1713	1 w	2.759	2.337

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
CLIC-80-235	80	2032	86,9	2208	34,0	865	1 w	1.684	1.449
CLIC-90-235	90	2286	97,8	2484	38,3	973	1 w	1.918	1.644
CLIC-96-235	96	2438	104,3	2650	40,9	1038	1 w	2.033	1.736
CLIC-100-235	100	2540	108,7	2760	42,6	1081	1 w	2.123	1.805
CLIC-110-235	110	2794	119,5	3036	46,8	1189	1 w	2.393	2.026
CLIC-120-235	120	3048	130,4	3312	51,1	1297	1 w	2.684	2.262

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
CLIC-80-240	80	2032	86,7	2201	33,3	847	1 w	1.684	1.449
CLIC-90-240	90	2286	97,5	2477	37,5	953	1 w	1.918	1.644
CLIC-96-240	96	2438	104,0	2642	40,0	1016	1 w	2.033	1.736
CLIC-100-240	100	2540	108,3	2752	41,7	1058	1 w	2.123	1.805
CLIC-110-240	110	2794	119,2	3027	45,8	1164	1 w	2.393	2.026
CLIC-120-240	120	3048	130,0	3302	50,0	1270	1 w	2.684	2.262

Intermediate screen sizes are priced at the next bigger standard size and will require 1 additional week of lead time

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	PPW	SolidPix Sonic White	0.9		✓	✓	71"	120"
B	S1W	SolidPix White	1.0		✓		71"	120"
	S2G	SolidPix 2 Grey	0.9		✓		71"	120"

Options, Control and Accessories

FINISH OPTION	DESCRIPTION	PRICE
NE	Black casing and black bottom bar	No Cost

FINISH OPTION	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"
ED8 (Extra 8" screen drop)	75 €	85 €	90 €	94 €	105 €	118 €


MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-N-12V-RS232	Module for 1 motor to control screen by 12V trigger, RS232 and low voltage relay	209 €
MCS-G-IR-230V	Module for 1 motor to control screen by infrared	209 €
MCS-N-RF	Module for 1 motor to control screen by radio frequency, 12V trigger, RS232 and low voltage relay	309 €
MCS-N-IP	Module for 1 motor to control screen by IP, 12V trigger, RS232 and low voltage relay	715 €

BRACKETS	DESCRIPTION	PRICE
EXTB-200	1 Extension Bracket 200mm (maximum 150Kg)	24 €
EXTB-360	1 Extension Bracket 360mm (maximum 100Kg)	28 €
EXTB-440	1 Extension Bracket 440mm (maximum 80Kg)	33 €
EXTB-520	1 Extension Bracket 520mm (maximum 70Kg)	38 €
EXTB-600	1 Extension Bracket 600mm (maximum 50Kg)	47 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

In-Ceiling Trap-Door Motorized Screen Supreme, MS2-IT

SCREEN RESEARCH™



- ✓ In-ceiling screen with trap-door opening
- ✓ Patented TFX™ floating tab-tensioning system, with bottom bar in black
- ✓ White casing
- ✓ Wire exits at top of casing's left side
- ✓ Standard screen drop of 10" for 1.78:1 format and 20" for 2.35:1 format
- ✓ Wall switch included
- ✓ Ceiling-mount brackets included
- ✓ Smooth, quiet and durable operation with thermal overload protection



1.78:1 and 2.35:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz
- ✓ Available with motor 100V 50Hz/60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
MS2-IT-80-178	80	2032	91,8	2331	44,9	1142	4 w	5.504	5.214	4.924	4.564
MS2-IT-90-178	90	2286	103,3	2623	50,6	1285	4 w	6.234	5.891	5.549	5.129
MS2-IT-96-178	96	2438	110,2	2797	53,9	1370	4 w	6.575	6.197	5.819	5.364
MS2-IT-100-178	100	2540	114,8	2914	56,2	1427	4 w	6.829	6.419	6.010	5.523
MS2-IT-110-178	110	2794	126,2	3205	61,8	1570	4 w	7.660	7.180	6.700	6.138

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
MS2-IT-80-235	80	2032	86,9	2208	34,0	865	4 w	5.504	5.214	4.924	4.564
MS2-IT-90-235	90	2286	97,8	2484	38,3	973	4 w	6.234	5.891	5.549	5.129
MS2-IT-96-235	96	2438	104,3	2650	40,9	1038	4 w	6.575	6.197	5.819	5.364
MS2-IT-100-235	100	2540	108,7	2760	42,6	1081	4 w	6.829	6.419	6.010	5.523
MS2-IT-110-235	110	2794	119,5	3036	46,8	1189	4 w	7.660	7.180	6.700	6.138

Intermediate screen sizes are priced at the next bigger standard size

Screen Fabric Table

FABRIC CATEGORY	ITEM	DESCRIPTION					MIN	MAX
A	4W-B*	ClearPix 4K White	1.0	✓	✓	✓	71"	110"
	2G-B*	ClearPix 2 Grey	0.8	✓	✓	✓	71"	110"
B	2W-B*	ClearPix 2 White	1.0	✓	✓	✓	71"	110"
	M5W	MultiPix 5 White	1.6		✓		71"	110"
C	M3G	MultiPix 4K Grey	1.3		✓		71"	110"
	PPW	SolidPix Sonic White	0.9		✓	✓	71"	110"
D	S1W	SolidPix White	1.0		✓		71"	110"
	S2G	SolidPix 2 Grey	0.9		✓		71"	110"

* Includes StopLight black backing

Options and Control

BLACK BACKING REMOVAL (1.78:1)	For 80"	For 90"	For 96"	For 100"	For 110"
Removal of StopLight black backing	-320 €	-373 €	-404 €	-432 €	-499 €

BLACK BACKING REMOVAL (2.35:1)	For 80"	For 90"	For 96"	For 100"	For 110"
Removal of StopLight black backing	-288 €	-336 €	-364 €	-389 €	-450 €

FINISH OPTION	DESCRIPTION	PRICE
ED10	Extra 10" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 5%
ED20**	Extra 20" screen drop (if a seam is required, it will appear in the black drop area, not in the screen surface)	Retail + 10%

** Casing length may change with the option ED20. Please refer to the Configurator for details

MOTOR CONTROL SYSTEM MODULE	DESCRIPTION	PRICE
MCS-N-12V-RS232	Module for 1 motor to control screen by 12V trigger, RS232 and low voltage relay	209 €
MCS-G-IR-230V	Module for 1 motor to control screen by infrared	209 €
MCS-N-RF	Module for 1 motor to control screen by radio frequency, 12V trigger, RS232 and low voltage relay	309 €
MCS-N-IP	Module for 1 motor to control screen by IP, 12V trigger, RS232 and low voltage relay	715 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Motor Control System Modules Guide

INTERFACE GUIDE		Image	Set or change motor end limits	Set or change preset ratio
	STANDARD PRODUCTS	NO INTERFACE	 ✓ with C2N-SSC-2 Crestron module (ask Crestron for pricing)	 ✓ with computer or automation system
	PRODUCTS with MCS-ILT-4		 ✓ with MCS-ILT-T setting tool (not included)	 ✓ with computer or automation system
	PRODUCTS with MCS-ILT-4-IP		 ✓ with MCS-ILT-T setting tool (not included)	 ✓ with computer or automation system
	PRODUCTS with MCS-ILT-4-IR		 ✓ with IR remote control (included)	 ✓ with IR remote control (included)



ITEM		MCS-ILT-4	MCS-ILT-4-IP	MCS-ILT-4-IR
PRICE		575 €	739 €	875 €
IMAGE				
TECHNOLOGY		RS232/RS485	TCP/IP	INFRARED
Reference X-Mask, TheaterCurved Screens	 T-X4R	✓	✓	✓
	 T-XTR	✓	✓	✓
	 T-XLR	✓	✓	✓
Reference X-Mask Screens	 X4R	✓	✓	✓
	 XTR3	✓	✓	✓
	 XLR3	✓	✓	✓
Supreme E-Mask Screens	 ETC	✓	✓	✓
	 EL1C	✓	✓	✓

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Motor Control System Modules Guide

ITEM	MCS-ILT-4	MCS-ILT-4-IP	MCS-ILT-4-IR	MCS-N-12V-RS232	MCS-G-IR-230V	MCS-N-RF	MCS-N-IP	
PRICE	575 €	739 €	875 €	209 €	209 €	309 €	715 €	
IMAGE								
TECHNOLOGY	RS232 RS485	TCP/IP	INFRARED	12V/RS232/ RELAY	INFRARED	RF	TCP/IP	
On-Ceiling Motorized Screens	 MS2							
	 MMS2-4							
	 MMS2-T							
	 MMS2-L1							
	 SLMF							
	 CLCLT							
	 CLCTS							

Motor Control System Modules Guide

ITEM	MCS-ILT-4	MCS-ILT-4-IP	MCS-ILT-4-IR	MCS-N-12V-RS232	MCS-G-IR-230V	MCS-N-RF	MCS-N-IP	
PRICE	575 €	739 €	875 €	209 €	209 €	309 €	715 €	
IMAGE								
TECHNOLOGY	RS232 RS485	TCP/IP	INFRARED	12V/RS232/ RELAY	INFRARED	RF	TCP/IP	
In-Ceiling Slot & In-Ceiling Trap-Door Motorized Screens	 MS2-IS							
	 MMS2-4-IS							
	 MMS2-T-IS							
	 MMS2-L1-IS							
	 MS3-IS							
	 CLIC							
	 MS2-IT							

Technology Partners

Screen Research works with a number of industry-leading brands in complimentary technology areas to ensure that our screens are class-leaders. The use of these partner technologies is indicated, when applies, on each product in this price list document.



The Imaging Science Foundation is a leader in the display standards industry, and is dedicated to improving the quality of electronic imaging. ISF has 4 basic roles in this industry and the PC industry, which include consulting with manufacturers regarding product development, dealer training, media communications and ISF licensing.

Screen Research ClearPix, MultiPix and SolidPix fabrics are ISF-certified for their excellent video performance.

www.lmagingscience.com



THX Ltd. develops technologies and certification programs that help deliver the true vision of filmmakers, game developers and musicians, from their studios to audiences around the world. THX technologies and certification programs are implemented throughout the production chain, from the set and studio to movie theaters and playback devices. As a result, manufacturers produce better audio/visual products, and cinema owners and studio designers create world-class venues. And most importantly, audiences get to experience the true sights and sounds of films and other media exactly like it was created.

Screen Research's patented acoustically transparent ClearPix screen materials and StopLight black backing materials are THX-certified for their excellent audio and video performance allowing the user to position their loudspeakers directly behind the screen without any degradation in performance.

www.thx.com



Somfy is a world leading manufacturer of controls, motors and automatic sensors. This technology leader is helping to create smart-homes and work-places around the world. They have produced more than 150 million motors since their inception and today they manufacture a motor almost every second, serving 270 million users world-wide. Thanks to their innovation lab, Somfy has more than 1,783 patents in their portfolio.

Screen Research is using Somfy products on most screens requiring motorization.

www.somfy.com



Nice is an international reference brand in the field of home-automation and lighting. They offer a large range of integrated systems for the automation of gates, garage doors, road barriers, tents and blinds, as well as wireless alarm and lighting systems for residential, commercial and industrial applications.

Screen Research uses Nice's Era Inn technology on the XTR3 and XLR3 fixed frame masking screens, to achieve an extremely silent screen with controlled deceleration, offering a cutting-edge solution for a real cinema experience at home.

www.niceforyou.com



Crestron is a leading manufacturer of advanced control and automation systems, innovating technology and reinventing the way people live and work. Offering integrated solutions to control audio, video, computer, IP and environmental systems, Crestron streamlines technology and improves the quality of life for people in corporate boardrooms, conference rooms, classrooms, auditoriums and in their homes.

Screen Research is a member of Crestron's Integrated Partner Program which is designed to allow partner manufacturer's products to operate seamlessly in a Crestron systems environment. Software modules may be downloaded from www.screenresearch.com/software.php

www.crestron.com

Technology Partners



Lutron is a leader in lighting control, renowned for the high quality of their products. Their focus on product innovations, technology, quality and customer service has made them a world-wide leader in the area of lighting controls. They offer more than 10,000 products to satisfy virtually any residential or commercial project. Lutron products adjust the intensity of virtually every kind of light, and they remain to this day the only company that provides an integrated solution for controlling both natural daylight as well as electrical lighting.

Screen Research specifies the Lutron Sivoia Quiet Electronic Drive (QS) motor as an option in some of the masked and motorized projection screens.

www.lutron.com



The Mastrotto Group is an established international player in the manufacture of leather for the furnishing, footwear, clothing, car, boating and aviation industries. They have over 2,000 employees world-wide, working in 15 sites in 4 different countries. The group's yearly turnover is not far from €500 million.

Screen Research offers the best leather materials from the Mastrotto Group as a high-value option to cover the housing of the Reference X-Mask range of prestigious fixed frame masking screens.

www.mastrotto.com

Product Warranty & Contact Details

1. LIMITED WARRANTY

Screen Research warrants the product designated herein to be free of manufacturing defects in material and workmanship, subject to the term and conditions hereinafter set forth.

- Surface fabric(s) and frames are warranted for a period of five (5) years from the date of invoice by the original purchaser.
- Motors, motor controllers, remote controls, and related assembly hardware are warranted for three (3) years parts and labor from date of invoice by the original purchaser.

2. CONDITIONS AND LIMITATIONS

This Warranty is subject to the following conditions and limitations. The Warranty is void and inapplicable if the product has been used or handled other than in accordance with the instructions in the owner's manual, abused or misused, damaged by accident or neglect or in being transported, or the defect is due to the product being repaired or tampered with by anyone other than Screen Research or an authorized Screen Research dealer or installer. The product must be installed by a professional, duly-authorized Screen Research dealer/custom installer, and maintained according to the written instructions.

3. RETURNS

No product returns will be accepted without a prior written return authorization from Screen Research.

Product must be packed in the original PACKAGE CONTENTS or equivalent packaging in order to avoid any damage during transportation. The product(s) must be packed and returned to Screen Research or an authorized Screen Research repair center by the customer at his or her sole expense. Screen Research will pay return freight of its choice.

A RETURNED PRODUCT MUST BE ACCOMPANIED BY A WRITTEN DESCRIPTION OF THE DEFECT AND A PHOTOCOPY OF THE ORIGINAL PURCHASE RECEIPT. This receipt must clearly list model and serial number, the date of purchase, the name and address of the purchaser and authorized dealer and the price paid by the purchaser. Screen Research reserves the right to modify the design of any product without obligation to purchasers of previously manufactured products and to change the prices or specifications of any product without notice or obligation to any person.

4. REMEDY

In the event the product fails to meet the above Warranty, the purchaser's sole remedy under this Limited Warranty shall be to return the product to Screen Research or an authorized Screen Research service center where the defect will be rectified without charge for parts or labor, during the term of this Limited Warranty.

5. LIMITED TO ORIGINAL PURCHASER

This Warranty is for the sole benefit of the original purchaser of the covered product and shall not be transferred to a subsequent purchaser of the product.

6. MISCELLANEOUS

Any implied warranties relating to Screen Research products shall be limited to the duration of this warranty. The warranty does not extend to any incidental or consequential damages to the purchaser. Some countries do not allow limitations on how long an implied warranty lasts, or an exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights which vary from country to country.

7. WARRANTOR

Enquiries regarding the above Limited Warranty may be sent to the address listed below.

8. WARRANTY SUPPORT MANAGED BY AUTHORIZED DISTRIBUTORS

Screen Research has authorized distributors in many countries of the world. In each country, the authorized importing distributor is responsible for warranty support of products sold in the respective country by that retailer or distributor. Warranty service should be obtained from the importing retailer or distributor from whom you purchased your product. In the unlikely event of service required beyond the capability of the importer, Screen Research will fulfill the conditions of the warranty. No product returns will be accepted without a prior written return authorization from Screen Research. All product returns must be shipped at the owner's expense to the Screen Research factory, together with a photocopy of the bill of sale for that product, a detailed description of the problem, and any information necessary for return shipment.

SCREEN RESEARCH CONTACT DETAILS:

ADEO SCREEN Sp. Z o.o.
Ul. Boelslawa Krzywoustego 31
59-500 Zlotoryja
Poland
(Europe)

Phone: +48 76 850 53 01

Fax: +48 76 850 53 70

E-mails:

For orders: orders@screenresearch.com

For technical support: techsupport@screenresearch.com

For general info and quotes: info@screenresearch.com (or write to your usual contact person at Screen Research)

© Copyright 2016 Screen Research. All rights reserved.

Screen Research products are covered by one or more of the following patents:

No. 08.02361 (France); No. US 7 777 947-B2 (USA); No. 167.61.72 (Europe); No. 09.03989 (France); No. US-7 466 483-B2 (USA); No. 200480025260.9 (China); No. 1126/CHENP/2007 (India); No. 167.75.55 (Europe); No. 2006-524398 (Japan); No. US 7 466 483 B2 (USA); No. US 2011 043908 (USA); No. USPTO 200 701 71 522 (USA).

SilverPix, ClearPix, MultiPix, SolidPix, X-Mask, E-Mask, TheaterCurved, Pi-Grip, E-Grip, TFX, StopLight, DécorMask, TailorMade and the Screen Research logo are all trademarks of Screen Research.

ISF is a trademark of Imaging Science Foundation Inc.

THX is a trademark of THX Ltd

Somfy is a registered trademark of Somfy SA

Era Inn is a registered trademark of Nice SpA

Crestron is a trademark of Crestron Electronics, Inc.

Sivoia QS is a registered trademark of Lutron Electronics Co., Inc.

Mastrotto is a trademark of Gruppo Mastrotto SpA

All other trademarks are the property of their respective owners.