

SCREENTM RESEARCH



Product Catalogue and Price List in EUR Version 02/2014

**Effective for all Purchase Orders
placed on or after September 22nd, 2014**

RELEASE NOTES
Version 02/2014

- The new MS3-IS In-Ceiling Slot Motorized Screen model from the Supreme 3 range has been added.
- The SolidPix Sonic White fabric (PPW) is now also available with all the following screen models: T-FS3, FS3, ETC, EL1C, MS2, MMS2-4, MMS2-T, MMS2-L1, MS2-IS, MMS2-4-IS, MMS2-T-IS, MMS2-L1-IS and MS2-IT.
- The FJ Fixed Frame Screen model from the Integrator J-Type range has been discontinued and is no longer available.
- The MMS2-L2 On-Ceiling Motorized Screen and the MMS2-L2-IS In-Ceiling Slot Motorized Screen models from the Supreme 2 range have been discontinued and are no longer available.
- The LeWing In-Ceiling Trap Door Motorized Screen model (with LCR Loudspeaker from JBL) from the Reference range has been discontinued and is no longer available.

Prices	Prices indicated in this Price List are the Manufacturer Suggested Retail Prices (MSRP).
Terms	Standard terms are 100% payment ahead of shipping. CUSTOM and INTERMEDIATE sized screens MAY be paid PARTIALLY OR TOTALLY upon order and are non-refundable. Responsibility for the product(s) transfers to the Buyer at the point of collection by their appointed carrier. Ownership of the product(s) transfers to the Buyer on receipt of the full payment by Screen Research.
Payment	Bank Wire Transfer.
Order Acceptance	All orders must be submitted to Screen Research by email to orders@screenresearch.com , as well as a complete PDF file generated in the Configurator. All orders are subject to the sole approval and acceptance of Screen Research. An order confirmation will be issued upon acceptance of the order. In line with Screen Research policy of continuous product development, pricing, features and specifications listed in this price list are subject to change without notice.
Manufacturing and Delivery Lead Times	The manufacturing lead times quoted are an average for each product. Screen Research shall endeavor to deliver the ordered product(s) by the date and time as requested at the time of order acceptance. The Buyer understands, however, that product lead times may vary due to the nature of the product ordered, general product demand and other circumstances that may be beyond Screen Research's control. It is expressly agreed that Screen Research shall not be liable for failure to deliver by the requested date due to causes beyond its control or the control of its suppliers.
Shipping Terms and Freight	EXW Adeo Screen in Zlotoryja, Poland. All shipments must be inspected within 48 hours after reception of goods, and all claims related to any transport damage must be filed with the respective freight carrier.
Duties and Taxes	Prices are exclusive of excise applicable taxes and duties. Buyer shall report directly to their local authorities.
Returns	Return authorization required. All product returns without prior authorization (Screen Research RA number required) shall be refused, returned and remain the property of the Buyer.
Warranty	A LIMITED WARRANTY is available for the Screen Research end-user customer. Please refer to the Screen Research LIMITED WARRANTY statement for complete details, limitations and exclusions. The general warranty periods are: <ul style="list-style-type: none"> • Screen fabrics and frames: 5 years parts and labor, to the original end-user • Motors, electronics and control: 3 years parts and labor, to the original end-user

This Product Catalog contains the most popular models, sizes and formats from the extensive Screen Research range of video projection screens. If you require information and/or pricing on models, sizes and variants not contained in this catalogue, please contact your Screen Research team.

RELEASE NOTES, TERMS AND CONDITIONS					PAGE 2
INDEX					PAGE 3
PRODUCT CODE BUILDING GUIDE					PAGES 4
FABRIC GUIDE					PAGES 5
PRODUCT RANGE GUIDE					PAGES 6-7
FIXED FRAME SCREENS	Supreme 3 TheaterCurve	T-FS3	1.78:1		PAGE 8
			2.35:1		PAGE 9
			2.40:1		PAGE 10
	Supreme 3	FS3	1.78:1		PAGE 11
			2.35:1		PAGE 12
			2.40:1		PAGE 13
	Classic Line TheaterCurve	T-CLF	1.78:1/2.35		PAGE 14
			2.40:1		PAGE 14
	Classic Line	CLF	1.78:1		PAGE 15
			2.35/2.40:1		PAGE 15
	Integrator I-Type	FIS	1.78:1		PAGE 16
			2.35:1		PAGE 17
		FID	1.78:1		PAGE 18
			2.35:1		PAGE 19
	MASKED FIXED FRAME SCREENS	Reference X-Mask TheaterCurve	T-X4R	1.78:1	Mask 4-Way
2.00:1				Mask 4-Way	PAGE 21
2.40:1				Mask 4-Way	PAGE 22
T-XTR			1.78:1	Mask Top-Bottom	PAGE 23
T-XLR			2.40:1	Mask Lateral	PAGES 24-25
Reference X-Mask		X4R	1.78:1	Mask 4-Way	PAGE 26
			2.00:1	Mask 4-Way	PAGE 27
			2.40:1	Mask 4-Way	PAGE 28
		XTR	1.78:1	Mask Top-Bottom	PAGE 29
		XLR	2.40:1	Mask Lateral	PAGES 30-31
		Supreme E-Mask	ETC	1.78:1	Mask Top-Bottom
EL1C			2.40:1	Mask Lateral	PAGE 33
ON-CEILING MOTORIZED SCREEN		Supreme 2	MS2	1.78:1	
	2.35:1				PAGE 35
	MMS2-4		1.78:1	Mask 4-Way	PAGE 36
	MMS2-T		1.78:1	Mask Top	PAGE 37
	Supreme Line	SLDF	1.78/2.40:1		PAGE 39
		SLMF	1.78:1	Mask Top	PAGE 40
	Classic 2	MC2	1.78:1		PAGE 41
			2.35:1		PAGE 42
	Classic Line	CLCLT	1.78:1		PAGE 43
			2.35/2.40:1		PAGE 43
		CLCTS	1.78:1		PAGE 44
			2.35/2.40:1		PAGE 44
IN-CEILING SLOT MOTORIZED SCREEN	Supreme 2	MS2-IS	1.78:1		PAGE 45
			2.35:1		PAGE 46
		MMS2-4-IS	1.78:1	Mask 4-Way	PAGE 47
		MMS2-T-IS	1.78:1	Mask Top	PAGE 48
	Supreme 3	MS3-IS	1.78:1		PAGE 50
			2.35:1		PAGE 51
	Classic Line	CLIC	1.78:1		PAGE 52
			2.35/2.40:1		PAGE 52
IN-CEILING TRAP DOOR MOTORIZED SCREEN	Supreme 2	MS2-IT	1.78:1		PAGE 53
			2.35:1		PAGE 53
MOTOR CONTROL SYSTEMS					PAGES 54-55-56
PARTNERSHIP PROGRAMS					PAGE 57
PRODUCT WARRANTY - CONTACT DETAILS					PAGE 58

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.



Screen Research model codes are built by making a number of choices and indicating those within the correct area of the code. The basic code structure is shown above. Codes that are 'base codes' are used throughout this price list. Whenever an option choice is not available, or is not selected, the space for that option disappears from the code. There are no blanks left in a Screen Research product code.

Model Number: The first two boxes make up the model code. A letter 'T' placed in the first box indicates a TheaterCurve™ Screen. The second box indicates the type of screen. A full list of model codes is shown in the product guide diagram on pages 6 and 7.


Masking: Some model codes include an indication of the masking format of the screen where it is integral to the basic screen design, e.g. X4R. However, there are various masking options available for motorized screens which mean that the masking code is kept separate.



T indicates top masking only



4 indicates 4-way masking (A top mask and lateral masks)



L1 indicates one set of lateral masks


In-Ceiling Mounting: Motorized in-ceiling screens may be specified either as In-ceiling Slot (IS) or In-ceiling Trap Door (IT) mounting.

Image Size: This part of the code indicates the width of the viewable image in inches.

Native Ratio: This indicates the native ratio of the screen before any applied masking. There are four basic native ratios, 1.33:1, 1.78:1, 2.35:1 and 2.40:1 and these are indicated by the numbers 133, 178, 235 and 240 respectively.

Fabric: This indicates the chosen screen fabric. Please refer to the fabric tables in the price list for the individual codes.

Voltage: Screen Research offers a range of options for all screens that require electrical main power. Please indicate the appropriate code for the power requirement of your client: E for 230V (50Hz), U for 120V (60Hz) and J for 100V (50/60Hz). In countries where the voltage above described is not available is necessary to use the transformer.



Casing Color: On-ceiling/on-wall casings for motorized screens are available in a choice of white or black indicated by either a 0 or a 1. In-ceiling cases come as standard in white and this is indicated by a 0 in the code.

Non-code Options

Black Backing: For the ultimate video performance, we strongly recommend when selecting ClearPix 2 or ClearPix 4K fabrics to always include our THX audio-certified StopLight™ black backing material. All screens using ClearPix fabrics feature the StopLight black backing as standard, and the codes become respectively 2W-B, 2G-B and 4W-B. If requested, the StopLight black backing can be removed as an option. To ensure the best video performance is maintained, the environment behind the screen must be strictly controlled to guarantee that no reflections are present. Please refer to the pricing table on page 55 for the relevant price adjustment. To ensure the best video performance is maintained, the environment behind the screen must be strictly controlled to ensure that no reflections are present.

Masking Material

Acoustically Transparent (AT) masking material is included as standard on any screen using ClearPix2 and ClearPix 4K fabrics.

Velour masking is the standard option for any screen using a SolidPix fabric.

If you wish for your screen to have anything other than the standard fabric and masking combination, please specify this at the time of order.

Wire Exit

All on-ceiling motorized screens have the wire exit positioned at the left-hand, upper rear corner of the casing as standard.

FABRIC GUIDE

	ClearPix™			MultiPix™			SolidPix™			SilverPix™	
	ClearPix 4K White	ClearPix 2 White	ClearPix 2 Grey	MultiPix 4K White	MultiPix 4K Grey	MultiPix 4K Sonic White	SolidPix White	SolidPix 2 Grey	SolidPix Sonic White	SilverPix 3D Silver	SilverPix 3D Sonic Silver
Code	4W	2W	2G	M3W	M3G	MPW	S1W	S2G	PPW	3D	3DS
Gain	1.0	1.0	0.8	1.35	1.3	1.3	1.0	0.9	0.9	2.5	2.4
Viewing Angle	160	160	160	140	120	140	160	150	160	60	60
Acoustic Transparency	-0.75dB	-1.5dB	-1.5dB	N/A	N/A	-4.75dB	N/A	N/A	-4.75dB	N/A	-5dB
Ambient Light Resistance	3/10	3/10	5/10	5/10	8/10	5/10	2/10	6/10	2/10	9/10	9/10
THX	yes	yes	yes	no	no	no	no	no	no	no	no
ISF	yes	yes	yes	yes	yes	yes	yes	yes	yes	no	no
4K Ultra HD Compatible	yes	yes (min. 2.0m screen width)	yes (min. 2.0m screen width)	yes	yes	yes (min. 2.5m screen width)	yes	yes	yes (min. 2.5m screen width)	yes	yes (min. 2.5m screen width)
Active 3D Compatibility	**	*	**	***	**	***	**	*	*	***	***
Passive Spectral 3D Compatibility	**	*	**	***	**	***	**	*	*	***	***
Passive Polarized 3D Compatibility	no	no	no	no	no	no	no	no	no	yes ***	yes ***

3D COMPATIBILITY: * sufficient ** medium *** good

Important Notes:




























SilverPix 3D Sonic uses a special coating process that is applied after the screen material has been micro-perforated. This can cause closing of a certain amount of holes. This has been taken into account in the design of the screen material. All acoustical measurement and testing is done in this real-world use scenario and the declared acoustical transparency data reflects this possibility, which cannot be considered manufacturing defect in any scenario.

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

PRODUCT RANGE GUIDE


		1.78:1 Native Aspect Ratio	2.00:1 Native Aspect Ratio	2.35:1 Native Aspect Ratio	2.40:1 Native Aspect Ratio	
FIXED FRAME SCREENS	Supreme 3 TheaterCurve	 T-FS3-???-178- Page 8		 T-FS3-???-235- Page 9	 T-FS3-???-240- Page 10	
	Supreme 3	 FS3-???-178- Page 11		 FS3-???-235- Page 12	 FS3-???-240- Page 13	
	Classic Line TheaterCurve	 T-CLF-???-178- Page 14		 T-CLF-???-235- Page 14	 T-CLF-???-240- Page 14	
	Classic Line	 CLF-???-178- Page 15		 CLF-???-235- Page 15	 CLF-???-240- Page 15	
	Integrator I-Type	 FIS-???-178- Page 16		 FIS-???-235- Page 17		
		 FID-???-178- Page 18		 FID-???-235- Page 19		
	MASKED FIXED FRAME SCREENS	Reference X-Mask TheaterCurve	 T-X4R-???-178- Page 20	 T-X4R-???-200- Page 21		 T-X4R-???-240- Page 22
			 T-XTR-???-178- Page 23			 T-XLR-???-240- Page 24-25
		Reference X-Mask	 X4R-???-178- Page 26	 X4R-???-200- Page 27		 X4R-???-240- Page 28
			 XTR-???-178- Page 29			 XLR-???-240- Page 30-31
Supreme E-Mask		 ETC-???-178- Page 32			 EL1C-???-240- Page 33	

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

		1.78:1 Native Aspect Ratio		2.35:1 Native Aspect Ratio		2.40:1 Native Aspect Ratio	
ON-CEILING MOTORIZED SCREENS	Supreme 2	 MS2-???-178- Page 34		 MS2-???-235- Page 35			
		 MMS2-4-??-178- Page 36	 MMS2-T-??-178- Pag 37	 MMS2-L1-??-235- Pag 38			
	Supreme Line	 SLMF-???-178- Page 39				 SLDF-???-240- Page 40	
	Classic 2	 MC2-???-178- Page 41		 MC2-???-235- Page 42			
	Classic Line	 CLCLT-???-178- Page 43		 CLCLT-???-235- Page 43		 CLCLT-???-240- Page 43	
		 CLCTS-???-178- Page 44		 CLCTS-???-235- Page 44		 CLCTS-???-240- Page 44	
IN-CEILING SLOT MOTORIZED SCREENS	Supreme 2	 MS2-IS-???-178- Page 45		 MS2-IS-???-235- Page 46			
		 MMS2-4-IS-?-178- Page 47	 MMS2-T-IS-?-178- Pag 48	 MMS2-L1-IS-?-235- Page 49			
	Supreme 3	 MS3-IS-???-178- Page 50		 MS3-IS-???-235- Page 51			
	Classic Line	 CLIC-???-178- Page 52		 CLIC-???-235- Page 52		 CLIC-???-240- Page 52	
IN-CEILING TRAP MOTORIZED SCREENS	Supreme 2	 MS2-IT-???-178- Pag 53		 MS2-IT-??-235- Page 53			

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame TheaterCurve Screen Supreme 3 T-FS3



- ✓ Supreme velour frame finish
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Standard vertical-mount wall-brackets included
- ✓ Improved perceived image depth
- ✓ Screen curve radius optimized for each screen size

**16:9 - 1.78:1
Native Image Ratio**

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-FS3-80-178-	80	2032	91,8	2331	44,9	1142	1 w	3.637	3.167	2.844	2.124	1.764
T-FS3-90-178-	90	2286	103,3	2623	50,6	1285	1 w	4.217	3.650	3.294	2.455	2.035
T-FS3-96-178-	96	2438	110,2	2797	53,9	1370	1 w	4.569	3.939	3.552	2.642	2.187
T-FS3-100-178-	100	2540	114,8	2914	56,2	1427	1 w	4.836	4.163	3.775	2.802	2.316
T-FS3-110-178-	110	2794	126,2	3205	61,8	1570	1 w	5.535	4.747	4.334	3.210	2.648
T-FS3-120-178-	120	3048	137,7	3497	67,4	1713	1 w	6.299	5.387	4.954	3.662	3.016
T-FS3-130-178-	130	3302	149,2	3788	73,0	1856	2 w	7.126	6.080	5.638	4.158	3.418
T-FS3-140-178-	140	3556	160,6	4079	78,7	1998	2 w	8.020	6.832	6.388	4.701	3.858
T-FS3-150-178-	150	3810	172,1	4371	84,3	2141	2 w	8.979	7.639	7.206	4.762	4.334
T-FS3-160-178-	160	4064	183,6	4662	89,9	2284	2 w	10.003	8.503	8.092	5.335	4.847
T-FS3-170-178-	170	4318	195,0	4953	95,5	2426	3 w	10.973	9.303	8.799	6.869	5.276
T-FS3-180-178-	180	4572	206,5	5244	101,1	2569	3 w	12.000	10.151	9.635	7.471	5.733
T-FS3-190-178-	190	4826	217,9	5535	106,7	2711	3 w	13.730	11.693	10.984	8.641	6.822
T-FS3-200-178-	200	5080	229,4	5827	112,4	2854	3 w	14.881	12.647	11.917	9.302	7.345
T-FS3-210-178-	210	5334	240,9	6118	118,0	2997	3 w	16.695	14.040	12.776	9.972	7.879
T-FS3-220-178-	220	5588	252,3	6409	123,6	3139	3 w	17.946	15.067	NA	NA	8.355
T-FS3-230-178-	230	5842	263,8	6701	129,2	3282	3 w	19.229	16.116	NA	NA	8.894
T-FS3-240-178-	240	6096	275,3	6992	134,8	3425	3 w	20.540	17.185	NA	NA	9.433
T-FS3-250-178-	250	6350	286,8	7283	140,4	3567	3 w	21.916	18.309	NA	NA	9.965
T-FS3-260-178-	260	6604	298,2	7575	146,1	3710	3 w	23.268	19.401	NA	NA	10.487
T-FS3-270-178-	270	6858	309,7	7866	151,7	3853	3 w	24.634	20.498	NA	NA	10.995
T-FS3-280-178-	280	7112	321,2	8157	157,3	3996	3 w	26.240	21.825	NA	NA	11.713

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Intermediate screen sizes are priced at the next biggest standard size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	160"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	206"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	206"	NA
D	M3W	MultiPix 4K White	1.35		✓		70"	140"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	140"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	70"	160"	NA
E	S1W	SolidPix White	1.0		✓		70"	160"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	280"

** Includes StopLight black backing.


Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €	-411 €	-469 €
BLACK BACKING REMOVAL	For 150"	For 160"	For 170"	For 180"	For 190"	For 200"	For 206"	
Removal of StopLight black backing	-532 €	-601 €	-673 €	-751 €	-834 €	-923 €	-1.018 €	

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
F-RWMB1	Four Rear Wall Mounting Brackets Size 1 (10" Offset), available up to 160"	237 €
F-RWMB2	Four Rear Wall Mounting Brackets Size 2 (15" Offset), available up to 160"	289 €
TM2	One Pair (2) of T-Mount Legs – for all models, available up to 160"	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame TheaterCurve Screen Supreme 3 T-FS3



- ✓ Supreme velour frame finish
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Standard vertical-mount wall-brackets included
- ✓ Improved perceived image depth
- ✓ Screen curve radius optimized for each screen size

2.35:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-FS3-80-235-	80	2032	86,9	2208	34,0	865	1 w	3.192	2.807	2.560	1.912	1.588
T-FS3-90-235-	90	2286	97,8	2484	38,3	973	1 w	3.680	3.218	2.964	2.209	1.832
T-FS3-96-235-	96	2438	104,3	2650	40,9	1038	1 w	3.974	3.463	3.197	2.378	1.969
T-FS3-100-235-	100	2540	108,7	2760	42,6	1081	1 w	4.198	3.653	3.398	2.522	2.084
T-FS3-110-235-	110	2794	119,5	3036	46,8	1189	1 w	4.786	4.150	3.901	2.889	2.384
T-FS3-120-235-	120	3048	130,4	3312	51,1	1297	1 w	5.426	4.693	4.459	3.296	2.714
T-FS3-130-235-	130	3302	141,3	3589	55,3	1405	2 w	6.120	5.282	5.074	3.742	3.076
T-FS3-140-235-	140	3556	152,1	3865	59,6	1513	2 w	6.869	5.921	5.749	4.231	3.472
T-FS3-150-235-	150	3810	163,0	4141	63,8	1621	2 w	7.673	6.607	6.485	4.762	3.900
T-FS3-160-235-	160	4064	173,9	4417	68,1	1729	2 w	8.532	7.341	7.283	5.335	4.362
T-FS3-170-235-	170	4318	184,8	4693	72,3	1837	3 w	10.445	8.775	7.919	6.869	4.748
T-FS3-180-235-	180	4572	195,6	4969	76,6	1946	3 w	11.427	9.578	8.672	7.471	5.160
T-FS3-190-235-	190	4826	206,5	5245	80,9	2054	3 w	13.048	11.011	9.886	8.641	6.140
T-FS3-200-235-	200	5080	217,4	5521	85,1	2162	3 w	14.147	11.913	10.726	9.302	6.611
T-FS3-210-235-	210	5334	228,2	5797	89,4	2270	3 w	15.913	13.258	11.498	9.972	7.091
T-FS3-220-235-	220	5588	239,1	6073	93,6	2378	3 w	17.111	14.232	12.279	NA	7.520
T-FS3-230-235-	230	5842	250,0	6349	97,9	2486	3 w	18.340	15.227	13.176	NA	8.005
T-FS3-240-235-	240	6096	260,8	6625	102,1	2594	3 w	19.596	16.241	13.965	NA	8.489
T-FS3-250-235-	250	6350	271,7	6901	106,4	2702	3 w	20.920	17.313	14.873	NA	8.969
T-FS3-260-235-	260	6604	282,6	7177	110,6	2810	3 w	22.220	18.353	15.645	NA	9.439
T-FS3-270-235-	270	6858	293,4	7453	114,9	2918	3 w	23.534	19.398	16.537	NA	9.895
T-FS3-280-235-	280	7112	304,3	7729	119,1	3026	3 w	25.030	20.615	NA	NA	10.503

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Intermediate screen sizes are priced at the next biggest standard size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	210"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	180"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	270"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	270"	NA
D	M3W	MultiPix 4K White	1.35		✓		70"	180"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	180"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	70"	210"	NA
E	S1W	SolidPix White	1.0		✓		70"	210"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	210"	280"

** Includes StopLight black backing.

Options, Accessories and Control


BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €
BLACK BACKING REMOVAL	For 150"	For 160"	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"
Removal of StopLight black backing	-479 €	-541 €	-608 €	-680 €	-757 €	-839 €	-966 €	-1031 €
BLACK BACKING REMOVAL	For 230"	For 240"	For 250"	For 260"	For 270"			
Removal of StopLight black backing	-1108 €	-1187 €	-1268 €	-1335 €	-1418 €			

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
F-RWMB1	Four Rear Wall Mounting Brackets Size 1 (10" Offset), available up to 160"	237 €
F-RWMB2	Four Rear Wall Mounting Brackets Size 2 (15" Offset), available up to 160"	289 €
TM2	One Pair (2) of T-Mount Legs - for all models, available up to 160"	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Retail Price List in EUR, Version 02/2014

Fixed Frame TheaterCurve Screen Supreme 3 T-FS3



- ✓ Supreme velour frame finish
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Standard vertical-mount wall-brackets included
- ✓ Improved perceived image depth
- ✓ Screen curve radius optimized for each screen size

2.40:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-FS3-80-240-	80	2032	86,7	2201	33,3	847	1 w	3.192	2.807	2.560	1.912	1.588
T-FS3-90-240-	90	2286	97,5	2477	37,5	953	1 w	3.680	3.218	2.964	2.209	1.832
T-FS3-96-240-	96	2438	104,0	2642	40,0	1016	1 w	3.974	3.463	3.197	2.378	1.969
T-FS3-100-240-	100	2540	108,3	2752	41,7	1058	1.w	4.198	3.653	3.398	2.522	2.084
T-FS3-110-240-	110	2794	119,2	3027	45,8	1164	1 w	4.786	4.150	3.901	2.889	2.384
T-FS3-120-240-	120	3048	130,0	3302	50,0	1270	1 w	5.426	4.693	4.459	3.296	2.714
T-FS3-130-240-	130	3302	140,8	3577	54,2	1376	2 w	6.120	5.282	5.074	3.742	3.076
T-FS3-140-240-	140	3556	151,7	3852	58,3	1482	2 w	6.869	5.921	5.749	4.231	3.472
T-FS3-150-240-	150	3810	162,5	4128	62,5	1588	2 w	7.673	6.607	6.485	4.762	3.900
T-FS3-160-240-	160	4064	173,3	4403	66,7	1693	2 w	8.532	7.341	7.283	5.335	4.362
T-FS3-170-240-	170	4318	184,2	4678	70,8	1799	3 w	10.445	8.775	7.919	6.869	4.748
T-FS3-180-240-	180	4572	195,0	4953	75,0	1905	3 w	11.427	9.578	8.672	7.471	5.160
T-FS3-190-240-	190	4826	205,8	5228	79,2	2011	3 w	13.048	11.011	9.886	8.641	6.140
T-FS3-200-240-	200	5080	216,7	5503	83,3	2117	3 w	14.147	11.913	10.726	9.302	6.611
T-FS3-210-240-	210	5334	227,5	5779	87,5	2223	3 w	15.913	13.258	11.498	9.972	7.091
T-FS3-220-240-	220	5588	238,3	6054	91,7	2328	3 w	17.111	14.232	12.279	NA	7.520
T-FS3-230-240-	230	5842	249,2	6329	95,8	2434	3 w	18.340	15.227	13.176	NA	8.005
T-FS3-240-240-	240	6096	260,0	6604	100,0	2540	3 w	19.596	16.241	13.965	NA	8.489
T-FS3-250-240-	250	6350	270,8	6879	104,2	2646	3 w	20.920	17.313	14.873	NA	8.969
T-FS3-260-240-	260	6604	281,7	7154	108,3	2752	3 w	22.220	18.353	15.645	NA	9.439
T-FS3-270-240-	270	6858	292,5	7430	112,5	2858	3 w	23.534	19.398	16.537	NA	9.895
T-FS3-280-240-	280	7112	303,3	7705	116,7	2963	3 w	25.030	20.615	16.859	NA	10.503

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Intermediate screen sizes are priced at the next biggest standard size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	220"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	180"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	280"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	280"	NA
D	M3W	MultiPix 4K White	1.35		✓		70"	180"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	180"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	70"	210"	NA
E	S1W	SolidPix White	1.0		✓		70"	210"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	210"	280"

** Includes StopLight black backing.


Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €
BLACK BACKING REMOVAL	For 150"	For 160"	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"
Removal of StopLight black backing	-479 €	-541 €	-608 €	-680 €	-757 €	-839 €	-966 €	-1031 €
BLACK BACKING REMOVAL	For 230"	For 240"	For 250"	For 260"	For 270"	For 280"		
Removal of StopLight black backing	-1108 €	-1187 €	-1268 €	-1335 €	-1418 €	-1465 €		

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
F-RWMB1	Four Rear Wall Mounting Brackets Size 1 (10" Offset), available up to 160"	237 €
F-RWMB2	Four Rear Wall Mounting Brackets Size 2 (15" Offset), available up to 160"	289 €
TM2	One Pair (2) of T-Mount Legs – for all models, available up to 160"	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame Screen Supreme 3 FS3



- ✓ Supreme velour frame finish
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Standard vertical-mount wall-brackets included
- ✓ Improved perceived image depth

**16:9 - 1.78:1
Native Image Ratio**

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FS3-80-178-	80	2032	91,8	2331	44,9	1142	1 w	3.073	2.603	2.200	1.560	1.200
FS3-90-178-	90	2286	103,3	2623	50,6	1285	1 w	3.580	3.013	2.563	1.817	1.398
FS3-96-178-	96	2438	110,2	2797	53,9	1370	1 w	3.899	3.269	2.781	1.972	1.517
FS3-100-178-	100	2540	114,8	2914	56,2	1427	1 w	4.142	3.469	2.973	2.108	1.622
FS3-110-178-	110	2794	126,2	3205	61,8	1570	1 w	4.760	3.972	3.434	2.435	1.873
FS3-120-178-	120	3048	137,7	3497	67,4	1713	1 w	5.437	4.525	3.949	2.800	2.154
FS3-130-178-	130	3302	149,2	3788	73,0	1856	2 w	6.174	5.128	4.522	3.206	2.466
FS3-140-178-	140	3556	160,6	4079	78,7	1998	2 w	6.974	5.786	5.155	3.655	2.812
FS3-150-178-	150	3810	172,1	4371	84,3	2141	2 w	7.836	6.496	5.850	4.141	3.191
FS3-160-178-	160	4064	183,6	4662	89,9	2284	2 w	8.762	7.262	6.611	4.656	3.606
FS3-170-178-	170	4318	195,0	4953	95,5	2426	3 w	9.664	7.994	7.272	5.038	3.967
FS3-180-178-	180	4572	206,5	5244	101,1	2569	3 w	10.610	8.761	7.963	5.516	4.343
FS3-190-178-	190	4826	217,9	5535	106,7	2711	3 w	12.116	10.079	9.153	6.478	5.208
FS3-200-178-	200	5080	229,4	5827	112,4	2854	3 w	13.186	10.952	9.931	7.020	5.650
FS3-210-178-	210	5334	240,9	6118	118,0	2997	3 w	14.985	12.330	10.736	7.578	6.108
FS3-220-178-	220	5588	252,3	6409	123,6	3139	3 w	16.170	13.291	NA	NA	6.579
FS3-230-178-	230	5842	263,8	6701	129,2	3282	3 w	17.394	14.281	NA	NA	7.059
FS3-240-178-	240	6096	275,3	6992	134,8	3425	3 w	18.653	15.298	NA	NA	7.546
FS3-250-178-	250	6350	286,8	7283	140,4	3567	3 w	19.987	16.380	NA	NA	8.036
FS3-260-178-	260	6604	298,2	7575	146,1	3710	3 w	21.307	17.440	NA	NA	8.526
FS3-270-178-	270	6858	309,7	7866	151,7	3853	3 w	22.651	18.515	NA	NA	9.012
FS3-280-178-	280	7112	321,2	8157	157,3	3996	3 w	24.207	19.792	NA	NA	9.680

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Intermediate screen sizes are priced at the next biggest standard size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	160"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	206"	NA
D	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	206"	NA
	M3W	MultiPix 4K White	1.35		✓		70"	140"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	140"	NA
E	PPW	SolidPix Sonic White	0.9		✓	✓	70"	160"	NA
	S1W	SolidPix White	1.0		✓		70"	160"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	280"

** Includes StopLight black backing.


Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €	-411 €	-469 €
BLACK BACKING REMOVAL	For 150"	For 160"	For 170"	For 180"	For 190"	For 200"	For 206"	
Removal of StopLight black backing	-532 €	-601 €	-673 €	-751 €	-834 €	-923 €	-1018 €	

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
F-RWMB1	Four Rear Wall Mounting Brackets Size 1 (10" Offset), available up to 160"	237 €
F-RWMB2	Four Rear Wall Mounting Brackets Size 2 (15" Offset), available up to 160"	289 €
TM2	One Pair (2) of T-Mount Legs - for all models, available up to 160"	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame Screen Supreme 3 FS3



- ✓ Supreme velour frame finish
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Standard vertical-mount wall-brackets included
- ✓ Improved perceived image depth

2.35:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FS3-80-235-	80	2032	86,9	2208	34,0	865	1 w	2.684	2.299	1.980	1.404	1.080
FS3-90-235-	90	2286	97,8	2484	38,3	973	1 w	3.106	2.644	2.307	1.636	1.258
FS3-96-235-	96	2438	104,3	2650	40,9	1038	1 w	3.370	2.859	2.503	1.775	1.365
FS3-100-235-	100	2540	108,7	2760	42,6	1081	1 w	3.574	3.029	2.676	1.897	1.460
FS3-110-235-	110	2794	119,5	3036	46,8	1189	1 w	4.088	3.452	3.091	2.191	1.686
FS3-120-235-	120	3048	130,4	3312	51,1	1297	1 w	4.651	3.918	3.554	2.520	1.939
FS3-130-235-	130	3302	141,3	3589	55,3	1405	2 w	5.264	4.426	4.069	2.886	2.220
FS3-140-235-	140	3556	152,1	3865	59,6	1513	2 w	5.927	4.979	4.639	3.290	2.530
FS3-150-235-	150	3810	163,0	4141	63,8	1621	2 w	6.645	5.579	5.265	3.734	2.872
FS3-160-235-	160	4064	173,9	4417	68,1	1729	2 w	7.415	6.224	5.950	4.219	3.245
FS3-170-235-	170	4318	184,8	4693	72,3	1837	3 w	8.159	6.837	6.545	4.641	3.570
FS3-180-235-	180	4572	195,6	4969	76,6	1946	3 w	8.940	7.479	7.167	5.082	3.909
FS3-190-235-	190	4826	206,5	5245	80,9	2054	3 w	10.224	8.618	8.238	5.957	4.687
FS3-200-235-	200	5080	217,4	5521	85,1	2162	3 w	11.107	9.348	8.938	6.455	5.085
FS3-210-235-	210	5334	228,2	5797	89,4	2270	3 w	12.555	10.471	9.662	6.967	5.497
FS3-220-235-	220	5588	239,1	6073	93,6	2378	3 w	13.530	11.273	10.406	NA	5.921
FS3-230-235-	230	5842	250,0	6349	97,9	2486	3 w	14.534	12.098	11.166	NA	6.353
FS3-240-235-	240	6096	260,8	6625	102,1	2594	3 w	15.567	12.944	11.936	NA	6.791
FS3-250-235-	250	6350	271,7	6901	106,4	2702	3 w	16.669	13.852	12.712	NA	7.233
FS3-260-235-	260	6604	282,6	7177	110,6	2810	3 w	17.748	14.731	13.487	NA	7.674
FS3-270-235-	270	6858	293,4	7453	114,9	2918	3 w	18.845	15.621	14.256	NA	8.111
FS3-280-235-	280	7112	304,3	7729	119,1	3026	3 w	20.097	16.658	NA	NA	8.680

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Intermediate screen sizes are priced at the next biggest standard size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	210"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	180"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	270"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	270"	NA
D	M3W	MultiPix 4K White	1.35		✓		70"	180"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	180"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	70"	210"	NA
E	S1W	SolidPix White	1.0		✓		70"	210"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	210"	280"

** Includes StopLight black backing.


Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €
BLACK BACKING REMOVAL	For 150"	For 160"	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"
Removal of StopLight black backing	-479 €	-541 €	-608 €	-680 €	-757 €	-839 €	-966 €	-1031 €
BLACK BACKING REMOVAL	For 230"	For 240"	For 250"	For 260"	For 270"			
Removal of StopLight black backing	-1108 €	-1187 €	-1268 €	-1335 €	-1418 €			

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
F-RWMB1	Four Rear Wall Mounting Brackets Size 1 (10" Offset), available up to 160"	237 €
F-RWMB2	Four Rear Wall Mounting Brackets Size 2 (15" Offset), available up to 160"	289 €
TM2	One Pair (2) of T-Mount Legs - for all models, available up to 160"	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame Screen Supreme 3 FS3



- ✓ Supreme velour frame finish
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Standard vertical-mount wall-brackets included
- ✓ Improved perceived image depth

2.40:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FS3-80-240-	80	2032	86,7	2201	33,3	847	1 w	2.684	2.299	1.980	1.404	1.080
FS3-90-240-	90	2286	97,5	2477	37,5	953	1 w	3.106	2.644	2.307	1.636	1.258
FS3-96-240-	96	2438	104,0	2642	40,0	1016	1 w	3.370	2.859	2.503	1.775	1.365
FS3-100-240-	100	2540	108,3	2752	41,7	1058	1 w	3.574	3.029	2.676	1.897	1.460
FS3-110-240-	110	2794	119,2	3027	45,8	1164	1 w	4.088	3.452	3.091	2.191	1.686
FS3-120-240-	120	3048	130,0	3302	50,0	1270	1 w	4.651	3.918	3.554	2.520	1.939
FS3-130-240-	130	3302	140,8	3577	54,2	1376	2 w	5.264	4.426	4.069	2.886	2.220
FS3-140-240-	140	3556	151,7	3852	58,3	1482	2 w	5.927	4.979	4.639	3.290	2.530
FS3-150-240-	150	3810	162,5	4128	62,5	1588	2 w	6.645	5.579	5.265	3.734	2.872
FS3-160-240-	160	4064	173,3	4403	66,7	1693	2 w	7.415	6.224	5.950	4.219	3.245
FS3-170-240-	170	4318	184,2	4678	70,8	1799	3 w	8.159	6.837	6.545	4.641	3.570
FS3-180-240-	180	4572	195,0	4953	75,0	1905	3 w	8.940	7.479	7.167	5.082	3.909
FS3-190-240-	190	4826	205,8	5228	79,2	2011	3 w	10.224	8.618	8.238	5.957	4.687
FS3-200-240-	200	5080	216,7	5503	83,3	2117	3 w	11.107	9.348	8.938	6.455	5.085
FS3-210-240-	210	5334	227,5	5779	87,5	2223	3 w	12.555	10.471	9.662	6.967	5.497
FS3-220-240-	220	5588	238,3	6054	91,7	2328	3 w	13.530	11.273	10.406	NA	5.921
FS3-230-240-	230	5842	249,2	6329	95,8	2434	3 w	14.534	12.098	11.166	NA	6.353
FS3-240-240-	240	6096	260,0	6604	100,0	2540	3 w	15.567	12.944	11.936	NA	6.791
FS3-250-240-	250	6350	270,8	6879	104,2	2646	3 w	16.669	13.852	12.712	NA	7.233
FS3-260-240-	260	6604	281,7	7154	108,3	2752	3 w	17.748	14.731	13.487	NA	7.674
FS3-270-240-	270	6858	292,5	7430	112,5	2858	3 w	18.845	15.621	14.256	NA	8.111
FS3-280-240-	280	7112	303,3	7705	116,7	2963	3 w	20.097	16.658	14.660	NA	8.680

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Intermediate screen sizes are priced at the next biggest standard size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	220"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	180"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	280"	NA
D	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	280"	NA
	M3W	MultiPix 4K White	1.35		✓		70"	180"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	180"	NA
E	PPW	SolidPix Sonic White	0.9		✓	✓	70"	210"	NA
	S1W	SolidPix White	1.0		✓		70"	210"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	210"	280"

** Includes StopLight black backing.


Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €
BLACK BACKING REMOVAL	For 150"	For 160"	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"
Removal of StopLight black backing	-479 €	-541 €	-608 €	-680 €	-757 €	-839 €	-966 €	-1031 €
BLACK BACKING REMOVAL	For 230"	For 240"	For 250"	For 260"	For 270"	For 280"		
Removal of StopLight black backing	-1108 €	-1187 €	-1268 €	-1335 €	-1418 €	-1465 €		

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
F-RWMB1	Four Rear Wall Mounting Brackets Size 1 (10" Offset), available up to 160"	237 €
F-RWMB2	Four Rear Wall Mounting Brackets Size 2 (15" Offset), available up to 160"	289 €
TM2	One Pair (2) of T-Mount Legs – for all models, available up to 160"	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame TheaterCurve Screen Classic Line T-CLF



- ✓ Velour frame finish
- ✓ Wall-mount brackets included
- ✓ Easy fast-mount Elastic tensioning system
- ✓ Optional floor stand

16:9 - 1.78:1
2.35:1 and 2.40:1
Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
T-CLF-80-178-	80	2032	91,8	2331	44,9	1142	1 w	1.280	1.060	910	760
T-CLF-90-178-	90	2286	103,2	2622	50,6	1285	1 w	1.500	1.240	1.060	890
T-CLF-96-178-	96	2438	110,1	2797	53,9	1370	1 w	1.630	1.350	1.150	960
T-CLF-100-178-	100	2540	114,7	2913	56,2	1427	1 w	1.740	1.440	1.230	1.030
T-CLF-110-178-	110	2794	126,2	3205	61,8	1570	1 w	2.020	1.670	1.430	1.190
T-CLF-120-178-	120	3048	137,6	3496	67,4	1713	1 w	2.260	1.870	1.630	1.370

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
T-CLF-80-235-	80	2032	86,9	2208	34,0	865	1 w	1.200	990	840	700
T-CLF-90-235-	90	2286	97,8	2484	38,3	973	1 w	1.390	1.150	980	820
T-CLF-96-235-	96	2438	104,3	2650	40,9	1038	1 w	1.510	1.250	1.060	890
T-CLF-100-235-	100	2540	108,7	2760	42,6	1081	1 w	1.610	1.330	1.140	950
T-CLF-110-235-	110	2794	119,5	3036	46,8	1189	1 w	1.860	1.540	1.320	1.100
T-CLF-120-235-	120	3048	130,4	3312	51,1	1297	1 w	2.140	1.770	1.520	1.270

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
T-CLF-80-240-	80	2032	86,7	2201	33,3	847	1 w	1.200	990	840	700
T-CLF-90-240-	90	2286	97,5	2477	37,5	953	1 w	1.390	1.150	980	820
T-CLF-96-240-	96	2438	104,0	2642	40,0	1016	1 w	1.510	1.250	1.060	890
T-CLF-100-240-	100	2540	108,3	2752	41,7	1058	1 w	1.610	1.330	1.140	950
T-CLF-110-240-	110	2794	119,2	3027	45,8	1164	1 w	1.860	1.540	1.320	1.100
T-CLF-120-240-	120	3048	130,0	3302	50,0	1270	1 w	2.140	1.770	1.520	1.270

Intermediate screen sizes are priced at the next biggest standard size.


Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	120"	NA
B	PPW	SolidPix Sonic White	0.9		✓	✓	70"	120"	NA
C	M3W	MultiPix 4K White	1.35		✓		70"	120"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	120"	NA
D	S1W	SolidPix White	1.0		✓		70"	120"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	120"	NA

Options, Accessories and Control

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
CLF-FS floor stand	Adjustable mount stands and fastening adapters	329 €

Fixed Frame Screen Classic Line CLF



- ✓ Velour frame finish
- ✓ Wall-mount brackets included
- ✓ Easy fast-mount Elastic tensioning system
- ✓ Optional floor stand

16:9 - 1.78:1
2.35:1 and 2.40:1
Native Image Ratio





MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
CLF-80-178-	80	2032	91,8	2331	44,9	1142	1 w	1.029	823	700	588
CLF-90-178-	90	2286	103,2	2622	50,6	1285	1 w	1.199	959	820	685
CLF-96-178-	96	2438	110,1	2797	53,9	1370	1 w	1.301	1.041	890	743
CLF-100-178-	100	2540	114,7	2913	56,2	1427	1 w	1.390	1.112	950	795
CLF-110-178-	110	2794	126,2	3205	61,8	1570	1 w	1.606	1.285	1.100	918
CLF-120-178-	120	3048	137,6	3496	67,4	1713	1 w	1.781	1.425	1.260	1.055

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
CLF-80-235-	80	2032	86,9	2208	34,0	865	1 w	953	762	650	544
CLF-90-235-	90	2286	97,8	2484	38,3	973	1 w	1.110	888	760	634
CLF-96-235-	96	2438	104,3	2650	40,9	1038	1 w	1.204	963	820	688
CLF-100-235-	100	2540	108,7	2760	42,6	1081	1 w	1.288	1.030	880	736
CLF-110-235-	110	2794	119,5	3036	46,8	1189	1 w	1.486	1.189	1.020	850
CLF-120-235-	120	3048	130,4	3312	51,1	1297	1 w	1.710	1.368	1.170	977

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR			
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D
CLF-80-240-	80	2032	86,7	2201	33,3	847	1 w	953	762	650	544
CLF-90-240-	90	2286	97,5	2477	37,5	953	1 w	1.110	888	760	634
CLF-96-240-	96	2438	104,0	2642	40,0	1016	1 w	1.204	963	820	688
CLF-100-240-	100	2540	108,3	2752	41,7	1058	1 w	1.288	1.030	880	736
CLF-110-240-	110	2794	119,2	3027	45,8	1164	1 w	1.486	1.189	1.020	850
CLF-120-240-	120	3048	130,0	3302	50,0	1270	1 w	1.710	1.368	1.170	977

Intermediate screen sizes are priced at the next biggest standard size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	120"	NA
B	PPW	SolidPix Sonic White	0.9		✓	✓	70"	120"	NA
C	M3W	MultiPix 4K White	1.35		✓		70"	120"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	120"	NA
D	S1W	SolidPix White	1.0		✓		70"	120"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	120"	NA

Options, Accessories and Control

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
CLF-FS floor stand	Adjustable mount stands and fastening adapters	329 €

Fixed Frame Screen Integrator I-Type Shallow FIS



- ✓ Structured custom integrator frame
- ✓ Frame depth 37 mm
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Standard or Tableau fabric mounting options available
- ✓ Requires custom-integrated finish

**16:9 - 1.78:1
Native Image Ratio**

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FIS-80-178-	80	2032	91,8	2331	44,9	1142	2 w	2.593	2.123	1.640	1.080	720
FIS-90-178-	90	2286	103,3	2623	50,6	1285	2 w	3.021	2.454	1.911	1.258	839
FIS-96-178-	96	2438	110,2	2797	53,9	1370	2 w	3.292	2.662	2.073	1.365	910
FIS-100-178-	100	2540	114,8	2914	56,2	1427	2 w	3.493	2.820	2.216	1.460	973
FIS-110-178-	110	2794	126,2	3205	61,8	1570	2 w	4.011	3.223	2.560	1.686	1.124
FIS-120-178-	120	3048	137,7	3497	67,4	1713	2 w	4.575	3.663	2.944	1.939	1.292
FIS-130-178-	130	3302	149,2	3788	73,0	1856	2 w	5.188	4.142	3.371	2.220	1.480
FIS-140-178-	140	3556	160,6	4079	78,7	1998	2 w	5.849	4.661	3.843	2.530	1.687
FIS-150-178-	150	3810	172,1	4371	84,3	2141	2 w	6.560	5.220	4.361	NA	1.915
FIS-160-178-	160	4064	183,6	4662	89,9	2284	2 w	7.320	5.820	4.928	NA	2.164

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Larger sizes available: See Online Configurator and Screen Fabric Table (below) for availability.
Intermediate screen sizes are priced at the next biggest standard size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	150"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	206"	NA
D	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	206"	NA
	M3W	MultiPix 4K White	1.35		✓		70"	140"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	140"	NA
E	S1W	SolidPix White	1.0		✓		70"	160"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	280"

** Includes StopLight black backing

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €	-411 €	-469 €	-532 €	-601 €

FABRIC MOUNTING OPTIONS	DESCRIPTION	PRICE
STANDARD MOUNT	Image size is taken at the inner dimension of the frame.	Included
TABLEAU MOUNT	Fabric mounted to cover the entire frame structure. Frame size is equal to image size.	No Cost

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
F-FMK	Flush Mount Kit (includes 4 brackets). Not compatible with Tableau Fabric mounting.	199 €
F-RWMB1	Four Rear Wall Mounting Brackets Size 1 (10" Offset)	237 €
F-RWMB2	Four Rear Wall Mounting Brackets Size 2 (15" Offset)	289 €
F-SCMB	Four Lateral Mounting Brackets	237 €
TM2	One Pair (2) of T-Mount Legs - for all models	699 €

Fixed Frame Screen Integrator I-Type Shallow FIS



- ✓ Structured custom integrator frame
- ✓ Frame depth 37 mm
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Standard or Tableau fabric mounting options available
- ✓ Requires custom-integrated finish
- ✓ For projectors with anamorphic technologies

2.35:1 Native Image Ratio

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FIS-80-235-	80	2032	86,9	2208	34,0	865	2 w	2.252	1.867	1.476	972	648
FIS-90-235-	90	2286	97,8	2484	38,3	973	2 w	2.603	2.141	1.720	1.132	755
FIS-96-235-	96	2438	104,3	2650	40,9	1038	2 w	2.824	2.313	1.866	1.229	819
FIS-100-235-	100	2540	108,7	2760	42,6	1081	2 w	2.990	2.445	1.995	1.314	876
FIS-110-235-	110	2794	119,5	3036	46,8	1189	2 w	3.413	2.777	2.304	1.517	1.011
FIS-120-235-	120	3048	130,4	3312	51,1	1297	2 w	3.875	3.142	2.649	1.745	1.163
FIS-130-235-	130	3302	141,3	3589	55,3	1405	3 w	4.376	3.538	3.034	1.998	1.332
FIS-140-235-	140	3556	152,1	3865	59,6	1513	3 w	4.915	3.967	3.458	2.277	1.518
FIS-150-235-	150	3810	163,0	4141	63,8	1621	3 w	5.496	4.430	3.925	2.585	1.723
FIS-160-235-	160	4064	173,9	4417	68,1	1729	3 w	6.117	4.926	4.435	2.921	1.947

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Larger sizes available: See Online Configurator and Screen Fabric Table (below) for availability.
Intermediate screen sizes are priced at the next biggest standard size..

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	190"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	180"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	270"	NA
D	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	270"	NA
	M3W	MultiPix 4K White	1.35		✓		70"	180"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	180"	NA
E	S1W	SolidPix White	1.0		✓		70"	210"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	210"	280"

** Includes StopLight black backing.

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €	-479 €	-541 €

FABRIC MOUNTING OPTIONS	DESCRIPTION	PRICE
STANDARD MOUNT	Image size is taken at the inner dimension of the frame.	Included
TABLEAU MOUNT	Fabric mounted to cover the entire frame structure. Frame size is equal to image size.	No Cost

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
F-FMK	Flush Mount Kit (includes 4 brackets). Not compatible with Tableau Fabric mounting.	199 €
F-RWMB1	Four Rear Wall Mounting Brackets Size 1 (10" Offset)	237 €
F-RWMB2	Four Rear Wall Mounting Brackets Size 2 (15" Offset)	289 €
F-SCMB	Four Lateral Mounting Brackets	237 €
TM2	One Pair (2) of T-Mount Legs - for all models	699 €

Fixed Frame Screen Integrator I-Type Deep FID



- ✓ Structured custom integrator frame
- ✓ Frame depth 64 mm
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Standard or Tableau fabric mounting options available
- ✓ Requires custom-integrated finish

**16:9 - 1.78:1
Native Image Ratio**

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FID-80-178-	80	2032	91,8	2331	44,9	1142	2 w	2.593	2.123	1.640	1.080	720
FID-90-178-	90	2286	103,3	2623	50,6	1285	2 w	3.021	2.454	1.911	1.258	839
FID-96-178-	96	2438	110,2	2797	53,9	1370	2 w	3.292	2.662	2.073	1.365	910
FID-100-178-	100	2540	114,8	2914	56,2	1427	2 w	3.493	2.820	2.216	1.460	973
FID-110-178-	110	2794	126,2	3205	61,8	1570	2 w	4.011	3.223	2.560	1.686	1.124
FID-120-178-	120	3048	137,7	3497	67,4	1713	2 w	4.575	3.663	2.944	1.939	1.292
FID-130-178-	130	3302	149,2	3788	73,0	1856	2 w	5.188	4.142	3.371	2.220	1.480
FID-140-178-	140	3556	160,6	4079	78,7	1998	2 w	5.849	4.661	3.843	2.530	1.687
FID-150-178-	150	3810	172,1	4371	84,3	2141	2 w	6.560	5.220	4.361	NA	1.915
FID-160-178-	160	4064	183,6	4662	89,9	2284	2 w	7.320	5.820	4.928	NA	2.164

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Larger sizes available: See Online Configurator and Screen Fabric Table (below) for availability.
Intermediate screen sizes are priced at the next biggest standard size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	150"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	206"	NA
D	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	206"	NA
	M3W	MultiPix 4K White	1.35		✓		70"	140"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	140"	NA
E	S1W	SolidPix White	1.0		✓		70"	160"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	280"

** Includes StopLight black backing..

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €	-411 €	-469 €	-532 €	-601 €

FABRIC MOUNTING OPTIONS	DESCRIPTION	PRICE
STANDARD MOUNT	Image size is taken at the inner dimension of the frame.	Included
TABLEAU MOUNT	Fabric mounted to cover the entire frame structure. Frame size is equal to image size.	No Cost

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
F-FMK	Flush Mount Kit (includes 4 brackets). Not compatible with Tableau Fabric mounting.	199 €
F-RWMB1	Four Rear Wall Mounting Brackets Size 1 (10" Offset)	237 €
F-RWMB2	Four Rear Wall Mounting Brackets Size 2 (15" Offset)	289 €
F-SCMB	Four Lateral Mounting Brackets	237 €
TM2	One Pair (2) of T-Mount Legs - for all models	699 €

Fixed Frame Screen Integrator I-Type Deep FID



- ✓ Structured custom integrator frame
- ✓ Frame depth 64 mm
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Standard or Tableau fabric mounting options available
- ✓ Requires custom-integrated finish
- ✓ For projectors with anamorphic technologies

**2.35:1
Native Image Ratio**

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
FID-80-235-	80	2032	86,9	2208	34,0	865	2 w	2.252	1.867	1.476	972	648
FID-90-235-	90	2286	97,8	2484	38,3	973	2 w	2.603	2.141	1.720	1.132	755
FID-96-235-	96	2438	104,3	2650	40,9	1038	2 w	2.824	2.313	1.866	1.229	819
FID-100-235-	100	2540	108,7	2760	42,6	1081	2 w	2.990	2.445	1.995	1.314	876
FID-110-235-	110	2794	119,5	3036	46,8	1189	2 w	3.413	2.777	2.304	1.517	1.011
FID-120-235-	120	3048	130,4	3312	51,1	1297	2 w	3.875	3.142	2.649	1.745	1.163
FID-130-235-	130	3302	141,3	3589	55,3	1405	2 w	4.376	3.538	3.034	1.998	1.332
FID-140-235-	140	3556	152,1	3865	59,6	1513	2 w	4.915	3.967	3.458	2.277	1.518
FID-150-235-	150	3810	163,0	4141	63,8	1621	2 w	5.496	4.430	3.925	2.858	1.723
FID-160-235-	160	4064	173,9	4417	68,1	1729	2 w	6.117	4.926	4.435	2.921	1.947

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Larger sizes available: See Online Configurator and Screen Fabric Table (below) for availability.
Intermediate screen sizes are priced at the next biggest standard size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	190"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	180"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	270"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	270"	NA
D	M3W	MultiPix 4K White	1.35		✓		70"	180"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	180"	NA
E	S1W	SolidPix White	1.0		✓		70"	210"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	210"	280"

** Includes StopLight black backing.

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €
BLACK BACKING REMOVAL	For 150"	For 160"	For 170"	For 180"	For 190"	For 200"	For 210"	For 220"
Removal of StopLight black backing	-479 €	-541 €	-608 €	-680 €	-757 €	-839 €	-966 €	-1031 €
BLACK BACKING REMOVAL	For 230"	For 240"	For 250"	For 260"	For 270"	For 280"		
Removal of StopLight black backing	-1108 €	-1187 €	-1268 €	-1335 €	-1418 €	-1465 €		


FABRIC MOUNTING OPTIONS	DESCRIPTION	PRICE
STANDARD MOUNT	Image size is taken at the inner dimension of the frame.	Included
TABLEAU MOUNT	Fabric mounted to cover the entire frame structure. Frame size is equal to image size.	No Cost

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
F-FMK	Flush Mount Kit (includes 4 brackets). Not compatible with Tableau Fabric mounting.	199 €
F-RWMB1	Four Rear Wall Mounting Brackets Size 1 (10" Offset)	237 €
F-RWMB2	Four Rear Wall Mounting Brackets Size 2 (15" Offset)	289 €
F-SCMB	Four Lateral Mounting Brackets	237 €
TM2	One Pair (2) of T-Mount Legs – for all models	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame TheaterCurve Screen with Masking Reference X-Mask 4-Way T-X4R

**SCREEN
RESEARCH™**



- ✓ Achievable Masked Image Ratios: 1.33:1 to 2.76:1
- ✓ Flush housing design with handcrafted velour frame finish
- ✓ 4-way precision masking system with THX-certified acoustically transparent masks
- ✓ 4 independent Somfy® ILT high precision positioning motors – bus driven
- ✓ 8 Presets (MCS) or 20 Presets (Crestron Module)
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Improved perceived image depth, ideal for projectors with anamorphic technologies
- ✓ Screen curve radius optimized for each screen size
- ✓ Remote control and Interface not included (see page 54)

Screen ILT2
somfy
powered

CERTIFIED
CRESTRON
Integrated Partner

**16:9 1.78:1
Native Image Ratio**

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-X4R-80-178-	80	2032	91,8	2331	44,9	1142	8 w	16.833	16.363	15.990	14.990	14.960
T-X4R-90-178-	90	2286	103,3	2623	50,6	1285	8 w	18.332	17.765	17.450	16.450	16.150
T-X4R-96-178-	96	2438	110,2	2797	53,9	1370	8 w	19.532	18.902	18.450	17.450	17.150
T-X4R-100-178-	100	2540	114,8	2914	56,2	1427	8 w	20.670	19.997	19.450	18.450	18.150
T-X4R-110-178-	110	2794	126,2	3205	61,8	1570	8 w	24.037	23.249	22.450	21.450	21.150
T-X4R-120-178-	120	3048	137,7	3497	67,4	1713	8 w	24.973	24.061	22.990	21.990	21.690
T-X4R-130-178-	130	3302	149,2	3788	73,0	1856	8 w	29.398	28.352	26.990	25.990	25.690
T-X4R-140-178-	140	3556	160,6	4079	78,7	1998	8 w	30.312	29.124	27.450	26.450	26.150
T-X4R-150-178-	150	3810	172,1	4371	84,3	2141	8 w	32.795	31.455	29.450	NA	28.150
T-X4R-160-178-	160	4064	183,6	4662	89,9	2284	8 w	33.846	32.346	29.990	NA	28.690

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Larger sizes available: See Online Configurator and Screen Fabric Table (below) for availability.
Intermediate screen sizes are priced at the next largest standard screen size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	160"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	206"	NA
D	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	206"	NA
	M3W	MultiPix 4K White	1.35		✓		70"	140"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	140"	NA
E	S1W	SolidPix White	1.0		✓		70"	160"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	280"

** Includes StopLight black backing.

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €	-411 €	-469 €	-532 €	-601 €

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-ILT-4	Control system for 4 ILT motors - 8 Presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IR	Control system for 4 ILT motors - 8 Presets For IR technology	875 €
MCS-ILT-4-IP	Control system for 4 ILT motors - 8 Presets For TCP/IP technology	1.075 €
C2N-SSC-2	Crestron Module Interface 20 Presets – No MCS required	See Crestron


ACCESSORIES	DESCRIPTION	PRICE
MCS-ILT-T	ILT setting TOOL for set limits motor	100 €

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
TM2	One Pair (2) of T-Mount Legs – for all models	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame TheaterCurve Screen with Masking Reference X-Mask 4-Way T-X4R

SCREEN RESEARCH™



- ✓ Achievable Masked Image Ratios: 1.33:1 to 2.76:1
- ✓ Flush housing design with handcrafted velour frame finish
- ✓ 4-way precision masking system with THX-certified acoustically transparent masks
- ✓ 4 independent Somfy® ILT high precision positioning motors – bus driven
- ✓ 8 Presets (MCS) or 20 Presets (Crestron Module)
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Improved perceived image depth, ideal for projectors with anamorphic technology
- ✓ Screen curve radius optimized for each screen size
- ✓ Remote control and Interface not included (see page 54)



2.00:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-X4R-80-200-	80	2032	89,4	2272	40,0	1016	8 w	16.833	16.363	15.990	14.990	14.960
T-X4R-90-200-	90	2286	100,6	2556	45,0	1143	8 w	18.332	17.765	17.450	16.450	16.150
T-X4R-96-200-	96	2438	107,3	2726	48,0	1219	8 w	19.532	18.902	18.450	17.450	17.150
T-X4R-100-200-	100	2540	111,8	2840	50,0	1270	8 w	20.670	19.997	19.450	18.450	18.150
T-X4R-110-200-	110	2794	123,0	3124	55,0	1397	8 w	24.037	23.249	22.450	21.450	21.150
T-X4R-120-200-	120	3048	134,2	3408	60,0	1524	8 w	24.973	24.061	22.990	21.990	21.690
T-X4R-130-200-	130	3302	145,3	3692	65,0	1651	8 w	29.398	28.352	26.990	25.990	25.690
T-X4R-140-200-	140	3556	156,5	3976	70,0	1778	8 w	30.312	29.124	27.450	26.450	26.150
T-X4R-150-200-	150	3810	167,7	4260	75,0	1905	8 w	32.795	31.455	29.450	28.450	28.150
T-X4R-160-200-	160	4064	178,9	4544	80,0	2032	8 w	33.846	32.346	29.990	28.990	28.690

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Larger sizes available: See Online Configurator and Screen Fabric Table (below) for availability.
Intermediate screen sizes are priced at the next largest standard screen size

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	180"	NA
C	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	150"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	230"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	230"	NA
D	M3W	MultiPix 4K White	1.35		✓		70"	150"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	150"	NA
E	S1W	SolidPix White	1.0		✓		70"	170"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	170"	280"

** Includes StopLight black backing.

Options, Accessories and Control

FINISH OPTIONS	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €	-411 €	-469 €	-532 €	-601 €

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-ILT-4	Control system for 4 ILT motors - 8 Presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IR	Control system for 4 ILT motors - 8 Presets For IR technology	875 €
MCS-ILT-4-IP	Control system for 4 ILT motors - 8 Presets For TCP/IP technology	1.075 €
C2N-SSC-2	Crestron Module Interface 20 Presets - No MCS required	See Crestron


ACCESSORIES	DESCRIPTION	PRICE
MCS-ILT-T	ILT setting TOOL for set limits motor	100 €

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
TM2	One Pair (2) of T-Mount Legs – for all models	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame TheaterCurve Screen with Masking Reference X-Mask 4-Way T-X4R

SCREEN RESEARCH™



- ✓ Achievable Masked Image Ratios: 1.33:1 to 2.76:1
- ✓ Flush housing design with handcrafted velour frame finish
- ✓ 4-way precision masking system with THX-certified acoustically transparent masks
- ✓ 4 independent Somfy® ILT high precision positioning motors – bus driven
- ✓ 8 Presets (MCS) or 20 Presets (Crestron Module)
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Improved perceived image depth, ideal for projectors with anamorphic technology
- ✓ Screen curve radius optimized for each screen size
- ✓ Remote control and Interface not included (see page 54)



2.40:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-X4R-80-240-	80	2032	86,7	2201	33,3	847	8 w	16.833	16.363	15.990	14.990	14.960
T-X4R-90-240-	90	2286	97,5	2477	37,5	953	8 w	18.332	17.765	17.450	16.450	16.150
T-X4R-96-240-	96	2438	104,0	2642	40,0	1016	8 w	19.532	18.902	18.450	17.450	17.150
T-X4R-100-240-	100	2540	108,3	2752	41,7	1058	8 w	20.670	19.997	19.450	18.450	18.150
T-X4R-110-240-	110	2794	119,2	3027	45,8	1164	8 w	24.037	23.249	22.450	21.450	21.150
T-X4R-120-240-	120	3048	130,0	3302	50,0	1270	8 w	24.973	24.061	22.990	21.990	21.690
T-X4R-130-240-	130	3302	140,8	3577	54,2	1376	8 w	29.398	28.352	26.990	25.990	25.690
T-X4R-140-240-	140	3556	151,7	3852	58,3	1482	8 w	30.312	29.124	27.450	26.450	26.150
T-X4R-150-240-	150	3810	162,5	4128	62,5	1588	8 w	32.795	31.455	29.450	28.450	28.150
T-X4R-160-240-	160	4064	173,3	4403	66,7	1693	8 w	33.846	32.346	29.990	28.990	28.690

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Larger sizes available: See Online Configurator and Screen Fabric Table (below) for availability.
Intermediate screen sizes are priced at the next largest standard screen size

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	220"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	180"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	270"	NA
D	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	270"	NA
	M3W	MultiPix 4K White	1.35		✓		70"	180"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	180"	NA
E	S1W	SolidPix White	1.0		✓		70"	210"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	210"	280"

** Includes StopLight black backing.

Options, Accessories and Control

FINISH OPTIONS	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €	-479 €	-541 €

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-ILT-4	Control system for 4 ILT motors - 8 Presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IR	Control system for 4 ILT motors - 8 Presets For IR technology	875 €
MCS-ILT-4-IP	Control system for 4 ILT motors - 8 Presets For TCP/IP technology	1.075 €
C2N-SSC-2	Crestron Module Interface 20 Presets - No MCS required	See Crestron

ACCESSORIES	DESCRIPTION	PRICE
MCS-ILT-T	ILT setting TOOL for set limits motor	100 €

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
TM2	One Pair (2) of T-Mount Legs – for all models	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame TheaterCurve Screen with Masking Reference X-Mask Top-Bottom T-XTR

SCREEN RESEARCH™



- ✓ Achievable Masked Image Ratios: 1.78:1 to 2.76:1
- ✓ Flush housing design with handcrafted velour frame finish
- ✓ 2-way precision masking system with THX-certified acoustically transparent masks
- ✓ 2 independent Somfy® ILT high precision positioning motors – bus driven
- ✓ 8 Presets (MCS) or 20 Presets (Crestron Module)
- ✓ QuietGlide™ motor mounting and masking guidance system
- ✓ SlimFrame™ low profile, easy-mount frame design
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Remote control and Interface not included (see page 54)



16:9 1.78:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-XTR-80-178-	80	2032	91,8	2331	44,9	1142	8 w	13.563	13.093	12.990	11.990	11.690
T-XTR-90-178-	90	2286	103,3	2623	50,6	1285	8 w	14.872	14.305	13.990	12.990	12.690
T-XTR-96-178-	96	2438	110,2	2797	53,9	1370	8 w	16.072	15.442	14.990	13.990	13.690
T-XTR-100-178-	100	2540	114,8	2914	56,2	1427	8 w	17.210	16.537	15.990	14.990	14.690
T-XTR-110-178-	110	2794	126,2	3205	61,8	1570	8 w	18.577	17.789	16.990	15.990	15.690
T-XTR-120-178-	120	3048	137,7	3497	67,4	1713	8 w	19.973	19.061	17.990	16.990	16.690
T-XTR-130-178-	130	3302	149,2	3788	73,0	1856	8 w	23.398	22.352	20.990	19.990	19.690
T-XTR-140-178-	140	3556	160,6	4079	78,7	1998	8 w	24.852	23.664	21.990	20.990	20.690
T-XTR-150-178-	150	3810	172,1	4371	84,3	2141	8 w	26.335	24.995	22.990	NA	21.690
T-XTR-160-178-	160	4064	183,6	4662	89,9	2284	8 w	29.846	28.346	25.990	NA	24.690

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Larger sizes available: See Online Configurator and Screen Fabric Table (below) for availability.
Intermediate screen sizes are priced at the next largest standard screen size

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	160"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	206"	NA
D	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	206"	NA
	M3W	MultiPix 4K White	1.35		✓		70"	140"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	140"	NA
E	S1W	SolidPix White	1.0		✓		70"	160"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	280"

** Includes StopLight black backing.

Options, Accessories and Control

FINISH OPTIONS	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €	-411 €	-469 €	-532 €	-601 €

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-ILT-4	Control system for 4 ILT motors - 8 Presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IR	Control system for 4 ILT motors - 8 Presets For IR technology	875 €
MCS-ILT-4-IP	Control system for 4 ILT motors - 8 Presets For TCP/IP technology	1.075 €
C2N-SSC-2	Crestron Module Interface 20 Presets - No MCS required	See Crestron
QED2***	Lutron Sivoia QED (Quiet Electronic Drive) motor (2 Units)	1.068 €
TQED2-230EU***	Lutron Sivoia QED 230V transformer, Europe Power Plug (2 Units)	312 €
TQED2-230UK***	Lutron Sivoia QED 230V transformer., UK Power Plug (2 Units)	312 €
TQED2-110US***	Lutron Sivoia QED 110V transformer., US Power Plug (2 Units)	312 €
QS2***	Lutron Sivoia QS (Quiet Electronic Drive) motor (2 Units)	1.068 €
TQS2-230EU***	Lutron Sivoia QS 230V transformer, Europe Power Plug (2 Units)	312 €
TQS2-230UK***	Lutron Sivoia QS 230V transformer., UK Power Plug (2 Units)	312 €
TQS2-110US***	Lutron Sivoia QS 110V transformer., US Power Plug (2 Units)	312 €

***Reduced margin options


Lutron Motor Available on screens up to 160"wide. Requires Lutron control system

ACCESSORIES	DESCRIPTION	PRICE
MCS-ILT-T	ILT setting TOOL for set limits motor	100 €

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
TM2	One Pair (2) of T-Mount Legs – for all models	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame TheaterCurve Screen with Masking Reference X-Mask Lateral T-XLR



- ✓ Achievable Masked Image Ratios: 1.33:1 to 2.40:1
- ✓ 2-way precision masking system with THX-certified acoustically transparent masks
- ✓ 2 independent Somfy® ILT high precision positioning motors – bus driven
- ✓ 8 Presets (MCS) or 20 Presets (Crestron Module)
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Improved perceived image depth, ideal for projectors with anamorphic technology
- ✓ Screen curve radius optimized for each screen size
- ✓ Remote control and Interface not included (see page 54)



**2.40:1
Native Image Ratio**

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
T-XLR-80-240-	80	2032	86,7	2201	33,3	847	6 w	11.563	11.093	10.990	9.990	9.690
T-XLR-90-240-	90	2286	97,5	2477	37,5	953	6 w	12.872	12.305	11.990	10.990	10.690
T-XLR-96-240-	96	2438	104,0	2642	40,0	1016	6 w	14.072	13.442	12.990	11.990	11.690
T-XLR-100-240-	100	2540	108,3	2752	41,7	1058	6 w	15.210	14.537	13.990	12.990	12.690
T-XLR-110-240-	110	2794	119,2	3027	45,8	1164	6 w	16.577	15.789	14.990	13.990	13.690
T-XLR-120-240-	120	3048	130,0	3302	50,0	1270	6 w	17.973	17.061	15.990	14.990	14.690
T-XLR-130-240-	130	3302	140,8	3577	54,2	1376	8 w	21.398	20.352	18.990	17.990	17.690
T-XLR-140-240-	140	3556	151,7	3852	58,3	1482	8 w	22.852	21.664	19.990	18.990	18.690
T-XLR-150-240-	150	3810	162,5	4128	62,5	1588	8 w	24.335	22.995	20.990	19.990	19.690
T-XLR-160-240-	160	4064	173,3	4403	66,7	1693	8 w	27.846	26.346	23.990	22.990	22.690
T-XLR-170-240-	170	4318	184,2	4678	70,8	1799	8 w	29.207	27.907	25.990	24.990	24.690
T-XLR-180-240-	180	4572	195,0	4953	75,0	1905	8 w	31.100	29.664	27.450	26.450	26.150
T-XLR-190-240-	190	4826	205,8	5228	79,2	2011	8 w	34.598	33.019	30.450	29.450	29.150
T-XLR-200-240-	200	5080	216,7	5503	83,3	2117	8 w	36.074	34.346	31.450	NA	30.150
T-XLR-210-240-	210	5334	227,5	5779	87,5	2223	8 w	37.571	35.687	32.450	NA	31.150

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Larger sizes available: See Online Configurator and Screen Fabric Table (below) for availability.
Intermediate screen sizes are priced at the next largest standard screen size

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	220"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	180"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	270"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	270"	NA
D	M3W	MultiPix 4K White	1.35		✓		70"	180"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	180"	NA
E	S1W	SolidPix White	1.0		✓		70"	210"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	210"	280"

** Includes StopLight black backing.

Options, Accessories and Control

FINISH OPTIONS	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
FCLOSE***	1.357 €	1.499 €	1.541 €	1.558 €	1.699 €	1.842 €	1.984 €	2.124 €	2.259 €	2.388 €
BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"		
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €		
BLACK BACKING REMOVAL	For 150"	For 160"	For 170"	For 180"	For 190"	For 200"	For 210"			
Removal of StopLight black backing	-479 €	-541 €	-608 €	-680 €	-757 €	-839 €	-966 €			

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame TheaterCurve Screen with Masking Reference X-Mask Lateral T-XLR



MOTOR CONTROL SYSTEM	DESCRIPTION		PRICE
MCS-ILT-4	Control system for 4 ILT motors - 8 Presets	For RS232 and RS485 technology	575 €
MCS-ILT-4-IR	Control system for 4 ILT motors - 8 Presets	For IR technology	875 €
MCS-ILT-4-IP	Control system for 4 ILT motors - 8 Presets	For TCP/IP technology	1.075 €
C2N-SSC-2	Crestron Module Interface	20 Presets - No MCS required	See Crestron
QED2***	Lutron Sivoia QED (Quiet Electronic Drive) motor (2 Units)		1.068 €
TQED2-230EU***	Lutron Sivoia QED 230V transformer, Europe Power Plug (2 Units)		312 €
TQED2-230UK***	Lutron Sivoia QED 230V transformer., UK Power Plug (2 Units)		312 €
TQED2-110US***	Lutron Sivoia QED 110V transformer., US Power Plug (2 Units)		312 €
QS2***	Lutron Sivoia QS (Quiet Electronic Drive) motor (2 Units)		1.068 €
TQS2-230EU***	Lutron Sivoia QS 230V transformer, Europe Power Plug (2 Units)		312 €
TQS2-230UK***	Lutron Sivoia QS 230V transformer., UK Power Plug (2 Units)		312 €
TQS2-110US***	Lutron Sivoia QS 110V transformer., US Power Plug (2 Units)		312 €

***Reduced margin options

Lutron motor is available on screens up to 160" wide and a Lutron control system is required.

Full closure lateral masking. Available on screens up to 160" wide.

Requires specification of Lutron Motor option and AT masking. Requires Lutron control system.

ACCESSORIES	DESCRIPTION	PRICE
MCS-ILT-T	ILT setting TOOL for set limits motor	100 €

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
TM2	One Pair (2) of T-Mount Legs - for all models	699 €

Fixed Frame Screen with Masking Reference X-Mask 4-Way X4R

SCREEN RESEARCH™



- ✓ Achievable Masked Image Ratios: 1.33:1 to 2.76:1
- ✓ Flush housing design with handcrafted velour frame finish
- ✓ 4-way precision masking system with THX-certified acoustically transparent masks
- ✓ 4 independent Somfy® ILT high precision positioning motors – bus driven
- ✓ 8 Presets (MCS) or 20 Presets (Crestron Module)
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Remote control and Interface not included (see page 54)

Screen ILT2
somfy
powered

CERTIFIED
CRESTRON
Integrated Partner

16:9 1.78:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
X4R-80-178-	80	2032	91,8	2331	44,9	1142	5 w	12.023	11.553	11.450	10.450	10.150
X4R-90-178-	90	2286	103,3	2623	50,6	1285	5 w	13.872	13.305	12.990	11.990	11.690
X4R-96-178-	96	2438	110,2	2797	53,9	1370	5 w	14.282	13.652	13.200	12.200	11.900
X4R-100-178-	100	2540	114,8	2914	56,2	1427	5 w	14.670	13.997	13.450	12.450	12.150
X4R-110-178-	110	2794	126,2	3205	61,8	1570	5 w	16.577	15.789	14.990	13.990	13.690
X4R-120-178-	120	3048	137,7	3497	67,4	1713	5 w	17.433	16.521	15.450	14.450	14.150
X4R-130-178-	130	3302	149,2	3788	73,0	1856	6 w	19.858	18.812	17.450	16.450	16.150
X4R-140-178-	140	3556	160,6	4079	78,7	1998	6 w	20.852	19.664	17.990	16.990	16.690
X4R-150-178-	150	3810	172,1	4371	84,3	2141	6 w	23.795	22.455	20.450	NA	19.150
X4R-160-178-	160	4064	183,6	4662	89,9	2284	6 w	24.846	23.346	20.990	NA	19.690

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Larger sizes available: See Online Configurator and Screen Fabric Table (below) for availability.
Intermediate screen sizes are priced at the next largest standard screen size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION	Gain	THX	isf	Acoustically Transparent	MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	160"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	206"	NA
D	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	206"	NA
	M3W	MultiPix 4K White	1.35		✓		70"	140"	NA
E	M3G	MultiPix 4K Grey	1.3		✓		70"	140"	NA
	S1W	SolidPix White	1.0		✓		70"	160"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	280"

** Includes StopLight black backing.

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
LEATHER***	2.281 €	2.483 €	2.512 €	2.497 €	2.674 €	2.843 €	3.000 €	3.141 €	3.262 €	3.359 €
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €	-411 €	-469 €	-532 €	-601 €

***Reduced margin options

Upholstered Leather frame. Available in a range of 34 colors. Maximum 160" image width.


MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-ILT-4	Control system for 4 ILT motors - 8 Presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IR	Control system for 4 ILT motors - 8 Presets For IR technology	875 €
MCS-ILT-4-IP	Control system for 4 ILT motors - 8 Presets For TCP/IP technology	1.075 €
C2N-SSC-2	Crestron Module Interface 20 Presets - No MCS required	See Crestron

ACCESSORIES	DESCRIPTION	PRICE
MCS-ILT-T	ILT setting TOOL for set limits motor	100 €

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
TM2	One Pair (2) of T-Mount Legs - for all models	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame Screen with Masking Reference X-Mask 4-Way X4R



- ✓ Achievable Masked Image Ratios: 1.33:1 to 2.76:1
- ✓ Flush housing design with handcrafted velour frame finish
- ✓ 4-way precision masking system with THX-certified acoustically transparent masks
- ✓ 4 independent Somfy® ILT high precision positioning motors – bus driven
- ✓ 8 Presets (MCS) or 20 Presets (Crestron Module)
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Remote control and Interface not included (see page 54)



2.00:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
X4R-80-200-	80	2032	89,4	2272	40,0	1016	5 w	12.023	11.553	11.450	10.450	10.150
X4R-90-200-	90	2286	100,6	2556	45,0	1143	5 w	13.872	13.305	12.990	11.990	11.690
X4R-96-200-	96	2438	107,3	2726	48,0	1219	5 w	14.282	13.652	13.200	12.200	11.900
X4R-100-200-	100	2540	111,8	2840	50,0	1270	5 w	14.670	13.997	13.450	12.450	12.150
X4R-110-200-	110	2794	123,0	3124	55,0	1397	5 w	16.577	15.789	14.990	13.990	13.690
X4R-120-200-	120	3048	134,2	3408	60,0	1524	5 w	17.433	16.521	15.450	14.450	14.150
X4R-130-200-	130	3302	145,3	3692	65,0	1651	6 w	19.858	18.812	17.450	16.450	16.150
X4R-140-200-	140	3556	156,5	3976	70,0	1778	6 w	20.852	19.664	17.990	16.990	16.690
X4R-150-200-	150	3810	167,7	4260	75,0	1905	6 w	23.795	22.455	20.450	19.450	19.150
X4R-160-200-	160	4064	178,9	4544	80,0	2032	6 w	24.846	23.346	20.990	19.990	19.690

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Larger sizes available: See Online Configurator and Screen Fabric Table (below) for availability.
Intermediate screen sizes are priced at the next largest standard screen size

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION	Gain	THX	isf	Acoustically Transparent	MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	180"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	150"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	230"	NA
D	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	230"	NA
	M3W	MultiPix 4K White	1.35		✓		70"	150"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	150"	NA
E	S1W	SolidPix White	1.0		✓		70"	170"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	170"	280"

** Includes StopLight black backing.

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
LEATHER***	2.281 €	2.483 €	2.512 €	2.497 €	2.674 €	2.843 €	3.000 €	3.141 €	3.262 €	3.359 €
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €	-411 €	-469 €	-532 €	-601 €

***Reduced margin options

Upholstered Leather frame. Available in a range of 34 colors. Maximum 160" image width.


MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-ILT-4	Control system for 4 ILT motors - 8 Presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IR	Control system for 4 ILT motors - 8 Presets For IR technology	875 €
MCS-ILT-4-IP	Control system for 4 ILT motors - 8 Presets For TCP/IP technology	1.075 €
C2N-SSC-2	Crestron Module Interface 20 Presets – No MCS required	See Crestron

ACCESSORIES	DESCRIPTION	PRICE
MCS-ILT-T	ILT setting TOOL for set limits motor	100 €

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
TM2	One Pair (2) of T-Mount Legs – for all models	699 €

Fixed Frame Screen with Masking Reference X-Mask 4-Way X4R

SCREEN RESEARCH™



- ✓ Achievable Masked Image Ratios: 1.33:1 to 2.76:1
- ✓ Flush housing design with handcrafted velour frame finish
- ✓ 4-way precision masking system with THX-certified acoustically transparent masks
- ✓ 4 independent Somfy® ILT high precision positioning motors – bus driven
- ✓ 8 Presets (MCS) or 20 Presets (Crestron Module)
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Remote control and Interface not included (see page 54)



2.40:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
X4R-80-240-	80	2032	86,7	2201	33,3	847	5 w	12.023	11.553	11.450	10.450	10.150
X4R-90-240-	90	2286	97,5	2477	37,5	953	5 w	13.872	13.305	12.990	11.990	11.690
X4R-96-240-	96	2438	104,0	2642	40,0	1016	5 w	14.282	13.652	13.200	12.200	11.900
X4R-100-240-	100	2540	108,3	2752	41,7	1058	5 w	14.670	13.997	13.450	12.450	12.150
X4R-110-240-	110	2794	119,2	3027	45,8	1164	5 w	16.577	15.789	14.990	13.990	13.690
X4R-120-240-	120	3048	130,0	3302	50,0	1270	5 w	17.433	16.521	15.450	14.450	14.150
X4R-130-240-	130	3302	140,8	3577	54,2	1376	6 w	19.858	18.812	17.450	16.450	16.150
X4R-140-240-	140	3556	151,7	3852	58,3	1482	6 w	20.852	19.664	17.990	16.990	16.690
X4R-150-240-	150	3810	162,5	4128	62,5	1588	6 w	23.795	22.455	20.450	19.450	19.150
X4R-160-240-	160	4064	173,3	4403	66,7	1693	6 w	24.846	23.346	20.990	19.990	19.690

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Larger sizes available: See Online Configurator and Screen Fabric Table (below) for availability.
Intermediate screen sizes are priced at the next largest standard screen size

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION	Gain	THX	isf	Acoustically Transparent	MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	220"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	180"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	270"	NA
D	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	270"	NA
	M3W	MultiPix 4K White	1.35		✓		70"	180"	NA
E	M3G	MultiPix 4K Grey	1.3		✓		70"	180"	NA
	S1W	SolidPix White	1.0		✓		70"	210"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	210"	280"

** Includes StopLight black backing.

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
LEATHER***	2.281 €	2.483 €	2.512 €	2.497 €	2.674 €	2.843 €	3.000 €	3.141 €	3.262 €	3.359 €
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €	-479 €	-541 €

***Reduced margin options

Upholstered Leather frame. Available in a range of 34 colors. Maximum 160" image width.

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-ILT-4	Control system for 4 ILT motors - 8 Presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IR	Control system for 4 ILT motors - 8 Presets For IR technology	875 €
MCS-ILT-4-IP	Control system for 4 ILT motors - 8 Presets For TCP/IP technology	1.075 €
C2N-SSC-2	Crestron Module Interface 20 Presets - No MCS required	See Crestron

ACCESSORIES	DESCRIPTION	PRICE
MCS-ILT-T	ILT setting TOOL for set limits motor	100 €

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
TM2	One Pair (2) of T-Mount Legs - for all models	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame Screen with Masking Reference X-Mask Top-Bottom XTR

SCREEN RESEARCH™



- ✓ Achievable Masked Image Ratios: 1.78:1 to 2.76:1
- ✓ Flush housing design with handcrafted velour frame finish
- ✓ 2-way precision masking system with THX-certified acoustically transparent masks
- ✓ 2 independent Somfy® ILT high precision positioning motors – bus driven
- ✓ 8 Presets (MCS) or 20 Presets (Crestron Module)
- ✓ QuietGlide™ motor mounting and masking guidance system
- ✓ SlimFrame™ low profile, easy-mount frame design
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Remote control and Interface not included (see page 54)

Screen ILT2
powered by
somfy

CERTIFIED
CRESTRON
Integrated Partner

LUTRON

16:9 1.78:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
XTR-80-178-	80	2032	91,8	2331	44,9	1142	4 w	9.673	9.203	8.916	8.221	7.800
XTR-90-178-	90	2286	103,3	2623	50,6	1285	4 w	10.906	10.339	10.024	9.214	8.724
XTR-96-178-	96	2438	110,2	2797	53,9	1370	4 w	11.453	10.823	10.481	9.603	9.071
XTR-100-178-	100	2540	114,8	2914	56,2	1427	4 w	11.796	11.123	10.784	9.845	9.276
XTR-110-178-	110	2794	126,2	3205	61,8	1570	4 w	13.114	12.326	11.969	10.884	10.227
XTR-120-178-	120	3048	137,7	3497	67,4	1713	4 w	14.484	13.572	13.204	11.957	11.201
XTR-130-178-	130	3302	149,2	3788	73,0	1856	6 w	16.212	15.166	14.798	13.370	12.504
XTR-140-178-	140	3556	160,6	4079	78,7	1998	6 w	18.051	16.863	16.504	14.876	13.889
XTR-150-178-	150	3810	172,1	4371	84,3	2141	6 w	19.995	18.655	18.317	NA	15.350
XTR-160-178-	160	4064	183,6	4662	89,9	2284	6 w	21.179	19.679	18.990	NA	16.023

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Larger sizes available: See Online Configurator and Screen Fabric Table (below) for availability.
Intermediate screen sizes are priced at the next largest standard screen size

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION	Gain	IHX	isf	Acoustically Transparent	MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	160"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	206"	NA
D	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	206"	NA
	M3W	MultiPix 4K White	1.35		✓		70"	140"	NA
E	M3G	MultiPix 4K Grey	1.3		✓		70"	140"	NA
	S1W	SolidPix White	1.0		✓		70"	160"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	280"

** Includes StopLight black backing.

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
LEATHER***	2.281 €	2.483 €	2.512 €	2.497 €	2.674 €	2.843 €	3.000 €	3.141 €	3.262 €	3.359 €
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €	-411 €	-469 €	-532 €	-601 €

Upholstered Leather frame. Available in a range of 34 colors. Maximum 160" image width.

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-ILT-4	Control system for 4 ILT motors - 8 Presets	For RS232 and RS485 technology 575 €
MCS-ILT-4-IR	Control system for 4 ILT motors - 8 Presets	For IR technology 875 €
MCS-ILT-4-IP	Control system for 4 ILT motors - 8 Presets	For TCP/IP technology 1.075 €
C2N-SSC-2	Crestron Module Interface	20 Presets - No MCS required See Crestron
QED2***	Lutron Sivoia QED (Quiet Electronic Drive) motor (2 Units)	1.068 €
TQED2-230EU***	Lutron Sivoia QED 230V transformer, Europe Power Plug (2 Units)	312 €
TQED2-230UK***	Lutron Sivoia QED 230V transformer., UK Power Plug (2 Units)	312 €
TQED2-110US***	Lutron Sivoia QED 110V transformer., US Power Plug (2 Units)	312 €
QS2***	Lutron Sivoia QS (Quiet Electronic Drive) motor (2 Units)	1.068 €
TQS2-230EU***	Lutron Sivoia QS 230V transformer, Europe Power Plug (2 Units)	312 €
TQS2-230UK***	Lutron Sivoia QS 230V transformer., UK Power Plug (2 Units)	312 €
TQS2-110US***	Lutron Sivoia QS 110V transformer., US Power Plug (2 Units)	312 €

***Reduced margin options

Lutron Motor Available on screens up to 160" wide. Requires.

Requires specification of Lutron Motor option and AT masking. Requires Lutron control system.

ACCESSORIES	DESCRIPTION	PRICE
MCS-ILT-T	ILT setting TOOL for set limits motor	100 €

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
TM2	One Pair (2) of T-Mount Legs – for all models	699 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame Screen with Masking Reference X-Mask Lateral XLR



- ✓ Achievable Masked Image Ratios: 1.33:1 to 2.40:1
- ✓ 2-way precision lateral masking with THX-certified acoustically transparent masks
- ✓ 2 independent Somfy® ILT high precision positioning motors – bus driven
- ✓ 8 Presets (MCS) or 20 Presets (Crestron Module)
- ✓ QuietGlide™ motor mounting and masking guidance system
- ✓ Patented Pi-Grip™ fabric attachment system
- ✓ Ideal for projectors with anamorphic technologies
- ✓ Remote control and Interface not included (see page 54)



2.40:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
XLR-80-240-	80	2032	86,7	2201	33,3	847	4 w	9.673	9.203	8.916	8.221	7.800
XLR-90-240-	90	2286	97,5	2477	37,5	953	4 w	10.906	10.339	10.024	9.214	8.724
XLR-96-240-	96	2438	104,0	2642	40,0	1016	4 w	11.453	10.823	10.481	9.603	9.071
XLR-100-240-	100	2540	108,3	2752	41,7	1058	4 w	11.796	11.123	10.784	9.845	9.276
XLR-110-240-	110	2794	119,2	3027	45,8	1164	4 w	13.114	12.326	11.969	10.884	10.227
XLR-120-240-	120	3048	130,0	3302	50,0	1270	4 w	14.484	13.572	13.204	11.957	11.201
XLR-130-240-	130	3302	140,8	3577	54,2	1376	6 w	16.212	15.166	14.798	13.370	12.504
XLR-140-240-	140	3556	151,7	3852	58,3	1482	6 w	18.051	16.863	16.504	14.876	13.889
XLR-150-240-	150	3810	162,5	4128	62,5	1588	6 w	19.995	18.655	18.317	16.470	15.350
XLR-160-240-	160	4064	173,3	4403	66,7	1693	6 w	21.179	19.679	18.990	17.343	16.023
XLR-170-240-	170	4318	184,2	4678	70,8	1799	8 w	22.607	21.307	20.990	18.990	18.090
XLR-180-240-	180	4572	195,0	4953	75,0	1905	8 w	24.040	22.604	21.990	20.990	19.090
XLR-190-240-	190	4826	205,8	5228	79,2	2011	8 w	25.998	24.419	23.450	22.450	20.550
XLR-200-240-	200	5080	216,7	5503	83,3	2117	8 w	27.014	25.286	23.990	NA	21.090
XLR-210-240-	210	5334	227,5	5779	87,5	2223	8 w	28.511	26.627	24.990	NA	22.090

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks. Intermediate screen sizes are priced at the next largest standard screen size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION	Gain	THX	isf	Acoustically Transparent	MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	280"	NA
B	3D	SilverPix 3D Silver	2.5				70"	280"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	220"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	180"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	270"	NA
D	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	270"	NA
	M3W	MultiPix 4K White	1.35		✓		70"	180"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	180"	NA
E	S1W	SolidPix White	1.0		✓		70"	210"	280"
	S2G	SolidPix 2 Grey	0.9		✓		70"	210"	280"

** Includes StopLight black backing.

Options, Accessories and Control

FINISHING	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Leather housing finishing ***LEATHER	2.281 €	2.483 €	2.512 €	2.497 €	2.674 €	2.843 €	3.000 €	3.141 €	3.262 €	3.359 €
Full closure mask ***FCLOSE	1.357 €	1.499 €	1.541 €	1.558 €	1.699 €	1.842 €	1.984 €	2.124 €	2.259 €	2.388 €
Decor mask ***DECO	1.967 €	2.157 €	2.199 €	2.205 €	2.383 €	2.558 €	2.727 €	2.887 €	3.035 €	3.165 €

Leather: Upholstered Leather frame. Available in a range of 34 colors. Maximum 160" image width.

Full closure lateral masking: Available on screens up to 160" wide. Requires specification of Lutron Motor option and AT masking. Requires Lutron control system.

Deco: Image-printed full screen vertical mask. Available on screens up to 160" wide. For optimal printing provide the image file of 100Dpi in real print output dimension and in CMYK (EPS Photoshop file, EPS Illustrator file, TIF, JPG or PDF)

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €
BLACK BACKING REMOVAL	For 150"	For 160"	For 170"	For 180"	For 190"	For 200"	For 210"	
Removal of StopLight black backing	-479 €	-541 €	-608 €	-680 €	-757 €	-839 €	-966 €	

Fixed Frame Screen with Masking Reference X-Mask Lateral XLR

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-ILT-4	Control system for 4 ILT motors - 8 Presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IR	Control system for 4 ILT motors - 8 Presets For IR technology	875 €
MCS-ILT-4-IP	Control system for 4 ILT motors - 8 Presets For TCP/IP technology	1.075 €
C2N-SSC-2	Crestron Module Interface 20 Presets – No MCS required	See Crestron
QED2***	Lutron Sivoia QED (Quiet Electronic Drive) motor (2 Units)	1.068 €
TQED2-230EU***	Lutron Sivoia QED 230V transformer, Europe Power Plug (2 Units)	312 €
TQED2-230UK***	Lutron Sivoia QED 230V transformer., UK Power Plug (2 Units)	312 €
TQED2-110US***	Lutron Sivoia QED 110V transformer., US Power Plug (2 Units)	312 €
QS2***	Lutron Sivoia QS (Quiet Electronic Drive) motor (2 Units)	1.068 €
TQS2-230EU***	Lutron Sivoia QS 230V transformer, Europe Power Plug (2 Units)	312 €
TQS2-230UK***	Lutron Sivoia QS 230V transformer., UK Power Plug (2 Units)	312 €
TQS2-110US***	Lutron Sivoia QS 110V transformer., US Power Plug (2 Units)	312 €

***Reduced margin options

Lutron Motor Available on screens up to 160"wide. Requires Lutron control system. Requires specification of MCS-LIT-4 motor control system. Not available with Lutron

ACCESSORIES	DESCRIPTION	PRICE
MCS-ILT-T	ILT setting TOOL for set limits motor	100 €

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
TM2	One Pair (2) of T-Mount Legs – for all models	699 €

Fixed Frame Screen with Masking Supreme E-Mask Top-Bottom ETC

SCREEN RESEARCH



- ✓ Achievable masked image ratios: 1.78:1 to 2.76:1
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Small gap between the mask and the fabric, to prevent shadow effect
- ✓ Easy installation
- ✓ 2 independent Somfy® ILT high precision positioning motors – bus driven
- ✓ Remote control and Interface not included (see page 54)

Screen ILT2



16:9 1.78:1

Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
ETC-80-178-	80	2032	91,8	2331	44,9	1142	2 w	6.262	5.792	5.124	4.704	4.389
ETC-90-178-	90	2286	103,3	2623	50,6	1285	2 w	6.821	6.254	5.374	4.954	4.639
ETC-96-178-	96	2438	110,2	2797	53,9	1370	2 w	7.271	6.641	5.624	5.204	4.889
ETC-100-178-	100	2540	114,8	2914	56,2	1427	2 w	7.650	6.977	5.865	5.445	5.130
ETC-110-178-	110	2794	126,2	3205	61,8	1570	2 w	8.326	7.538	6.174	5.754	5.439
ETC-120-178-	120	3048	137,7	3497	67,4	1713	2 w	11.413	10.501	8.865	8.445	6.504

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Intermediate screen sizes are priced at the next largest standard screen size

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION	Gain	IHX	tsj	Acoustically Transparent	MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	120"	NA
B	3D	SilverPix 3D Silver	2.5				70"	120"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	120"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	120"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	120"	NA
D	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	120"	NA
	M3W	MultiPix 4K White	1.35		✓		70"	120"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	120"	NA
E	PPW	SolidPix Sonic White	0.9	✓		✓	70"	120"	NA
	S1W	SolidPix White	1.0	✓			70"	120"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	120"	NA

** Includes StopLight black backing.

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-200 €	-233 €	-253 €	-270 €	-312 €	-359 €	-411 €	-469 €	-532 €	-601 €

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-ILT-4	Control system for 4 ILT motors - 8 Presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IR	Control system for 4 ILT motors - 8 Presets For IR technology	875 €
MCS-ILT-4-IP	Control system for 4 ILT motors - 8 Presets For TCP/IP technology	1.075 €
C2N-SSC-2	Crestron Module Interface 20 Presets – No MCS required	See Crestron

BRACKETS AND MOUNTING	DESCRIPTION	PRICE
E-EMB2	One Pair (2) of Wall Mount bracket – for all models	40 €
F-RWMB1	Four Rear Wall Mounting Brackets Size 1 (10" Offset)	237 €
F-RWMB2	Four Rear Wall Mounting Brackets Size 2 (15" Offset)	289 €
TM2	One Pair (2) of T-Mount Legs – for all models	699 €

ACCESSORIES	DESCRIPTION	PRICE
MCS-ILT-T	ILT setting TOOL for set limits motor	100 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Fixed Frame Screen with Masking Supreme E-Mask Lateral EL1C

SCREEN RESEARCH™



- ✓ Achievable masked image ratios: 1.33:1 to 2.40:1
- ✓ E-Grip fabric attachment system for constant tensioning of the surface
- ✓ Small gap between the mask and the fabric, to prevent shadow effect
- ✓ Easy installation
- ✓ 2 independent Somfy® ILT high precision positioning motors – bus driven
- ✓ Remote control and Interface not included (see page 54)



2.40:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR				
	Inches	mm	Inches	mm	Inches	mm		A	B	C	D	E
EL1C-80-240-	80	2032	86,7	2201	33,3	847	2 w	5.976	5.596	5.124	4.704	4.389
EL1C-90-240-	90	2286	97,5	2477	37,5	953	2 w	6.466	6.011	5.374	4.954	4.639
EL1C-96-240-	96	2438	104,0	2642	40,0	1016	2 w	6.870	6.366	5.624	5.204	4.889
EL1C-100-240-	100	2540	108,3	2752	41,7	1058	2 w	7.218	6.681	5.865	5.445	5.130
EL1C-110-240-	110	2794	119,2	3027	45,8	1164	2 w	7.810	7.184	6.174	5.754	5.439
EL1C-120-240-	120	3048	130,0	3302	50,0	1270	2 w	10.805	10.083	8.865	8.445	6.504
EL1C-130-240-	130	3302	140,8	3577	54,2	1376	2 w	12.130	11.307	9.865	9.445	7.304
EL1C-140-240-	140	3556	151,7	3852	58,3	1482	2 w	12.937	12.005	10.325	9.905	7.672

Attention: The manufacturing lead time for screens with SilverPix is 8 weeks
Intermediate screen sizes are priced at the next biggest standard size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	3DS	SilverPix 3D Sonic Silver	2.4			✓	70"	140"	NA
B	3D	SilverPix 3D Silver	2.5				70"	140"	NA
C	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	140"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	140"	NA
D	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	140"	NA
	M3W	MultiPix 4K White	1.35			✓	70"	140"	NA
	M3G	MultiPix 4K Grey	1.3			✓	70"	140"	NA
E	PPW	SolidPix Sonic White	0.9		✓	✓	70"	140"	NA
	S1W	SolidPix White	1.0		✓		70"	140"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	140"	NA

** Includes StopLight black backing

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-180 €	-210 €	-228 €	-243 €	-281 €	-323 €	-370 €	-422 €	-479 €	-541 €

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-ILT-4	Control system for 4 ILT motors - 8 Presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IR	Control system for 4 ILT motors - 8 Presets For IR technology	875 €
MCS-ILT-4-IP	Control system for 4 ILT motors - 8 Presets For TCP/IP technology	1.075 €
C2N-SSC-2	Crestron Module Interface 20 Presets - No MCS required	See Crestron


BRACKETS AND MOUNTING	DESCRIPTION	PRICE
E-EMB2	One Pair (2) of Wall Mount bracket - for all models	40 €
F-RWMB1	Four Rear Wall Mounting Brackets Size 1 (10" Offset)	237 €
F-RWMB2	Four Rear Wall Mounting Brackets Size 2 (15" Offset)	289 €
TM2	One Pair (2) of T-Mount Legs - for all models	699 €

ACCESSORIES	DESCRIPTION	PRICE
MCS-ILT-T	ILT setting TOOL for set limits motor	100 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

On-Ceiling Motorized Screen Supreme 2 MS2

SCREEN RESEARCH™



- ✓ Patented TFX™ Floating Tab-tensioning standard for all screens
- ✓ Choice of white or black casing
- ✓ Ceiling-/wall-mount brackets included
- ✓ Casing size varies with screen width and fabric choice. See Configurator for details
- ✓ Smooth, quiet and durable operation with thermal overload protection



16:9 1.78:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz
- ✓ Available with motor 100V 50/60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
MS2-80-178-	80	2032	91,8	2331	44,9	1142	3 w	3.397	2.775	2.415
MS2-90-178-	90	2286	103,3	2623	50,6	1285	3 w	3.888	3.159	2.740
MS2-96-178-	96	2438	110,2	2797	53,9	1370	3 w	4.144	3.348	2.893
MS2-100-178-	100	2540	114,8	2914	56,2	1427	3 w	4.350	3.495	3.008
MS2-110-178-	110	2794	126,2	3205	61,8	1570	3 w	4.931	3.938	3.376
MS2-120-178-	120	3048	137,7	3497	67,4	1713	3 w	5.564	4.416	3.769
MS2-130-178-	130	3302	149,2	3788	73,0	1856	5 w	6.249	4.926	4.187
MS2-140-178-	140	3556	160,6	4079	78,7	1998	5 w	6.985	5.764	4.920
MS2-150-178-	150	3810	172,1	4371	84,3	2141	5 w	7.770	6.357	5.417
MS2-160-178-	160	4064	183,6	4662	89,9	2284	5 w	8.602	6.972	5.932

Intermediate screen sizes are priced at the next biggest standard size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	120"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	160"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	160"	NA
B	M3W	MultiPix 4K White	1.35		✓		70"	140"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	140"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	70"	160"	NA
C	S1W	SolidPix White	1.0		✓		70"	160"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	NA

** Includes StopLight black backing.

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-320 €	-373 €	-404 €	-432 €	-499 €	-574 €	-658 €	-750 €	-851 €	-962 €

FINISH OPTIONS	DESCRIPTION	PRICE
RR	Reverse Roll: inverted roller and fabric mounting	MSRP x 6%***
ED10	Extra 10" screen drop.	MSRP x 6%***
ED20*	Extra 20" screen drop.	MSRP x 12%***

*Casing length may change with the specifications of ED20: Please refer to the Configurator for details. Casing size for Standard Drop and ED10 are the same.

***Premium for RR, ED10 and ED20 is taken as a percentage of the MSRP of the screen model price as specified is Category A fabric.

Extra Drop may require a seam: any seams required are positioned in the black drop only, not in the screen surface.

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-N-12V	Control System for 1 Motor - 12V trigger	MCS-N 209 €
MCS-N-RF	Control System for 1 Motor - Radio Frequency	MCS-N + MCS-RFN 309 €
MCS-N-RS232	Control System for 1 Motor - RS232	MCS N RS232 349 €
MCS-1-IR	Control System for 1 Motor - Infrared	MCS-310 + MCS-IR1 + MCS-BIE 358 €
MCS-1-IP	Control System for 1 Motor - TCP/IP	MCS-310 + MCS-SIP + MCS-BRS 715 €
QED1****	Lutron Sivoia QED (Quiet Electronic Drive) motor (1 Unit)	534 €
TQED1-230EU****	Lutron Sivoia QED 230V transformer, Europe Power Plug (1 Unit)	156 €
TQED1-230UK****	Lutron Sivoia QED 230V transformer., UK Power Plug (1 Unit)	156 €
TQED1-110US****	Lutron Sivoia QED 110V transformer., US Power Plug (1 Unit)	156 €
QS1****	Lutron Sivoia QS (Quiet Electronic Drive) motor (1 Unit)	534 €
TQS1-230EU****	Lutron Sivoia QS 230V transformer, Europe Power Plug (1 Unit)	156 €
TQS1-230UK****	Lutron Sivoia QS 230V transformer., UK Power Plug (1 Unit)	156 €
TQS1-110US****	Lutron Sivoia QS 110V transformer., US Power Plug (1 Unit)	156 €

****Reduced margin options

Lutron Motor Available on screens up to 110" wide. Requires Lutron control system.


Tab-tensioning weight bar standard in black. Wire exists at rear, top left and corner of casing.

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Retail Price List in EUR, Version 02/2014

On-Ceiling Motorized Screen Supreme 2 MS2

SCREEN RESEARCH™



- ✓ Patented TFX™ Floating Tab-tensioning standard for all screens
- ✓ Choice of white or black casing
- ✓ Ceiling-/wall-mount brackets included
- ✓ Casing size varies with screen width and fabric choice. See Configurator for details
- ✓ Smooth, quiet and durable operation with thermal overload protection



2.35:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz
- ✓ Available with motor 100V 50/60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
MS2-80-235-	80	2032	86,9	2208	34,0	865	3 w	3.397	2.775	2.415
MS2-90-235-	90	2286	97,8	2484	38,3	973	3 w	3.888	3.159	2.740
MS2-96-235-	96	2438	104,3	2650	40,9	1038	3 w	4.144	3.348	2.893
MS2-100-235-	100	2540	108,7	2760	42,6	1081	3 w	4.350	3.495	3.008
MS2-110-235-	110	2794	119,5	3036	46,8	1189	3 w	4.931	3.938	3.376
MS2-120-235-	120	3048	130,4	3312	51,1	1297	3 w	5.564	4.416	3.769
MS2-130-235-	130	3302	141,3	3589	55,3	1405	5 w	6.249	4.926	4.187
MS2-140-235-	140	3556	152,1	3865	59,6	1513	5 w	6.985	5.764	4.920
MS2-150-235-	150	3810	163,0	4141	63,8	1621	5 w	7.770	6.357	5.417
MS2-160-235-	160	4064	173,9	4417	68,1	1729	5 w	8.602	6.972	5.932

Intermediate screen sizes are priced at the next biggest standard size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION	Gain	IHX	tsf	Acoustically Transparent	MIN	MAX	MAX with welding
A	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	140"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	160"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	160"	NA
B	M3W	MultiPix 4K White	1.35		✓		70"	160"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	160"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	70"	160"	NA
C	S1W	SolidPix White	1.0		✓		70"	160"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	NA

** Includes StopLight black backing.

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-288 €	-336 €	-364 €	-389 €	-450 €	-517 €	-592 €	-675 €	-766 €	-865 €

FINISH OPTIONS	DESCRIPTION	PRICE
RR	Reverse Roll: inverted roller and fabric mounting	MSRP x 6%***
ED10	Extra 10" screen drop.	MSRP x 6%***
ED20*	Extra 20" screen drop.	MSRP x 12%***

* Casing length may change with the specifications of ED20: Please refer to the Configurator for details. Casing size for Standard Drop and ED10 are the same.

***Premium for RR, ED10 and ED20 is taken as a percentage of the MSRP of the screen model price as specified is Category A fabric.

Extra Drop may require a seam: any seams required are positioned in the black drop only, not in the screen surface.

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-N-12V	Control System for 1 Motor - 12V trigger	MCS-N 209 €
MCS-N-RF	Control System for 1 Motor - Radio Frequency	MCS-N + MCS-RFN 309 €
MCS-N-RS232	Control System for 1 Motor - RS232	MCS N RS232 349 €
MCS-1-IR	Control System for 1 Motor - Infrared	MCS-310 + MCS-IR1 + MCS-BIE 358 €
MCS-1-IP	Control System for 1 Motor - TCP/IP	MCS-310 + MCS-SIP + MCS-BRS 715 €
QED1****	Lutron Sivoia QED (Quiet Electronic Drive) motor (1 Unit)	534 €
TQED1-230EU****	Lutron Sivoia QED 230V transformer, Europe Power Plug (1 Unit)	156 €
TQED1-230UK****	Lutron Sivoia QED 230V transformer., UK Power Plug (1 Unit)	156 €
TQED1-110US****	Lutron Sivoia QED 110V transformer., US Power Plug (1 Unit)	156 €
QS1****	Lutron Sivoia QS (Quiet Electronic Drive) motor (1 Unit)	534 €
TQS1-230EU****	Lutron Sivoia QS 230V transformer, Europe Power Plug (1 Unit)	156 €
TQS1-230UK****	Lutron Sivoia QS 230V transformer., UK Power Plug (1 Unit)	156 €
TQS1-110US****	Lutron Sivoia QS 110V transformer., US Power Plug (1 Unit)	156 €

****Reduced margin options


Lutron Motor Available on screens up to 110" wide. Requires Lutron control system.

Tab-tensioning weight bar standard in black. Wire exists at rear, top left and corner of casing.

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

On-Ceiling Motorized Screen with Masking Supreme 2 4-Way MMS2-4

**SCREEN
RESEARCH™**



- ✓ Achievable Masked Image Ratios: 1.33:1 and 1.78:1 to 2.76:1
- ✓ Patented TFX™ Floating Tab-tensioning standard
- ✓ 4-way precision masking system with THX-certified acoustically transparent masks
- ✓ 3 independent Somfy® ILT high precision positioning motors – bus driven
- ✓ 8 Presets (MCS) or 20 Presets (Crestron Module)
- ✓ Choice of white or black casing with ceiling-mount brackets included
- ✓ Smooth, quiet and durable operation with thermal overload protection
- ✓ Remote control and Interface not included (see page 55)

Screen ILT2
somfy
powered

CERTIFIED
CRESTRON
Integrated Partner

LUTRON

**16:9 1.78:1
Native Image Ratio**

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
MMS2-4-80-178-	80	2032	91.8	2331	44.9	1142	6 w	6.978	6.500	6.086
MMS2-4-90-178-	90	2286	103.3	2623	50.6	1285	6 w	7.893	7.322	6.839
MMS2-4-96-178-	96	2438	110.2	2797	53.9	1370	6 w	8.311	7.676	7.152
MMS2-4-100-178-	100	2540	114.8	2914	56.2	1427	6 w	8.619	7.924	7.364
MMS2-4-110-178-	110	2794	126.2	3205	61.8	1570	6 w	9.652	8.830	8.184

Intermediate screen sizes are priced at the next biggest standard size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	110"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	110"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	110"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	110"	NA
B	M3W	MultiPix 4K White	1.35		✓		70"	110"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	110"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	70"	110"	NA
C	S1W	SolidPix White	1.0		✓		70"	110"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	110"	NA

** Includes StopLight black backing.

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-320 €	-373 €	-404 €	-432 €	-499 €	-574 €	-658 €	-750 €	-851 €	-962 €

FINISH OPTIONS	DESCRIPTION	PRICE
ED10	Extra 10" screen drop.	MSRP x 6%***
ED20**	Extra 20" screen drop.	MSRP x 12%***

***Premium for RR, ED10 and ED20 is taken as a percentage of the MSRP of the screen model price as specified is Category A fabric.
Extra Drop may require a seam: any seams required are positioned in the black drop only, not in the screen surface.

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-ILT-4	Control system for 4 ILT motors - 8 Presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IR	Control system for 4 ILT motors - 8 Presets For IR technology	875 €
MCS-ILT-4-IP	Control system for 4 ILT motors - 8 Presets For TCP/IP technology	1.075 €
C2N-SSC-2	Crestron Module Interface 20 Presets - No MCS required	See Crestron
QED3****	Lutron Sivoia QED (Quiet Electronic Drive) motor (3 Units)	1.602 €
TQED3-230EU****	Lutron Sivoia QED 230V transformer, Europe Power Plug (3 Units)	468 €
TQED3-230UK****	Lutron Sivoia QED 230V transformer., UK Power Plug (3 Units)	468 €
TQED3-110US****	Lutron Sivoia QED 110V transformer., US Power Plug (3 Units)	468 €
QS3****	Lutron Sivoia QS (Quiet Electronic Drive) motor (3 Units)	1.602 €
TQS3-230EU****	Lutron Sivoia QS 230V transformer, Europe Power Plug (3 Units)	468 €
TQS3-230UK****	Lutron Sivoia QS 230V transformer., UK Power Plug (3 Units)	468 €
TQS3-110US****	Lutron Sivoia QS 110V transformer., US Power Plug (3 Units)	468 €

****Reduced margin options


Lutron Motor Available on screens up to 110" wide. Requires Lutron control system.

ACCESSORIES	DESCRIPTION	PRICE
MCS-ILT-T	ILT setting TOOL for set limits motor	100 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

On-Ceiling Motorized Screen with Masking Supreme 2 Top MMS2-T

SCREEN RESEARCH™



- ✓ Achievable Masked Image Ratios: 1.78:1 to 2.76:1
- ✓ Patented TFX™ Floating Tab-tensioning standard for all screens
- ✓ Precision masking system with THX-certified acoustically transparent masks
- ✓ 2 independent Somfy® ILT high precision positioning motors – bus driven
- ✓ 8 Presets (MCS) or 20 Presets (Crestron Module)
- ✓ Choice of white or black casing with ceiling-mount brackets included
- ✓ Casing size varies with screen width and fabric choice. See Configurator for details
- ✓ Smooth, quiet and durable operation with thermal overload protection
- ✓ Remote control and Interface not included (see page 55)

Screen ILT2
somfy
powered

CERTIFIED
CRESTRON
Integrated Partner

LUTRON

16:9 1.78:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
MMS2-T-80-178-	80	2032	91,8	2331	44,9	1142	5 w	5.025	4.417	4.057
MMS2-T-90-178-	90	2286	103,3	2623	50,6	1285	5 w	5.697	4.979	4.559
MMS2-T-96-178-	96	2438	110,2	2797	53,9	1370	5 w	6.013	5.223	4.768
MMS2-T-100-178-	100	2540	114,8	2914	56,2	1427	5 w	6.251	5.396	4.909
MMS2-T-110-178-	110	2794	126,2	3205	61,8	1570	5 w	7.017	6.018	5.456
MMS2-T-120-178-	120	3048	137,7	3497	67,4	1713	5 w	7.841	6.677	6.031
MMS2-T-130-178-	130	3302	149,2	3788	73,0	1856	6 w	8.719	7.371	6.632
MMS2-T-140-178-	140	3556	160,6	4079	78,7	1998	6 w	9.649	8.559	7.715
MMS2-T-150-178-	150	3810	172,1	4371	84,3	2141	6 w	10.628	9.347	8.407
MMS2-T-160-178-	160	4064	183,6	4662	89,9	2284	6 w	11.648	10.151	9.111

Intermediate screen sizes are priced at the next biggest standard size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION	Gain	IHX	tsf	Acoustically Transparent	MIN	MAX	MAX with welding
A	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	120"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	160"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	160"	NA
B	M3W	MultiPix 4K White	1.35		✓		70"	140"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	140"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	70"	160"	NA
C	S1W	SolidPix White	1.0		✓		70"	160"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	NA

** Includes StopLight black backing..

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-320 €	-373 €	-404 €	-432 €	-499 €	-574 €	-658 €	-750 €	-851 €	-962 €

FINISH OPTIONS	DESCRIPTION	PRICE
ED10	Extra 10" screen drop.	MSRP x 6%***
ED20*	Extra 20" screen drop.	MSRP x 12%***

* Casing length may change with the specifications of ED20: Please refer to the Configurator for details. Casing size for Standard Drop and ED10 are the same.

***Premium for RR, ED10 and ED20 is taken as a percentage of the MSRP of the screen model price as specified is Category A fabric.

Extra Drop may require a seam: any seams required are positioned in the black drop only, not in the screen surface.

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-ILT-4	Control system for 4 ILT motors - 8 Presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IR	Control system for 4 ILT motors - 8 Presets For IR technology	875 €
MCS-ILT-4-IP	Control system for 4 ILT motors - 8 Presets For TCP/IP technology	1.075 €
C2N-SSC-2	Crestron Module Interface 20 Presets – No MCS required	See Crestron
QED2****	Lutron Sivoia QED (Quiet Electronic Drive) motor (2 Units)	1.068 €
TQED2-230EU****	Lutron Sivoia QED 230V transformer, Europe Power Plug (2 Units)	312 €
TQED2-230UK****	Lutron Sivoia QED 230V transformer., UK Power Plug (2 Units)	312 €
TQED2-110US****	Lutron Sivoia QED 110V transformer., US Power Plug (2 Units)	312 €
QS2****	Lutron Sivoia QS (Quiet Electronic Drive) motor (2 Units)	1.068 €
TQS2-230EU****	Lutron Sivoia QS 230V transformer, Europe Power Plug (2 Units)	312 €
TQS2-230UK****	Lutron Sivoia QS 230V transformer., UK Power Plug (2 Units)	312 €
TQS2-110US****	Lutron Sivoia QS 110V transformer., US Power Plug (2 Units)	312 €

****Reduced margin options

Lutron Motor Available on screens up to 110"wide. Requires Lutron control system.

Tab-tensioning weight bar standard in black. Wire exists at rear, top left and corner of casing


ACCESSORIES	DESCRIPTION	PRICE
MCS-ILT-T	ILT setting TOOL for set limits motor	100 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Retail Price List in EUR, Version 02/2014

On-Ceiling Motorized Screen with Masking Supreme 2 Lateral MMS2-L1

SCREEN RESEARCH™



- ✓ Patented TFX™ Floating Tab-tensioning standard for all screens
- ✓ Precision masking system with THX-certified acoustically transparent masks
- ✓ 2 independent motors with ultra quiet mechanisms
- ✓ Choice of white or black casing with ceiling-mount brackets included
- ✓ Casing size varies with screen width and fabric choice. See Configurator for details
- ✓ Smooth, quiet and durable operation with thermal overload protection
- ✓ Ideal for projectors with anamorphic technologies



2.35:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
MMS2-L1-80-235-	80	2032	86,9	2208	34,0	865	5 w	5.025	4.471	4.057
MMS2-L1-90-235-	90	2286	97,8	2484	38,3	973	5 w	5.697	5.042	4.559
MMS2-L1-96-235-	96	2438	104,3	2650	40,9	1038	5 w	6.013	5.292	4.768
MMS2-L1-100-235-	100	2540	108,7	2760	42,6	1081	5 w	6.251	5.469	4.909
MMS2-L1-110-235-	110	2794	119,5	3036	46,8	1189	5 w	7.017	6.102	5.456
MMS2-L1-120-235-	120	3048	130,4	3312	51,1	1297	5 w	7.841	6.774	6.031
MMS2-L1-130-235-	130	3302	141,3	3589	55,3	1405	5 w	8.719	7.482	6.632
MMS2-L1-140-235-	140	3556	152,1	3865	59,6	1513	5 w	9.649	8.685	7.715
MMS2-L1-150-235-	150	3810	163,0	4141	63,8	1621	5 w	10.628	9.508	8.407
MMS2-L1-160-235-	160	4064	173,9	4417	68,1	1729	5 w	11.648	10.356	9.111

Intermediate screen sizes are priced at the next biggest standard size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION	Gain	IHX	isf	Acoustically Transparent	MIN	MAX	MAX with welding
A	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	140"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	160"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	160"	NA
B	M3W	MultiPix 4K White	1.35		✓		70"	160"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	160"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	70"	160"	NA
C	S1W	SolidPix White	1.0		✓		70"	160"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	NA

** Includes StopLight black backing.

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-288 €	-336 €	-364 €	-389 €	-450 €	-517 €	-592 €	-675 €	-766 €	-865 €

FINISH OPTIONS	DESCRIPTION	PRICE
ED10	Extra 10" screen drop.	MSRP x 6%***
ED20*	Extra 20" screen drop.	MSRP x 12%***

* Casing length may change with the specifications of ED20: Please refer to the Configurator for details. Casing size for Standard Drop and ED10 are the same.

***Premium for RR, ED10 and ED20 is taken as a percentage of the MSRP of the screen model price as specified is Category A fabric.

Extra Drop may require a seam: any seams required are positioned in the black drop only, not in the screen surface.

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-2-IR	Control System for 2 Motor - Infrared	MCS-320 + MCS-IRO + MCS-BIE 457 €
MCS-2-RF	Control System for 2 Motor - RF	MCS-320 + MCS-RR0 + MCS-BRR 667 €
MCS-2-RS232	Control System for 2 Motor - RS232	MCS-320 + MCS-BRS 555 €
MCS-2-IP	Control System for 2 Motor - TCP/IP	MCS-320 + MCS-SIP + MCS-BRS 814 €
QED2****	Lutron Sivoia QED (Quiet Electronic Drive) motor (2 Units)	1.068 €
TQED2-230EU****	Lutron Sivoia QED 230V transformer, Europe Power Plug (2 Units)	312 €
TQED2-230UK****	Lutron Sivoia QED 230V transformer., UK Power Plug (2 Units)	312 €
TQED2-110US****	Lutron Sivoia QED 110V transformer., US Power Plug (2 Units)	312 €
QS2****	Lutron Sivoia QS (Quiet Electronic Drive) motor (2 Units)	1.068 €
TQS2-230EU****	Lutron Sivoia QS 230V transformer, Europe Power Plug (2 Units)	312 €
TQS2-230UK****	Lutron Sivoia QS 230V transformer., UK Power Plug (2 Units)	312 €
TQS2-110US****	Lutron Sivoia QS 110V transformer., US Power Plug (2 Units)	312 €

****Reduced margin options


Lutron Motor Available on screens up to 110" wide. Requires Lutron control system.

Tab-tensioning weight bar standard in black. Wire exists at rear, top left and corner of casing.

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

On-Ceiling Motorized Screen with Masking Supreme Line Dual-Format SLDF

SCREEN RESEARCH™



- ✓ 2 superposed screen with possible dual format and/or dual projection surface
- ✓ Classic Tab-tensioning
- ✓ 2 independent high precision motors
- ✓ White casing with wall-ceiling-mount brackets included
- ✓ 20 cm (8 inches) standard black screen drop
- ✓ Optional 40 cm (15,76 inches) total top black drop
- ✓ Somfy motor



2.40:1 and 1.78:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH 2.40		DIAGONAL 2.40		WIDTH 1.78		DIAGONAL 1.78		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm	Inches	mm	Inches	mm		A	B
SLDF-80	80	2032	45	1143	59,4	1508	68,1	1729	33,4	628	1 w	3.513	3.043
SLDF-90	90	2286	5	1286	66,8	1696	76,6	1945	37,5	707	1 w	3.968	3.420
SLDF-96	96	2438	54	1372	71,2	1809	81,7	2075	40	754	1 w	4.170	3.576
SLDF-100	100	2540	56	1429	74,2	1884	85,1	2161	41,7	785	1 w	4.318	3.682
SLDF-110	110	2794	62	1572	81,6	2073	93,6	2377	45,9	864	1 w	4.826	4.092
SLDF-120	120	3048	68	1715	89	2261	102	2593	50	942	1 w	5.367	4.523

Intermediate screen sizes are priced at the next biggest standard size.
Available also upon request different fabric for the dual screen.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	PPW	SolidPix Sonic White	0.9		✓	✓	70"	120"	NA
	S1W	SolidPix White	1.0		✓		70"	120"	NA
B	S2G	SolidPix 2 Grey	0.9		✓		70"	120"	NA

Options, Accessories and Control

BLACK DROP	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"
ED 8 (20cm)	151 €	171 €	181 €	188 €	211 €	235 €

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-2-IR	Control System for 2 Motor - Infrared	MCS-320 + MCS-IRO + MCS-BIE 457 €
MCS-2-RF	Control System for 2 Motor - RF	MCS-320 + MCS-RRO + MCS-BRR 667 €
MCS-2-RS232	Control System for 2 Motor - RS232	MCS-320 + MCS-BRS 555 €
MCS-2-IP	Control System for 2 Motor - TCP/IP	MCS-320 + MCS-SIP + MCS-BRS 814 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

On-Ceiling Motorized Screen with Masking Supreme Line Multi-Format SLMF

SCREEN RESEARCH™



- ✓ Achievable Masked Image Ratios: 1.78:1 to 2.76:1
- ✓ Classic Tab-tensioning
- ✓ Precision masking system
- ✓ Flush masking system, no "shadow effect"
- ✓ White casing with Wall-ceiling-mount brackets included
- ✓ 20 cm (8 inches) standard Black screen drop
- ✓ Optional 40 cm (15,76 inches) total top black drop
- ✓ 2 independent Somfy® ILT high precision positioning motors – bus driven
- ✓ Remote control and Interface not included (see page 55)



16:9 1.78:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
SLMF-80-178-	80	2032	91,8	2331	44,9	1142	1 w	3.197	2.962
SLMF-90-178-	90	2286	103,3	2623	50,6	1285	1 w	3.563	3.289
SLMF-96-178-	96	2438	110,2	2797	53,9	1370	1 w	3.722	3.424
SLMF-100-178-	100	2540	114,8	2914	56,2	1427	1 w	3.834	3.516
SLMF-110-178-	110	2794	126,2	3205	61,8	1570	1 w	4.238	3.871

Intermediate screen sizes are priced at the next biggest standard size.

Screen supplied with 1 preset ratio settled from factory. Possibility to add 6 other ratios by the end user.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	PPW	SolidPix Sonic White	0.9		✓	✓	70"	110"	NA
B	S1W	SolidPix White	1.0		✓		70"	110"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	110"	NA

Options, Accessories and Control

BLACK DROP	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"
ED 8 (20cm)	105 €	120 €	126 €	131 €	147 €	105 €

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-ILT-4	Control system for 4 ILT motors - 8 Presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IR	Control system for 4 ILT motors - 8 Presets For IR technology	875 €
MCS-ILT-4-IP	Control system for 4 ILT motors - 8 Presets For TCP/IP technology	1.075 €
C2N-SSC-2	Crestron Module Interface 20 Presets – No MCS required	See Crestron

ACCESSORIES	DESCRIPTION	PRICE
MCS-ILT-T	ILT setting TOOL for set limits motor	100 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

On-Ceiling Motorized Screen Classic 2 MC2

SCREEN RESEARCH™



- ✓ Standard tab-tensioning
- ✓ Choice of white or black casing
- ✓ Ceiling-/wall-mount brackets included
- ✓ Smooth, quiet and durable operation with thermal overload protection
- ✓ Infrared remote control included



16:9 1.78:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz
- ✓ Available with motor 100V 50/60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
MC2-80-178-	80	2032	91,8	2331	44,9	1142	3 w	2.712	2.292	1.932
MC2-90-178-	90	2286	103,3	2623	50,6	1285	3 w	3.101	2.611	2.192
MC2-96-178-	96	2438	110,2	2797	53,9	1370	3 w	3.302	2.770	2.315
MC2-100-178-	100	2540	114,8	2914	56,2	1427	3 w	3.462	2.893	2.407
MC2-110-178-	110	2794	126,2	3205	61,8	1570	3 w	3.920	3.263	2.701

No intermediate sizes available.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION	Gain	IHX	isf	Acoustically Transparent	MIN	MAX	MAX with welding
A	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	110"	NA
	M3W	MultiPix 4K White	1.35		✓		70"	110"	NA
B	M3G	MultiPix 4K Grey	1.3		✓		70"	110"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	70"	110"	NA
C	S1W	SolidPix White	1.0		✓		70"	110"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	110"	NA

Options, Accessories and Control

FINISH OPTIONS	DESCRIPTION	PRICE
ED10	Extra 10" screen drop.	MSRP x 8%**

** Premium for ED10 is taken as a percentage of the MSRP of the screen model price as specified is Category B fabric.

Extra Drop may require a seam: any seams required are positioned in the black drop only, not in the screen surface.

Casing size for Standard Drop and ED10 are the same. Please refer to the Configurator for details.

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-N-12V	Control System for 1 Motor - 12V trigger	MCS-N 209 €
MCS-N-RF	Control System for 1 Motor - Radio Frequency	MCS-N + MCS-RFN 309 €
MCS-N-RS232	Control System for 1 Motor - RS232	MCS N RS232 349 €
MCS-1-IP	Control System for 1 Motor - TCP/IP	MCS-310 + MCS-SIP + MCS-BRS 715 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

On-Ceiling Motorized Screen Classic 2 MC2

SCREEN RESEARCH™



- ✓ Standard tab-tensioning
- ✓ Choice of white or black casing
- ✓ Ceiling-/wall-mount brackets included
- ✓ Smooth, quiet and durable operation with thermal overload protection
- ✓ Infrared remote control included



2.35:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz
- ✓ Available with motor 100V 50/60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
MC2-80-235	80	2032	86,9	2208	34,0	865	3 w	2.712	2.292	1.932
MC2-90-235	90	2286	97,8	2484	38,3	973	3 w	3.101	2.611	2.192
MC2-96-235	96	2438	104,3	2650	40,9	1038	3 w	3.302	2.770	2.315
MC2-100-235	100	2540	108,7	2760	42,6	1081	3 w	3.462	2.893	2.407
MC2-110-235	110	2794	119,5	3036	46,8	1189	3 w	3.920	3.263	2.701

No intermediate sizes available

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	110"	NA
	M3W	MultiPix 4K White	1.35		✓		70"	110"	NA
B	M3G	MultiPix 4K Grey	1.3		✓		70"	110"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	70"	110"	NA
C	S1W	SolidPix White	1.0		✓		70"	110"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	110"	NA

Options, Accessories and Control

FINISH OPTIONS	DESCRIPTION	PRICE
ED10	Extra 10" screen drop.	MSRP x 8%**

**Premium for ED10 is taken as a percentage of the MSRP of the screen model price as specified is Category B fabric.

Casing size for Standard Drop and ED10 are the same. Please refer to the Configurator for details.


Extra Drop may require a seam: any seams required are positioned in the black drop only, not in the screen surface.

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-N-12V	Control System for 1 Motor - 12V trigger	MCS-N 209 €
MCS-N-RF	Control System for 1 Motor - Radio Frequency	MCS-N + MCS-RFN 309 €
MCS-N-RS232	Control System for 1 Motor - RS232	MCS N RS232 349 €
MCS-1-IP	Control System for 1 Motor - TCP/IP	MCS-310 + MCS-SIP + MCS-BRS 715 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

On-Ceiling Motorized Screen Classic Line CLCLT

SCREEN RESEARCH



- ✓ Classic tab-tensioning
- ✓ White casing (Black optional)
- ✓ Image black border included
- ✓ Ceiling-/wall-mount brackets included
- ✓ 20 cm (8") standard top black drop
- ✓ Optional 40 cm (15,76 inches) total top black drop
- ✓ Optional Remote control system
- ✓ Somfy motor



16:9 1.78:1
2.35:1 and 2.40:1

Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
CLCLT-80-178-	80	2032	91,8	2331	44,9	1142	1 w	1.491	1.256
CLCLT-90-178-	90	2286	103,3	2623	50,6	1285	1 w	1.699	1.425
CLCLT-96-178-	96	2438	110,2	2797	53,9	1370	1 w	1.802	1.505
CLCLT-100-178-	100	2540	114,8	2914	56,2	1427	1 w	1.882	1.564
CLCLT-110-178-	110	2794	126,2	3205	61,8	1570	1 w	2.123	1.756
CLCLT-120-178-	120	3048	137,6	3496	67,4	1713	1 w	2.382	1.960

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
CLCLT-80-235-	80	2032	86,9	2208	34,0	865	1 w	1.433	1.198
CLCLT-90-235-	90	2286	97,8	2484	38,3	973	1 w	1.633	1.359
CLCLT-96-235-	96	2438	104,3	2650	40,9	1038	1 w	1.732	1.435
CLCLT-100-235-	100	2540	108,7	2760	42,6	1081	1 w	1.810	1.492
CLCLT-110-235-	110	2794	119,5	3036	46,8	1189	1 w	2.042	1.675
CLCLT-120-235-	120	3048	130,4	3312	51,1	1297	1 w	2.292	1.870

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
CLCLT-80-240-	80	2032	86,7	2201	33,3	847	1 w	1.433	1.198
CLCLT-90-240-	90	2286	97,5	2477	37,5	953	1 w	1.633	1.359
CLCLT-96-240-	96	2438	104,0	2642	40,0	1016	1 w	1.732	1.435
CLCLT-100-240-	100	2540	108,3	2752	41,7	1058	1 w	1.810	1.492
CLCLT-110-240-	110	2794	119,2	3027	45,8	1164	1 w	2.042	1.675
CLCLT-120-240-	120	3048	130,0	3302	50,0	1270	1 w	2.292	1.870

Intermediate screen sizes are priced at the next biggest standard size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	PPW	SolidPix Sonic White	0.9		✓	✓	70"	120"	NA
	S1W	SolidPix White	1.0		✓		70"	120"	NA
B	S2G	SolidPix 2 Grey	0.9		✓		70"	120"	NA

Options, Accessories and Control

BLACK DROP	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"
ED 8 (20cm)	75 €	85 €	90 €	94 €	105 €	118 €


FINISH OPTIONS	DESCRIPTION	PRICE
NE	Matte Black casing and bottom bar	Included
EXTB-200	Extension Bracket 200mm MAX Kg150 (1 piece)	24 €
EXTB-360	Extension Bracket 360mm MAX Kg100 (1 piece)	28 €
EXTB-440	Extension Bracket 440mm MAX Kg80 (1 piece)	33 €
EXTB-520	Extension Bracket 520mm MAX Kg70 (1 piece)	38 €
EXTB-600	Extension Bracket 600mm MAX Kg50 (1 piece)	47 €

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-N-12V	Control System for 1 Motor - 12V trigger	MCS-N 209 €
MCS-N-RF	Control System for 1 Motor - Radio Frequency	MCS-N + MCS-RFN 309 €
MCS-N-RS232	Control System for 1 Motor - RS232	MCS N RS232 349 €
MCS-1-IR	Control System for 1 Motor - Infrared	MCS-310 + MCS-IR1 + MCS-BIE 358 €
MCS-1-IP	Control System for 1 Motor - TCP/IP	MCS-310 + MCS-SIP + MCS-BRS 715 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

On-Ceiling Motorized Screen Classic Line CLCTS

SCREEN RESEARCH™



- ✓ Constant Tension System
- ✓ White casing (Black optional)
- ✓ Image black border included
- ✓ Ceiling-/wall-mount brackets included
- ✓ 20 cm (8") standard top black drop
- ✓ Optional 40 cm (15,76 inches) total top black drop
- ✓ Optional Remote control system
- ✓ Somfy motor



16:9 1.78:1
2.35:1 and 2.40:1
Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
CLCTS-80-178-	80	2032	91,8	2331	44,9	1142	1 w	1.491	1.256
CLCTS-90-178-	90	2286	103,3	2623	50,6	1285	1 w	1.699	1.425
CLCTS-96-178-	96	2438	110,2	2797	53,9	1370	1 w	1.802	1.505
CLCTS-100-178-	100	2540	114,8	2914	56,2	1427	1 w	1.882	1.564
CLCTS-110-178-	110	2794	126,2	3205	61,8	1570	1 w	2.123	1.756
CLCTS-120-178-	120	3048	137,6	3496	67,4	1713	1 w	2.382	1.960

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
CLCTS-80-235-	80	2032	86,9	2208	34,0	865	1 w	1.433	1.198
CLCTS-90-235-	90	2286	97,8	2484	38,3	973	1 w	1.633	1.359
CLCTS-96-235-	96	2438	104,3	2650	40,9	1038	1 w	1.732	1.435
CLCTS-100-235-	100	2540	108,7	2760	42,6	1081	1 w	1.810	1.492
CLCTS-110-235-	110	2794	119,5	3036	46,8	1189	1 w	2.042	1.675
CLCTS-120-235-	120	3048	130,4	3312	51,1	1297	1 w	2.292	1.870

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
CLCTS-80-240-	80	2032	86,7	2201	33,3	847	1 w	1.433	1.198
CLCTS-90-240-	90	2286	97,5	2477	37,5	953	1 w	1.633	1.359
CLCTS-96-240-	96	2438	104,0	2642	40,0	1016	1 w	1.732	1.435
CLCTS-100-240-	100	2540	108,3	2752	41,7	1058	1 w	1.810	1.492
CLCTS-110-240-	110	2794	119,2	3027	45,8	1164	1 w	2.042	1.675
CLCLS-120-240-	120	3048	130,0	3302	50,0	1270	1 w	2.292	1.870

Intermediate screen sizes are priced at the next biggest standard size. Add 1 week to the given lead time.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	PPW	SolidPix Sonic White	0.9		✓	✓	70"	120"	NA
	S1W	SolidPix White	1.0		✓		70"	120"	NA
B	S2G	SolidPix 2 Grey	0.9		✓		70"	120"	NA

Options, Accessories and Control

BLACK DROP	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"
ED 8 (20cm)	75 €	85 €	90 €	94 €	105 €	118 €


FINISH OPTIONS	DESCRIPTION	PRICE
NE	Matte Black casing and bottom bar	Included
EXTB-200	Extension Bracket 200mm MAX Kg150 (1 piece)	24 €
EXTB-360	Extension Bracket 360mm MAX Kg100 (1 piece)	28 €
EXTB-440	Extension Bracket 440mm MAX Kg80 (1 piece)	33 €
EXTB-520	Extension Bracket 520mm MAX Kg70 (1 piece)	38 €
EXTB-600	Extension Bracket 600mm MAX Kg50 (1 piece)	47 €

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-N-12V	Control System for 1 Motor - 12V trigger	MCS-N 209 €
MCS-N-RF	Control System for 1 Motor - Radio Frequency	MCS-N + MCS-RFN 309 €
MCS-N-RS232	Control System for 1 Motor - RS232	MCS N RS232 349 €
MCS-1-IR	Control System for 1 Motor - Infrared	MCS-310 + MCS-IR1 + MCS-BIE 358 €
MCS-1-IP	Control System for 1 Motor - TCP/IP	MCS-310 + MCS-SIP + MCS-BRS 715 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

In-Ceiling Slot Motorized Screen Supreme 2 MS2-IS

SCREEN RESEARCH™



- ✓ Slot opening
- ✓ Patented TFX™ Floating Tab-tensioning standard for all screens
- ✓ New casing and roller assembly design
- ✓ Standard white casing
- ✓ Mounting brackets included
- ✓ Casing size varies with screen width and fabric choice. See Configurator for details
- ✓ Smooth, quiet and durable operation with thermal overload protection



16:9 1.78:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz
- ✓ Available with motor 100V 50/60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
MS2-IS-80-178-	80	2032	91,8	2331	44,9	1142	4 w	3.892	3.258	2.898
MS2-IS-90-178-	90	2286	103,3	2623	50,6	1285	4 w	4.452	3.707	3.288
MS2-IS-96-178-	96	2438	110,2	2797	53,9	1370	4 w	4.740	3.927	3.472
MS2-IS-100-178-	100	2540	114,8	2914	56,2	1427	4 w	4.971	4.096	3.610
MS2-IS-110-178-	110	2794	126,2	3205	61,8	1570	4 w	5.630	4.613	4.051
MS2-IS-120-178-	120	3048	137,7	3497	67,4	1713	4 w	6.347	5.170	4.523
MS2-IS-130-178-	130	3302	149,2	3788	73,0	1856	6 w	7.121	5.764	5.024
MS2-IS-140-178-	140	3556	160,6	4079	78,7	1998	6 w	7.951	6.748	5.904
MS2-IS-150-178-	150	3810	172,1	4371	84,3	2141	6 w	8.835	7.440	6.500
MS2-IS-160-178-	160	4064	183,6	4662	89,9	2284	6 w	9.769	8.158	7.118

Intermediate screen sizes are priced at the next biggest standard size. Add 1 week to the given lead time.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION	Gain	IHX	tsf	Acoustically Transparent	MIN	MAX	MAX with welding
A	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	120"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	160"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	160"	NA
B	M3W	MultiPix 4K White	1.35		✓		70"	140"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	140"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	70"	160"	NA
C	S1W	SolidPix White	1.0		✓		70"	160"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	NA

** Includes StopLight black backing..

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-320 €	-373 €	-404 €	-432 €	-499 €	-574 €	-658 €	-750 €	-851 €	-962 €

FINISH OPTIONS	DESCRIPTION	PRICE
RR	Reverse Roll:inverted roller and fabric mounting	MSRP x 6%***
ED10	Extra 10" screen drop.	MSRP x 6%***
ED20*	Extra 20" screen drop.	MSRP x 12%***

* Casing length may change with the specifications of ED20: Please refer to the Configurator for details. Casing size for Standard Drop and ED10 are the same.

***Premium for RR, ED10 and ED20 is taken as a percentage of the MSRP of the screen model price as specified is Category A fabric.

Extra Drop may require a seam: any seams required are positioned in the black drop only, not in the screen surface.

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-N-12V	Control System for 1 Motor - 12V trigger	MCS-N 209 €
MCS-N-RF	Control System for 1 Motor - Radio Frequency	MCS-N + MCS-RFN 309 €
MCS-N-RS232	Control System for 1 Motor - RS232	MCS N RS232 349 €
MCS-1-IR	Control System for 1 Motor - Infrared	MCS-310 + MCS-IR1 + MCS-BIE 358 €
MCS-1-IP	Control System for 1 Motor - TCP/IP	MCS-310 + MCS-SIP + MCS-BRS 715 €
QED1****	Lutron Sivoia QED (Quiet Electronic Drive) motor (1 Unit)	534 €
TQED1-230EU****	Lutron Sivoia QED 230V transformer, Europe Power Plug (1 Unit)	156 €
TQED1-230UK****	Lutron Sivoia QED 230V transformer., UK Power Plug (1 Unit)	156 €
TQED1-110US****	Lutron Sivoia QED 110V transformer., US Power Plug (1 Unit)	156 €
QS1****	Lutron Sivoia QS (Quiet Electronic Drive) motor (1 Unit)	534 €
TQS1-230EU****	Lutron Sivoia QS 230V transformer, Europe Power Plug (1 Unit)	156 €
TQS1-230UK****	Lutron Sivoia QS 230V transformer., UK Power Plug (1 Unit)	156 €
TQS1-110US****	Lutron Sivoia QS 110V transformer., US Power Plug (1 Unit)	156 €

**** Reduced margin options

Lutron Motor Available on screens up to 110"wide. Requires Lutron control system.


Tab-tensioning weight bar standard in black. Wire exists at rear, top left and corner of casing.

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Retail Price List in EUR, Version 02/2014

In-Ceiling Slot Motorized Screen Supreme 2 MS2-IS

SCREEN RESEARCH™



- ✓ Slot opening
- ✓ Patented TFX™ Floating Tab-tensioning standard for all screens
- ✓ New casing and roller assembly design
- ✓ Standard white casing
- ✓ Mounting brackets included
- ✓ Casing size varies with screen width and fabric choice. See Configurator for details
- ✓ Smooth, quiet and durable operation with thermal overload protection



2.35:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz
- ✓ Available with motor 100V 50/60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
MS2-IS-80-235-	80	2032	86,9	2208	34,0	865	4 w	4.058	3.258	2.898
MS2-IS-90-235-	90	2286	97,8	2484	38,3	973	4 w	4.639	3.707	3.288
MS2-IS-96-235-	96	2438	104,3	2650	40,9	1038	4 w	4.938	3.927	3.472
MS2-IS-100-235-	100	2540	108,7	2760	42,6	1081	4 w	5.177	4.096	3.610
MS2-IS-110-235-	110	2794	119,5	3036	46,8	1189	4 w	5.862	4.613	4.051
MS2-IS-120-235-	120	3048	130,4	3312	51,1	1297	4 w	6.606	5.170	4.523
MS2-IS-130-235-	130	3302	141,3	3589	55,3	1405	6 w	7.408	5.764	5.024
MS2-IS-140-235-	140	3556	152,1	3865	59,6	1513	6 w	8.622	6.748	5.904
MS2-IS-150-235-	150	3810	163,0	4141	63,8	1621	6 w	9.585	7.458	6.500
MS2-IS-160-235-	160	4064	173,9	4417	68,1	1729	6 w	10.604	8.200	7.118

Intermediate screen sizes are priced at the next biggest standard size. Add 1 week to the given lead time.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	140"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	160"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	160"	NA
B	M3W	MultiPix 4K White	1.35		✓		70"	160"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	160"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	70"	160"	NA
C	S1W	SolidPix White	1.0		✓		70"	160"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	NA

** Includes StopLight black backing..

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-288 €	-336 €	-364 €	-389 €	-450 €	-517 €	-592 €	-675 €	-766 €	-865 €

FINISH OPTIONS	DESCRIPTION	PRICE
RR	Reverse Roll:inverted roller and fabric mounting	MSRP x 6%***
ED10	Extra 10" screen drop.	MSRP x 6%***
ED20*	Extra 20" screen drop.	MSRP x 12%***

*Casing length may change with the specifications of ED20: Please refer to the Configurator for details. Casing size for Standard Drop and ED10 are the same.

***Premium for RR, ED10 and ED20 is taken as a percentage of the MSRP of the screen model price as specified is Category A fabric.

Extra Drop may require a seam: any seams required are positioned in the black drop only, not in the screen surface.

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-N-12V	Control System for 1 Motor - 12V trigger	MCS-N 209 €
MCS-N-RF	Control System for 1 Motor - Radio Frequency	MCS-N + MCS-RFN 309 €
MCS-N-RS232	Control System for 1 Motor - RS232	MCS N RS232 349 €
MCS-1-IR	Control System for 1 Motor - Infrared	MCS-310 + MCS-IR1 + MCS-BIE 358 €
MCS-1-IP	Control System for 1 Motor - TCP/IP	MCS-310 + MCS-SIP + MCS-BRS 715 €
QED1****	Lutron Sivoia QED (Quiet Electronic Drive) motor (1 Unit)	534 €
TQED1-230EU****	Lutron Sivoia QED 230V transformer, Europe Power Plug (1 Unit)	156 €
TQED1-230UK****	Lutron Sivoia QED 230V transformer., UK Power Plug (1 Unit)	156 €
TQED1-110US****	Lutron Sivoia QED 110V transformer., US Power Plug (1 Unit)	156 €
QS1****	Lutron Sivoia QS (Quiet Electronic Drive) motor (1 Unit)	534 €
TQS1-230EU****	Lutron Sivoia QS 230V transformer, Europe Power Plug (1 Unit)	156 €
TQS1-230UK****	Lutron Sivoia QS 230V transformer., UK Power Plug (1 Unit)	156 €
TQS1-110US****	Lutron Sivoia QS 110V transformer., US Power Plug (1 Unit)	156 €

**** Reduced margin options


Lutron Motor Available on screens up to 110"wide. Requires Lutron control system.

Tab-tensioning weight bar standard in black. Wire exists at rear, top left and corner of casing.

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

In-Ceiling Slot Motorized Screen with Masking Supreme 2 4-Way MMS2-4-IS

SCREEN RESEARCH™



- ✓ Achievable Masked Image Ratios: 1.33:1 and 1.78:1 to 2.76:1
- ✓ Patented TFX™ Floating Tab-tensioning standard for all screens
- ✓ New casing and roller assembly design
- ✓ 4-way precision masking system with THX-certified acoustically transparent masks
- ✓ 3 independent Somfy® ILT high precision positioning motors – bus driven
- ✓ 8 Presets (MCS) or 20 Presets (Crestron Module)
- ✓ Slot opening with standard white casing. Mounting brackets included
- ✓ Casing size varies with screen width and fabric choice. See Configurator for details.
- ✓ Smooth, quiet and durable operation with thermal overload protection
- ✓ Remote control and Interface not included (see page 56)

Screen ILT2
somfy
powered

CERTIFIED
CRESTRON
Integrated Partner

LUTRON

16:9 1.78:1 Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
MMS2-4-IS-80-178-	80	2032	91,8	2331	44,9	1142	7 w	7.695	7.261	6.847
MMS2-4-IS-90-178-	90	2286	103,3	2623	50,6	1285	7 w	8.699	8.176	7.694
MMS2-4-IS-96-178-	96	2438	110,2	2797	53,9	1370	7 w	9.154	8.570	8.046
MMS2-4-IS-100-178-	100	2540	114,8	2914	56,2	1427	7 w	9.487	8.844	8.285
MMS2-4-IS-110-178-	110	2794	126,2	3205	61,8	1570	7 w	10.616	9.853	9.207
MMS2-4-IS-120-178-	120	3048	137,6	3496	67,4	1713	9 w	11.822	10.921	10.178
MMS2-4-IS-130-178-	130	3302	149,1	3787	73,0	1856	9 w	13.100	12.042	11.191
MMS2-4-IS-140-178-	140	3556	160,6	4079	78,7	1998	9 w	14.444	13.989	13.019
MMS2-4-IS-150-178-	150	3810	172,1	4370	84,3	2141	9 w	15.847	15.287	14.187
MMS2-4-IS-160-178-	160	4064	183,5	4661	89,9	2284	9 w	17.298	16.616	15.376

Intermediate screen sizes are priced at the next biggest standard size. Add 1 week to the given lead time.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION	Gain	THX	isf	Acoustically Transparent	MIN	MAX	MAX with welding
A	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	120"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	160"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	160"	NA
B	M3W	MultiPix 4K White	1.35		✓		70"	140"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	140"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	70"	160"	NA
C	S1W	SolidPix White	1.0		✓		70"	160"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	NA

** Includes StopLight black backing..

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-320 €	-373 €	-404 €	-432 €	-499 €	-574 €	-658 €	-750 €	-851 €	-962 €

FINISH OPTIONS	DESCRIPTION	PRICE
ED10	Extra 10" screen drop.	MSRP x 6%***
ED20*	Extra 20" screen drop.	MSRP x 12%***

*Casing length may change with the specifications of ED20: Please refer to the Configurator for details. Casing size for Standard Drop and ED10 are the same.

***Premium for RR, ED10 and ED20 is taken as a percentage of the MSRP of the screen model price as specified in Category A fabric.

Extra Drop may require a seam: any seams required are positioned in the black drop only, not in the screen surface.

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-ILT-4	Control system for 4 ILT motors - 8 Presets For RS232 and RS485 technology	575 €
MCS-ILT-4-IR	Control system for 4 ILT motors - 8 Presets For IR technology	875 €
MCS-ILT-4-IP	Control system for 4 ILT motors - 8 Presets For TCP/IP technology	1..075 €
C2N-SSC-2	Crestron Module Interface 20 Presets – No MCS required	See Crestron
QED3****	Lutron Sivoia QED (Quiet Electronic Drive) motor (3 Units)	1.602 €
TQED3-230EU****	Lutron Sivoia QED 230V transformer, Europe Power Plug (3 Units)	468 €
TQED3-230UK****	Lutron Sivoia QED 230V transformer., UK Power Plug (3 Units)	468 €
TQED3-110US****	Lutron Sivoia QED 110V transformer., US Power Plug (3 Units)	468 €
QS3****	Lutron Sivoia QS (Quiet Electronic Drive) motor (3 Units)	1.602 €
TQS3-230EU****	Lutron Sivoia QS 230V transformer, Europe Power Plug (3 Units)	468 €
TQS3-230UK****	Lutron Sivoia QS 230V transformer., UK Power Plug (3 Units)	468 €
TQS3-110US****	Lutron Sivoia QS 110V transformer., US Power Plug (3 Units)	468 €

**** Reduced margin options

Lutron Motor Available on screens up to 110"wide. Requires Lutron control system.

Tab-tensioning weight bar standard in black. Wire exists at rear, top left and corner of casing.


ACCESSORIES	DESCRIPTION	PRICE
MCS-ILT-T	ILT setting TOOL for set limits motor	100 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Retail Price List in EUR, Version 02/2014

In-Ceiling Slot Motorized Screen with Masking Supreme 2 Top MMS2-T-IS

**SCREEN
RESEARCH™**



- ✓ Achievable Masked Image Ratios: 1.78:1 to 2.76:1
- ✓ Patented TFX™ Floating Tab-tensioning standard for all screens
- ✓ New casing and roller assembly design
- ✓ Precision masking system with THX-certified acoustically transparent masks
- ✓ 2 independent Somfy® ILT high precision positioning motors – bus driven
- ✓ 8 Presets (MCS) or 20 Presets (Crestron Module)
- ✓ Slot opening with standard white casing. Mounting brackets included
- ✓ Casing size varies with screen width and fabric choice. See Configurator for details.
- ✓ Smooth, quiet and durable operation with thermal overload protection
- ✓ Remote control and Interface not included (see page 56)

Screen ILT2
somfy
powered

CERTIFIED
CRESTRON
Integrated Partner

LUTRON

**16:9 1.78:1
Native Image Ratio**

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
MMS2-T-IS-80-178-	80	2032	91,8	2331	44,9	1142	5 w	5.743	5.178	4.818
MMS2-T-IS-90-178-	90	2286	103,3	2623	50,6	1285	5 w	6.503	5.834	5.414
MMS2-T-IS-96-178-	96	2438	110,2	2797	53,9	1370	5 w	6.856	6.117	5.662
MMS2-T-IS-100-178-	100	2540	114,8	2914	56,2	1427	5 w	7.118	6.316	5.830
MMS2-T-IS-110-178-	110	2794	126,2	3205	61,8	1570	5 w	7.982	7.041	6.479
MMS2-T-IS-120-178-	120	3048	137,7	3497	67,4	1713	5 w	8.907	7.808	7.162
MMS2-T-IS-130-178-	130	3302	149,2	3788	73,0	1856	7 w	9.891	8.615	7.875
MMS2-T-IS-140-178-	140	3556	160,6	4079	78,7	1998	7 w	10.931	10.005	9.162
MMS2-T-IS-150-178-	150	3810	172,1	4371	84,3	2141	7 w	12.022	11.084	9.984
MMS2-T-IS-160-178-	160	4064	183,6	4662	89,9	2284	7 w	13.156	12.060	10.820

Intermediate screen sizes are priced at the next biggest standard size. Add 1 week to the given lead time.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION	Gain	IHX	tsf	Acoustically Transparent	MIN	MAX	MAX with welding
A	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	120"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	160"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	160"	NA
B	M3W	MultiPix 4K White	1.35		✓		70"	140"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	140"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	70"	160"	NA
C	S1W	SolidPix White	1.0		✓		70"	160"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	NA

** Includes StopLight black backing..

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-320 €	-373 €	-404 €	-432 €	-499 €	-574 €	-658 €	-750 €	-851 €	-962 €

FINISH OPTIONS	DESCRIPTION	PRICE
ED10	Extra 10" screen drop.	MSRP x 6%***
ED20*	Extra 20" screen drop.	MSRP x 12%***

*Casing length may change with the specifications of ED20: Please refer to the Configurator for details. Casing size for Standard Drop and ED10 are the same.

***Premium for RR, ED10 and ED20 is taken as a percentage of the MSRP of the screen model price as specified is Category A fabric.

Extra Drop may require a seam: any seams required are positioned in the black drop only, not in the screen surface.

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-ILT-4	Control system for 4 ILT motors - 8 Presets	For RS232 and RS485 technology 575 €
MCS-ILT-4-IR	Control system for 4 ILT motors - 8 Presets	For IR technology 875 €
MCS-ILT-4-IP	Control system for 4 ILT motors - 8 Presets	For TCP/IP technology 1.075 €
C2N-SSC-2	Crestron Module Interface	20 Presets – No MCS required See Crestron
QED2****	Lutron Sivoia QED (Quiet Electronic Drive) motor (2 Units)	1.068 €
TQED2-230EU****	Lutron Sivoia QED 230V transformer, Europe Power Plug (2 Units)	312 €
TQED2-230UK****	Lutron Sivoia QED 230V transformer., UK Power Plug (2 Units)	312 €
TQED2-110US****	Lutron Sivoia QED 110V transformer., US Power Plug (2 Units)	312 €
QS2****	Lutron Sivoia QS (Quiet Electronic Drive) motor (2 Units)	1.068 €
TQS2-230EU****	Lutron Sivoia QS 230V transformer, Europe Power Plug (2 Units)	312 €
TQS2-230UK****	Lutron Sivoia QS 230V transformer., UK Power Plug (2 Units)	312 €
TQS2-110US****	Lutron Sivoia QS 110V transformer., US Power Plug (2 Units)	312 €

**** Reduced margin options

Lutron Motor Available on screens up to 110" wide. Requires Lutron control system.

Tab-tensioning weight bar standard in black. Wire exists at rear, top left and corner of casing.


ACCESSORIES	DESCRIPTION	PRICE
MCS-ILT-T	ILT setting TOOL for set limits motor	100 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Retail Price List in EUR, Version 02/2014

In-Ceiling Slot Motorized Screen with Masking Supreme 2 MMS2-L1-IS

**SCREEN
RESEARCH™**



- ✓ Achievable Masked Image Ratios: 1.78:1 and 2.35:1
- ✓ Patented TFX™ Floating Tab-tensioning standard for all screens
- ✓ New casing and roller assembly design
- ✓ Precision masking system with THX-certified acoustically transparent masks
- ✓ 2 independent motors with ultra quiet mechanisms
- ✓ Slot opening with standard white casing. Mounting brackets included
- ✓ Casing size varies with screen width and fabric choice. See Configurator for details.
- ✓ Smooth, quiet and durable operation with thermal overload protection
- ✓ Ideal for projectors with anamorphic technology



**2.35:1
Native Image Ratio**

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
MMS2-L1-IS-80-235-	80	2032	86,9	2208	34,0	865	5 w	5.743	5.232	4.818
MMS2-L1-IS-90-235-	90	2286	97,8	2484	38,3	973	5 w	6.503	5.897	5.414
MMS2-L1-IS-96-235-	96	2438	104,3	2650	40,9	1038	5 w	6.856	6.186	5.662
MMS2-L1-IS-100-235-	100	2540	108,7	2760	42,6	1081	5 w	7.118	6.389	5.830
MMS2-L1-IS-110-235-	110	2794	119,5	3036	46,8	1189	5 w	7.982	7.125	6.479
MMS2-L1-IS-120-235-	120	3048	130,4	3312	51,1	1297	5 w	8.907	7.905	7.162
MMS2-L1-IS-130-235-	130	3302	141,3	3589	55,3	1405	7 w	9.891	8.726	7.875
MMS2-L1-IS-140-235-	140	3556	152,1	3865	59,6	1513	7 w	10.931	10.132	9.162
MMS2-L1-IS-150-235-	150	3810	163,0	4141	63,8	1621	7 w	12.022	11.084	9.984
MMS2-L1-IS-160-235-	160	4064	173,9	4417	68,1	1729	7 w	13.156	12.060	10.820

Intermediate screen sizes are priced at the next biggest standard size. Add 1 week to the given lead time.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION	Gain	THX	isf	Acoustically Transparent	MIN	MAX	MAX with welding
A	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	140"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	160"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	160"	NA
B	M3W	MultiPix 4K White	1.35		✓		70"	140"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	140"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	70"	160"	NA
C	S1W	SolidPix White	1.0		✓		70"	160"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	NA

** Includes StopLight black backing..

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-288 €	-336 €	-364 €	-389 €	-450 €	-517 €	-592 €	-675 €	-766 €	-865 €

FINISH OPTIONS	DESCRIPTION	PRICE
ED10	Extra 10" screen drop.	MSRP x 6%***
ED20*	Extra 20" screen drop.	MSRP x 12%***

*Casing length may change with the specifications of ED20: Please refer to the Configurator for details. Casing size for Standard Drop and ED10 are the same.

***Premium for RR, ED10 and ED20 is taken as a percentage of the MSRP of the screen model price as specified in Category A fabric.

Extra Drop may require a seam: any seams required are positioned in the black drop only, not in the screen surface.

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-2-IR	Control System for 2 Motor - Infrared	MCS-320 + MCS-IRO + MCS-BIE 457 €
MCS-2-RF	Control System for 2 Motor - RF	MCS-320 + MCS-RRO + MCS-BRR 667 €
MCS-2-RS232	Control System for 2 Motor - RS232	MCS-320 + MCS-BRS 555 €
MCS-2-IP	Control System for 2 Motor - TCP/IP	MCS-320 + MCS-SIP + MCS-BRS 814 €
QED2****	Lutron Sivoia QED (Quiet Electronic Drive) motor (2 Units)	1.068 €
TQED2-230EU****	Lutron Sivoia QED 230V transformer, Europe Power Plug (2 Units)	312 €
TQED2-230UK****	Lutron Sivoia QED 230V transformer., UK Power Plug (2 Units)	312 €
TQED2-110US****	Lutron Sivoia QED 110V transformer., US Power Plug (2 Units)	312 €
QS2****	Lutron Sivoia QS (Quiet Electronic Drive) motor (2 Units)	1.068 €
TQS2-230EU****	Lutron Sivoia QS 230V transformer, Europe Power Plug (2 Units)	312 €
TQS2-230UK****	Lutron Sivoia QS 230V transformer., UK Power Plug (2 Units)	312 €
TQS2-110US****	Lutron Sivoia QS 110V transformer., US Power Plug (2 Units)	312 €

**** Reduced margin options

Lutron Motor Available on screens up to 110" wide. Requires Lutron control system.

Tab-tensioning weight bar standard in black. Wire exists at rear, top left and corner of casing.

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

In-Ceiling Slot Motorized Screen Supreme 3 MS3-IS

NEW

**SCREEN
RESEARCH™**



- ✓ Newly designed white casing
- ✓ New low bar in black (white optional)
- ✓ New installation brackets included
- ✓ New lateral cover with magnets system
- ✓ New safety cables for the casing
- ✓ Patented TFX™ Floating Tab-tensioning system
- ✓ Smooth, quiet and durable operation with thermal overload protection



**16:9 1.78:1
Native Image Ratio**

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz
- ✓ Available with motor 100V 50/60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
MS3-IS-80-178-	80	2032	91.8	2331	44.9	1142	4 w	3.861	3.096	2.894
MS3-IS-90-178-	90	2286	103.3	2623	50.6	1285	4 w	4.080	3.251	3.025
MS3-IS-96-178-	96	2438	110.2	2797	53.9	1370	4 w	4.269	3.353	3.156
MS3-IS-100-178-	100	2540	114.8	2914	56.2	1427	4 w	4.469	3.450	3.289
MS3-IS-110-178-	110	2794	126.2	3205	61.8	1570	4 w	4.768	3.692	3.517
MS3-IS-120-178-	120	3048	137.7	3497	67.4	1713	4 w	5.117	3.993	3.802
MS3-IS-130-178-	130	3302	149.2	3788	73.0	1856	6 w	5.448	4.266	4.062
MS3-IS-140-178-	140	3556	160.6	4079	78.7	1998	6 w	5.666	4.440	4.220
MS3-IS-150-178-	150	3810	172.1	4371	84.3	2141	6 w	5.901	NA	4.378
MS3-IS-160-178-	160	4064	183.6	4662	89.9	2284	6 w	6.425	NA	4.844

Intermediate screen sizes are priced at the next biggest standard size. Add 1 week to the given lead time.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION	Gain	IHX	tsf	Acoustically Transparent	MIN	MAX	MAX with welding
A	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	120"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	160"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	160"	NA
B	M3W	MultiPix 4K White	1.35		✓		70"	140"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	140"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	70"	160"	NA
C	S1W	SolidPix White	1.0		✓		70"	160"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	NA

** Includes StopLight black backing..

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-320 €	-373 €	-404 €	-432 €	-499 €	-574 €	-658 €	-750 €	-851 €	-962 €

FINISH OPTIONS	DESCRIPTION	PRICE
RR	Reverse Roll:inverted roller and fabric mounting	MSRP x 6%***
ED10	Extra 10" screen drop.	MSRP x 6%***
ED20*	Extra 20" screen drop.	MSRP x 12%***

* Casing length may change with the specifications of ED20: Please refer to the Configurator for details. Casing size for Standard Drop and ED10 are the same.

***Premium for RR, ED10 and ED20 is taken as a percentage of the MSRP of the screen model price as specified is Category A fabric.

Extra Drop may require a seam: any seams required are positioned in the black drop only, not in the screen surface.

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-N-12V	Control System for 1 Motor - 12V trigger	MCS-N 209 €
MCS-N-RF	Control System for 1 Motor - Radio Frequency	MCS-N + MCS-RFN 309 €
MCS-N-RS232	Control System for 1 Motor - RS232	MCS N RS232 349 €
MCS-1-IR	Control System for 1 Motor - Infrared	MCS-310 + MCS-IR1 + MCS-BIE 358 €
MCS-1-IP	Control System for 1 Motor - TCP/IP	MCS-310 + MCS-SIP + MCS-BRS 715 €
QED1****	Lutron Sivoia QED (Quiet Electronic Drive) motor (1 Unit)	534 €
TQED1-230EU****	Lutron Sivoia QED 230V transformer, Europe Power Plug (1 Unit)	156 €
TQED1-230UK****	Lutron Sivoia QED 230V transformer., UK Power Plug (1 Unit)	156 €
TQED1-110US****	Lutron Sivoia QED 110V transformer., US Power Plug (1 Unit)	156 €
QS1****	Lutron Sivoia QS (Quiet Electronic Drive) motor (1 Unit)	534 €
TQS1-230EU****	Lutron Sivoia QS 230V transformer, Europe Power Plug (1 Unit)	156 €
TQS1-230UK****	Lutron Sivoia QS 230V transformer., UK Power Plug (1 Unit)	156 €
TQS1-110US****	Lutron Sivoia QS 110V transformer., US Power Plug (1 Unit)	156 €

**** Reduced margin options

Lutron Motor Available on screens up to 110"wide. Requires Lutron control system.

Tab-tensioning weight bar standard in black. Wire exists at rear, top left and corner of casing.

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

In-Ceiling Slot Motorized Screen Supreme 3 MS3-IS

NEW

**SCREEN
RESEARCH™**



- ✓ Newly designed white casing
- ✓ New low bar in black (white optional)
- ✓ New installation brackets included
- ✓ New lateral cover with magnets system
- ✓ New safety cables for the casing
- ✓ Patented TFX™ Floating Tab-tensioning system
- ✓ Smooth, quiet and durable operation with thermal overload protection



2.35:1

Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz
- ✓ Available with motor 100V 50/60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
MS3-IS-80-235-	80	2032	86,9	2208	34,0	865	4 w	3.861	3.096	2.894
MS3-IS-90-235-	90	2286	97,8	2484	38,3	973	4 w	4.080	3.251	3.025
MS3-IS-96-235-	96	2438	104,3	2650	40,9	1038	4 w	4.269	3.353	3.156
MS3-IS-100-235-	100	2540	108,7	2760	42,6	1081	4 w	4.469	3.450	3.289
MS3-IS-110-235-	110	2794	119,5	3036	46,8	1189	4 w	4.768	3.692	3.517
MS3-IS-120-235-	120	3048	130,4	3312	51,1	1297	4 w	5.117	3.993	3.802
MS3-IS-130-235-	130	3302	141,3	3589	55,3	1405	6 w	5.448	4.266	4.062
MS3-IS-140-235-	140	3556	152,1	3865	59,6	1513	6 w	5.666	4.440	4.220
MS3-IS-150-235-	150	3810	163,0	4141	63,8	1621	6 w	5.901	5.043	4.378
MS3-IS-160-235-	160	4064	173,9	4417	68,1	1729	6 w	6.425	5.571	4.844

Intermediate screen sizes are priced at the next biggest standard size. Add 1 week to the given lead time.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	140"	NA
	MPW	MultiPix 4K Sonic White	1.3		✓	✓	70"	140"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	160"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	160"	NA
B	M3W	MultiPix 4K White	1.35		✓		70"	160"	NA
	M3G	MultiPix 4K Grey	1.3		✓		70"	160"	NA
	PPW	SolidPix Sonic White	0.9		✓	✓	70"	160"	NA
C	S1W	SolidPix White	1.0		✓		70"	160"	NA
	S2G	SolidPix 2 Grey	0.9		✓		70"	160"	NA

** Includes StopLight black backing..

Options, Accessories and Control

BLACK BACKING REMOVAL	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-288 €	-336 €	-364 €	-389 €	-450 €	-517 €	-592 €	-675 €	-766 €	-865 €

FINISH OPTIONS	DESCRIPTION	PRICE
RR	Reverse Roll:inverted roller and fabric mounting	MSRP x 6%***
ED10	Extra 10" screen drop.	MSRP x 6%***
ED20*	Extra 20" screen drop.	MSRP x 12%***

*Casing length may change with the specifications of ED20: Please refer to the Configurator for details. Casing size for Standard Drop and ED10 are the same.

***Premium for RR, ED10 and ED20 is taken as a percentage of the MSRP of the screen model price as specified is Category A fabric.

Extra Drop may require a seam: any seams required are positioned in the black drop only, not in the screen surface.

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-N-12V	Control System for 1 Motor - 12V trigger	MCS-N 209 €
MCS-N-RF	Control System for 1 Motor - Radio Frequency	MCS-N + MCS-RFN 309 €
MCS-N-RS232	Control System for 1 Motor - RS232	MCS N RS232 349 €
MCS-1-IR	Control System for 1 Motor - Infrared	MCS-310 + MCS-IR1 + MCS-BIE 358 €
MCS-1-IP	Control System for 1 Motor - TCP/IP	MCS-310 + MCS-SIP + MCS-BRS 715 €
QED1****	Lutron Sivoia QED (Quiet Electronic Drive) motor (1 Unit)	534 €
TQED1-230EU****	Lutron Sivoia QED 230V transformer, Europe Power Plug (1 Unit)	156 €
TQED1-230UK****	Lutron Sivoia QED 230V transformer., UK Power Plug (1 Unit)	156 €
TQED1-110US****	Lutron Sivoia QED 110V transformer., US Power Plug (1 Unit)	156 €
QS1****	Lutron Sivoia QS (Quiet Electronic Drive) motor (1 Unit)	534 €
TQS1-230EU****	Lutron Sivoia QS 230V transformer, Europe Power Plug (1 Unit)	156 €
TQS1-230UK****	Lutron Sivoia QS 230V transformer., UK Power Plug (1 Unit)	156 €
TQS1-110US****	Lutron Sivoia QS 110V transformer., US Power Plug (1 Unit)	156 €

**** Reduced margin options

Lutron Motor Available on screens up to 110"wide. Requires Lutron control system.

Tab-tensioning weight bar standard in black. Wire exists at rear, top left and corner of casing.

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Retail Price List in EUR, Version 02/2014

In-Ceiling Slot Motorized Screen Classic Line CLIC

SCREEN RESEARCH™



- ✓ Classic tab-tensioning
- ✓ White casing
- ✓ Image black border included
- ✓ Ceiling-/wall-mount brackets included
- ✓ 20 cm (8") standard top black drop
- ✓ Optional 40 cm (15,76 inches) total top black drop
- ✓ Optional Remote control system
- ✓ Somfy motor



16:9 1.78:1
2.35:1 and 2.40:1
Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
CLIC-80-178-	80	2032	91,8	2331	44,9	1142	1 w	1.733	1.497
CLIC-90-178-	90	2286	103,3	2623	50,6	1285	1 w	1.973	1.699
CLIC-96-178-	96	2438	110,2	2797	53,9	1370	1 w	2.091	1.794
CLIC-100-178-	100	2540	114,8	2914	56,2	1427	1 w	2.183	1.865
CLIC-110-178-	110	2794	126,2	3205	61,8	1570	1 w	2.460	2.093
CLIC-120-178-	120	3048	137,6	3496	67,4	1713	1 w	2.759	2.337

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
CLIC-80-235-	80	2032	86,9	2208	34,0	865	1 w	1.684	1.449
CLIC-90-235-	90	2286	97,8	2484	38,3	973	1 w	1.918	1.644
CLIC-96-235-	96	2438	104,3	2650	40,9	1038	1 w	2.033	1.736
CLIC-100-235-	100	2540	108,7	2760	42,6	1081	1 w	2.123	1.805
CLIC-110-235-	110	2794	119,5	3036	46,8	1189	1 w	2.393	2.026
CLIC-120-235-	120	3048	130,4	3312	51,1	1297	1 w	2.684	2.262

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR	
	Inches	mm	Inches	mm	Inches	mm		A	B
CLIC-80-240-	80	2032	86,7	2201	33,3	847	1 w	1.684	1.449
CLIC-90-240-	90	2286	97,5	2477	37,5	953	1 w	1.918	1.644
CLIC-96-240-	96	2438	104,0	2642	40,0	1016	1 w	2.033	1.736
CLIC-100-240-	100	2540	108,3	2752	41,7	1058	1 w	2.123	1.805
CLIC-110-240-	110	2794	119,2	3027	45,8	1164	1 w	2.393	2.026
CLIC-120-240-	120	3048	130,0	3302	50,0	1270	1 w	2.684	2.262

Intermediate screen sizes are priced at the next biggest standard size.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	PPW	SolidPix Sonic White	0.9		✓	✓	70"	120"	NA
	S1W	SolidPix White	1.0		✓		70"	120"	NA
B	S2G	SolidPix 2 Grey	0.9		✓		70"	120"	NA

Options, Accessories and Control

BLACK DROP	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"
ED 8 (20cm)	75 €	85 €	90 €	94 €	105 €	118 €


FINISH OPTIONS	DESCRIPTION	PRICE
NE	Matte Black casing and bottom bar	Included
EXTB-200	Extension Bracket 200mm MAX Kg150 (1 piece)	24 €
EXTB-360	Extension Bracket 360mm MAX Kg100 (1 piece)	28 €
EXTB-440	Extension Bracket 440mm MAX Kg80 (1 piece)	33 €
EXTB-520	Extension Bracket 520mm MAX Kg70 (1 piece)	38 €
EXTB-600	Extension Bracket 600mm MAX Kg50 (1 piece)	47 €

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-N-12V	Control System for 1 Motor - 12V trigger	MCS-N 209 €
MCS-N-RF	Control System for 1 Motor - Radio Frequency	MCS-N + MCS-RFN 309 €
MCS-N-RS232	Control System for 1 Motor - RS232	MCS N RS232 349 €
MCS-1-IR	Control System for 1 Motor - Infrared	MCS-310 + MCS-IR1 + MCS-BIE 358 €
MCS-1-IP	Control System for 1 Motor - TCP/IP	MCS-310 + MCS-SIP + MCS-BRS 715 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

In-Ceiling TrapDoor Motorized Screen Supreme2 MS2-IT

SCREEN RESEARCH™



- ✓ Trap door opening
- ✓ Patented TFX™ Floating Tab-tensioning standard for all screens
- ✓ New casing and roller assembly design
- ✓ Standard white casing
- ✓ Standard black Tab-tensioning weight bar
- ✓ Mounting brackets included
- ✓ Smooth, quiet and durable operation with thermal overload protection



**16:9 1.78:1
and 2.35:1**

Native Image Ratio

- ✓ Available with motor 230V 50Hz
- ✓ Available with motor 120V 60Hz
- ✓ Available with motor 100V 50/60Hz

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
MS2-IT-80-178-	80	2032	91,8	2331	44,9	1142	4 w	5.504	4.924	4.564
MS2-IT-90-178-	90	2286	103,3	2623	50,6	1285	4 w	6.234	5.549	5.129
MS2-IT-96-178-	96	2438	110,2	2797	53,9	1370	4 w	6.575	5.819	5.364
MS2-IT-100-178-	100	2540	114,8	2914	56,2	1427	4 w	6.829	6.010	5.523
MS2-IT-110-178-	110	2794	126,2	3205	61,8	1570	4 w	7.660	6.700	6.138

MODEL	WIDTH		DIAGONAL		HEIGHT		LEAD TIME	PRICE FABRIC CATEGORY IN EUR		
	Inches	mm	Inches	mm	Inches	mm		A	B	C
MS2-IS-80-235-	80	2032	86,9	2208	34,0	865	4 w	5.764	4.924	4.564
MS2-IS-90-235-	90	2286	97,8	2484	38,3	973	4 w	6.527	5.549	5.129
MS2-IS-96-235-	96	2438	104,3	2650	40,9	1038	4 w	6.881	5.819	5.364
MS2-IS-100-235-	100	2540	108,7	2760	42,6	1081	4 w	7.145	6.010	5.523
MS2-IS-110-235-	110	2794	119,5	3036	46,8	1189	4 w	8.011	6.700	6.138

Intermediate screen sizes are priced at the next biggest standard size. Add 1 week to the given lead time.

Screen Fabric Table

FABRIC category	ITEM	DESCRIPTION					MIN	MAX	MAX with welding
A	4W-B**	ClearPix 4K White	1.0	✓	✓	✓	70"	110"	NA
	MPW	MultiPix 4K Sonic White	1.3	✓	✓	✓	70"	110"	NA
	2W-B**	ClearPix 2 White	1.0	✓	✓	✓	70"	110"	NA
	2G-B**	ClearPix 2 Grey	0.80	✓	✓	✓	70"	110"	NA
B	M3W	MultiPix 4K White	1.35	✓	✓	✓	70"	110"	NA
	M3G	MultiPix 4K Grey	1.3	✓	✓	✓	70"	110"	NA
	PPW	SolidPix Sonic White	0.9	✓	✓	✓	70"	110"	NA
C	S1W	SolidPix White	1.0	✓	✓	✓	70"	110"	NA
	S2G	SolidPix 2 Grey	0.9	✓	✓	✓	70"	110"	NA

** Includes StopLight black backing.

Options, Accessories and Control

For 1.78 Ratio	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-320 €	-373 €	-404 €	-432 €	-499 €	-574 €	-658 €	-750 €	-851 €	-962 €

For 2.35 Ratio	For 80"	For 90"	For 96"	For 100"	For 110"	For 120"	For 130"	For 140"	For 150"	For 160"
Removal of StopLight black backing	-288 €	-336 €	-364 €	-389 €	-450 €	-517 €	-592 €	-675 €	-766 €	-865 €

FINISH OPTIONS	DESCRIPTION	PRICE
ED10	Extra 10" screen drop.	MSRP x 6%***
ED20*	Extra 20" screen drop.	MSRP x 12%***

*Casing length may change with the specifications of ED20: Please refer to the Configurator for details. Casing size for Standard Drop and ED10 are the same.

***Premium for ED10 and ED20 is taken as a percentage of the MSRP of the screen model price as specified is Category A fabric.

Extra Drop may require a seam: any seams required are positioned in the black drop only, not in the screen surface.

MOTOR CONTROL SYSTEM	DESCRIPTION	PRICE
MCS-N-12V	Control System for 1 Motor - 12V trigger	MCS-N 209 €
MCS-N-RF	Control System for 1 Motor - Radio Frequency	MCS-N + MCS-RFN 309 €
MCS-N-RS232	Control System for 1 Motor - RS232	MCS N RS232 349 €
MCS-1-IR	Control System for 1 Motor - Infrared	MCS-310 + MCS-IR1 + MCS-BIE 358 €
MCS-1-IP	Control System for 1 Motor - TCP/IP	MCS-310 + MCS-SIP + MCS-BRS 715 €

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Retail Price List in EUR, Version 02/2014

Interface GUIDE		Images	Set or change end limits motors	Set or change Preset ratio
Screen ILT2 somfy. powered	STANDARD products	NO INTERFACE	with C2N-SSC-2 Crestron module (not available in Price list)	with Computer or automation System
	Products with MCS-ILT-4		with MCS-ILT-T setting tool (not included)	with Computer or automation System
	Products with MCS-ILT-4-IR		with IR remote control (included)	with IR remote control (included)
	Products with MCS-ILT-4-IP		with MCS-ILT-T setting tool (not included)	with Computer or automation System

ITEM	MCS-ILT-4	MCS-ILT-4-IR	MCS-ILT-4-IP	MCS-N-RS232	MCS-N-RF	MCS-N-12V	MCS-1-RF	MCS-1-IP	MCS-1-IR
PRICE	575 €	875 €	1075 €	349 €	309 €	209 €	569 €	715 €	358 €
IMAGES									
TECHNOLOGY	RS 232/485	INFRARED	TCP/IP	RS 232	RF	12V/RELE'	RF	TCP/IP	INFRARED

Reference X-Mask TheaterCurve										
Reference X-Mask										
Supreme E-Mask										

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Retail Price List in EUR, Version 02/2014

MCS - Motor Control Systems

ITEM	MCS-ILT-4	MCS-ILT-4-IR	MCS-ILT-4-IP	MCS-N-RS232	MCS-N-RF	MCS-N-12V	MCS-1-RF	MCS-X-IP	MCS-X-IR	MCS-X-RS232	
PRICE	575 €	875 €	1.075 €	349 €	309 €	209 €	569 €	MCS version may change depending on screen model			
IMAGES											
TECHNOLOGY	RS 232/485	INFRARED	TCP/IP	RS 232	RF	12V/RELE'	RF	TCP/IP	INFRARED	RS 232	
ON-CEILING MOTORIZED SCREENS	 MS2										
	 MMS2-4										
	 MMS2-T										
	 MMS2-L1										
	 SLMF										
	 SLDFC										
	 MC2									INFRARED technology included	
	 CLCLT										
	 CLCTS										

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

MCS - Motor Control Systems

ITEM	MCS-ILT-4	MCS-ILT-4-IR	MCS-ILT-4-IP	MCS-N-RS232	MCS-N-RF	MCS-N-12V	MCS-1-RF	MCS-X-IP	MCS-X-IR	MCS-X-RS232	
PRICE	575 €	875 €	1.075 €	349 €	309 €	209 €	569 €	MCS version may change depending on screen model			
IMAGES											
TECHNOLOGY	RS 232/485	INFRARED	TCP/IP	RS 232	RF	12V/RELE'	RF	TCP/IP	INFRARED	RS 232	
IN-CEILING SLOT MOTOR SCREENS	 MS2-IS										
	 MMS2-4-IS										
	 MMS2-T-IS										
	 MMS2-L1-IS										
	 MS3-IS										
	 CLIC										
	 MS2-IT										

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Partnership Programs

Screen Research works with a number of industry-leading brands in complimentary technology areas to ensure that our screens are class-leaders.

The application of these partner technologies is indicated where appropriate by each product.



Crestron is a leading manufacturer of advanced control and automation systems, innovating technology and reinventing the way people live and work. Offering integrated solutions to control audio, video, computer, IP and environmental systems, Crestron streamlines technology, improving the quality of life for people in corporate boardrooms, conference rooms, classrooms, auditoriums, and in their homes.

Screen Research is a member of Crestron's Integrated Partner program which is designed to allow partner manufacturer's products to operate seamlessly in a Crestron systems environment. The membership includes a powerful coalition of manufacturers from many diverse markets.

Software modules may be downloaded from www.screenresearch.com/software.php

www.crestron.com



Lutron is a leader in lighting control, renowned for the high quality of their products. Their focus on product innovations, technology, quality, and customer service has made them a worldwide leader in the area of lighting controls. They offer more than 10,000 products to satisfy virtually any residential or commercial project. Lutron products adjust the intensity of virtually every kind of light, and they remain to this day the only company that provides an integrated solution for controlling both natural daylight as well as electrical lighting.

Screen Research specifies the Lutron Sivoia Quiet Electronic Drive (QS) motor as an option in some of our motorized and masked products.

www.lutron.com



THX Ltd. develops technologies and certification programs that help deliver the true vision of filmmakers, game developers and musicians, from their studios to audiences around the world. THX technologies and certification programs are implemented throughout the production chain—from the set and studio to movie theaters and playback devices. The result? Manufacturers produce better audio/visual products, and cinema owners and studio designers create world-class venues. And most importantly, audiences get to experience the true sights and sounds of films and other media exactly like it was created.

Screen Research's patented Acoustically Transparent ClearPix screen materials and StopLight black backing material are THX-certified for their excellent audio and video performance allowing the user to position their loudspeakers directly behind the screen without any degradation in performance.

www.thx.com



The Imaging Science Foundation is a leader in the display standards industry, and is dedicated to improving the quality of electronic imaging. ISF has four basic roles in this industry and the PC industry, which include consulting with manufacturers regarding product development, dealer training, media communications, and ISF licensing.

All SolidPix, MultiPix, ClearPix screen materials are ISF-certified for their excellent video performance

www.imagingscience.com

Product Warranty - Contact Details

1. LIMITED WARRANTY

Screen Research warrants the product designated herein to be free of manufacturing defects in material and workmanship, subject to the term and conditions hereinafter set forth.

- Surface fabric(s) and frames are warranted for a period of five (5) years from the date of invoice by the original purchaser.
- Motors, motor controllers, remote controls, and related assembly hardware are warranted for three (3) years parts and labor from date of invoice by the original purchaser.

2. CONDITIONS AND LIMITATIONS

This Warranty is subject to the following conditions and limitations. The Warranty is void and inapplicable if the product has been used or handled other than in accordance with the instructions in the owner's manual, abused or misused, damaged by accident or neglect or in being transported, or the defect is due to the product being repaired or tampered with by anyone other than Screen Research or an authorized Screen Research dealer or installer. The product must be installed by a professional, duly-authorized Screen Research dealer/custom installer, and maintained according to the written instructions.

3. RETURNS

No product returns accepted without a prior written return authorization from Screen Research.

Product must be packed in the original PACKAGE CONTENTS or equivalent packaging in order to avoid any damage during transportation. The product(s) must be packed and returned to Screen Research or an authorized Screen Research repair center by the customer at his or her sole expense. Screen Research will pay return freight of its choice.

A RETURNED PRODUCT MUST BE ACCOMPANIED BY A WRITTEN DESCRIPTION OF THE DEFECT AND A PHOTOCOPY OF THE ORIGINAL PURCHASE RECEIPT. This receipt must clearly list model and serial number, the date of purchase, the name and address of the purchaser and authorized dealer and the price paid by the purchaser. Screen Research reserves the right to modify the design of any product without obligation to purchasers of previously manufactured products and to change the prices or specifications of any product without notice or obligation to any person.

4. REMEDY

In the event the product fails to meet the above Warranty, the purchaser's sole remedy under this Limited Warranty shall be to return the product to Screen Research or an authorized Screen Research service center where the defect will be rectified without charge for parts or labor, during the term of this Limited Warranty.

5. LIMITED TO ORIGINAL PURCHASER

This Warranty is for the sole benefit of the original purchaser of the covered product and shall not be transferred to a subsequent purchaser of the product.

6. MISCELLANEOUS

Any implied warranties relating to Screen Research products shall be limited to the duration of this warranty. The warranty does not extend to any incidental or consequential damages to the purchaser. Some states or countries do not allow limitations on how long an implied warranty lasts, or an exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights which vary from state to state, or country to country.

7. WARRANTOR

Enquiries regarding the above Limited Warranty may be sent to the following address, specific to country where purchased:

8. WARRANTY SUPPORT MANAGED BY AUTHORIZED DISTRIBUTORS

Screen Research has authorized distribution in many countries of the world. In each country, the authorized importing Distributor is responsible for warranty support of products sold in the respective country by that retailer or distributor. Warranty service should be obtained from the importing retailer or distributor from whom you purchased your product. In the unlikely event of service required beyond the capability of the importer, Screen Research will fulfill the conditions of the warranty. No product returns will be accepted without a prior written return authorization from Screen Research. All product returns must be shipped at the owner's expense to the Screen Research factory, together with a photocopy of the bill of sale for that product, a detailed DESCRIPTION of the problem, and any information necessary for return shipment.

SCREEN RESEARCH DIVISION CONTACTS:

ADEO SCREEN Sp. Z o.o.
Ul. Boelslawa Krzywoustego 31
59-500 Zlotoryja
Poland

Tel. +48 76 850 53 01
Fax + 48 76 850 53 70

Emails

To place orders: orders@screenresearch.com

To get quotations: quote@screenresearch.com

To contact Technical Support: techsupport@screenresearch.com

© Copyright 2014 Screen Research. All rights reserved.

Screen Research products are covered by one or more of the following patents:

No. 08.02361 (France); No. US 7 777 947-B2 (USA); No. 167.61.72 (Europe) No. 09.03989 (France); No. US-7 466 483-B2 (USA); No. 200480025260.9 (China); No. 1126/CHENP/2007 (India) No. 167.75.55 (Europe); No. 2006-524398 (Japan) pending; No. US 7 466 483 B2 -USA; No. US 2011 043908 (USA); USPTO: 200 701 71 522 -USA

SilverPix, ClearPix, MultiPix, SolidPix, X-Mask, C-Mask, E-Mask, TheaterCurve, Pi-Grip, E-Grip, TFX, StopLight, DécorMask, TailorMade and the Screen Research logo are all trademarks of Screen Research.

THX is a trademark of THX Ltd.

ISF is a trademark of Imaging Science Foundation Inc..

Sivoia QED and Sivoia QS are registered trademarks of Lutron Electronics Co., Inc..

Somfy is a registered trademark of Somfy SAS.

All other trademarks are the property of their respective owners.

In line with Screen Research's policy of continuous product development, specifications and prices are subject to change without notice.

Retail Price List in EUR, Version 02/2014